

**AMMAPETTAI TOWN PANCHAYAT**  
**TENDER SCHEDULE**

**NAME OF WORK : Maintanance works OHT at Santhi Nagar in Ammapettai Town panchayat**

**EST.AMOUNT Rs 5,00,000/-**

**TENDER DATE:**

**TENDER DEPOSIT:**

Sl. No	Quantity		Description of Work	TNDSS or TNBP No	Rate in Rupees		Units in Figures & Words	Amount in Rupees
					FIGURES	WORDS		
1	27.00	RM	BORED PILE 300 mm Dia Boring, providing and installing Bored cast-in-situ reinforced cement Concrete pile of specified diametre and length below the pile cap in cement concrete 1 :1.5:3 ( 1 cement, 1 .5 Coarse sand,& 3 graded stone aggregate of 20 mm nominal size) to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including Bentonite solution machinery charges labour chargres etc.,all complete.				1RM (One Running Meter)	
2	3.00	M <sup>3</sup>	Earth work open excavation and depositing on bank with in the initial lead of 10m and a lift of 2m in hard stiff clay, stiff block cotton, hard red earth, shales, murram, gravel, stoney earth and earth mixed with small size boulders etc., as per SS 20 A. TNDSS NO: 23 & 24 VI (S2) VI,VII 9,10 with standard specifications.				1M <sup>3</sup> (One Cubic Metre)	
3	1.00	M <sup>3</sup>	Supplying and Filling in foundation and basement with Filling Sand in layers of not more than 15cm thick well rammed,watered consolidated including cost and conveyance of materials and labour charges etc., complete as per Standard Specification and as directed by departmental Engineers(TNBP No.24&25).				1M <sup>3</sup> (One Cubic Metre)	

Sl. No	Quantity		Description of Work	TNDSS or TNBP No	Rate in Rupees		Units in Figures & Words	Amount in Rupees
					FIGURES	WORDS		
4	1.00	M <sup>3</sup>	Plain Cement Concrete 1:4:8 Mix (one part cement, four part sand and Eight part of aggregate) using 40 mm size ISS HBG metal from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing. Laying and curing etc., complete as per TNDSS NO : 28 & VI (S2) VI (S5A) VII standard specifications as directed by Engineer incharge.				1M <sup>3</sup> (One Cubic Metre)	
5			Supplying and erecting centering to sides and soffits including supports and strutting with necessary cross bracing for plain surface such as RCC slabs rectangular beams all beams lintels etc., centering for soffits upto 3 meter height using mild steel sheet of size 90 cm x 60 cm x 10 mm gauge with MS angles of size 25mm x 25mm x 3mm laid over silver oak (CW) joists of size 10cm x 6cm spaced upto 90cm c/c and casurina props or 10 cm to 13 cm dia spaced at 0.750 cm c/c complying with standard specifications as per TNDSS NO : 30 & 86.					
a	12.00	M <sup>2</sup>	without shuteriing				1M <sup>2</sup> (One Square Metre)	
b	13.00	M <sup>2</sup>	For Column Surface				1M <sup>2</sup> (One Square Metre)	

Sl. No	Quantity		Description of Work	TNDSS or TNBP No	Rate in Rupees		Units in Figures & Words	Amount in Rupees
					FIGURES	WORDS		
6	520.00	KG	Supplying and fabrication of steel and placing in position of TMT steel rods for RCC works as per design given including cost of steel and GI binding wire in all floors etc., complete complying with standard specification in TNDSS NO:97 V,VI (S6) VII (S6), VII-3.				1Kg (One Kilo Grame)	
7	3.00	M <sup>3</sup>	Vibrated Reinforced Cement concrete 1:1 1/2:3 (One part cement, one and half part sand and Three part aggregate) using machine crushed 20mm gauge hard broken stone jelly for all RCC items of work excluding centering strutting, and reinforcement grills placed in position but including mixing concrete, laying and vibrations charges, curing, etc complete and including providing fixtures like fan clamps in the RCC floor or roof slabs wherever necessary etc. complete complying with standard specification ( TNBP No:30)				1M <sup>3</sup> (One Cubic Metre)	
8	15.00	M <sup>3</sup>	Brick Work in Cement Mortar 1:5 Mix (one cement, five sand) using new best II Class Bricks of size 9 " x 4 3/8 "x 2 3/4 " from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications.(For 10 M3)				1M <sup>3</sup> (One Cubic Metre)	
9	191.00	M <sup>2</sup>	Plastering in Cement Mortar 1:5 Mix (one cement, five sand) 12mm thick including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications.				1M <sup>2</sup> (One Square Metre)	

Sl. No	Quantity		Description of Work	TNDSS or TNBP No	Rate in Rupees		Units in Figures & Words	Amount in Rupees
					FIGURES	WORDS		
10	839.00	M <sup>2</sup>	Painting two coats with ready mixed Plastic Emulsion Paint S.I.358 Plastic emulsion paint of approved quality and colour over a priming coat, including thorough scraping, clean removal of dirt, etc complete and including necessary plaster of paris, putty, wherever required including cost and conveyance of all materials etc.and all labour charges etc.complete as per Standard specification and as directed by the departmental officers. TNBP No:66-A.				1M <sup>2</sup> (One Square Metre)	
11	23.00	M <sup>2</sup>	Painting with two coats of Approved colour of best quality synthetic enamel paint, painting over new iron work including cost and conveyance of all materials and all labour charges etc. complete as per Standard specification and as directed by the departmental officers. (New Iron Surface). TNBP No:66&66-A				1M <sup>2</sup> (One Square Metre)	

Sl. No	Quantity		Description of Work	TNDSS or TNBP No	Rate in Rupees		Units in Figures & Words	Amount in Rupees
					FIGURES	WORDS		
12	95.00	Rm	Providing two legged scaffolding using 15cm dia blue-gum posts of 4.0m overall length (3M HT + 0.5M projection + 0.5m into ground) the distance between two rows being 1.25m and the spacing of posts being 2.0m and the spacing of posts being 2.0m in both the rows with two horizontal posts with 0.5m overlap on either side and braces at 2m c/c including longitudinal and transverse middle braces to step up and providing a platform with country wood plank of 40mm tk & 1.0m width in a complete form using colr and nalls - 1.0m run -- FOR REJUVENATION WORKS				1RM (One Running Meter)	

**(Approved Items 1 to 12 only)**

Note:

(1) Item for which no rate or price has been entered in will not be paid for by the Employer when executed and shall be deemed covered by the Other rates and prices in the Bill of /Quantity (refer: ITB clause 13.2 and GCC Clause 43.3)

(2) Unit rates and prices shall be quoted by the bidder in Indian Rupee (ITB Clause 14.1)

(3) Where there is a discrepancy between the rate in figures and words, the rates in words will govern (ITB Clause 27s.1(a))

(4) Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by quantity, the unit rate quoted shall govern (ITB Clause 27.1(b)).