

13--CASE,AFTERBODY TORP

Buyer: NAVSUP WEAPON SYSTEMS SUPPORT MECH

Description:

CONTACT INFORMATION|4|N742.8|CFADD|717-605-2982|brittany.a.langletz.civ@us.navy.mil|
ITEM UNIQUE IDENTIFICATION AND VALUATION (MAR 2016)|19|
INSPECTION OF SUPPLIES--FIXED-PRICE (AUG 1996)|2||
INSPECTION AND ACCEPTANCE - SHORT VERSION|8|X||X||
TIME OF DELIVERY (JUNE 1997)|20|
GENERAL INFORMATION-FOB-DESTINATION|1|B|
WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (DEC 2018)|16|COMBO INVOICE AND
RECEIVING REPORT||TO BE DETERMINED (TBD)|N00104|TBD|TBD|W25G1U - QTY 54 W62G2T -
QTY 54|TBD|TBD||TBD|||Contact the WAWF helpdesk at 866-618-5988|
NAVY USE OF ABILITYONE SUPPORT CONTRACTOR - RELEASE OF OFFEROR INFORMATION (3-
18))|1||
EQUAL OPPORTUNITY (SEP 2016)|2||
BUY AMERICAN --FREE TRADE AGREEMENTS--BALANCE OF PAYMENTS PROGRAM -
BASIC(DEVIATION 2020-O0019) (JUL 2020))|3||
NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE (OCT 2020)(DEVIATION 2020-O0008)|1||
ALTERNATE A, ANNUAL REPRESENTATIONS AND CERTIFICATIONS (NOV 2020)|13|
BUY AMERICAN-FREE TRADE AGREEMENTS-BALANCE OF PAYMENTS PROGRAM
CERTIFICATE (DEVIATION 2020-O0019) (JUL 2020))|3||
BUY AMERICAN-BALANCE OF PAYMENTS PROGRAM CERTIFICATE-BASIC (NOV 2014)|1||
ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2022)|13|334511|1250|
NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE, EMERGENCY PERPARDENESS, AND
ENRGY PROGAM USE (APRIL 2008))|2||x|
EVALUATION CRITERIA AND BASIS FOR AWARD-|1||

The purpose of this amendment is to extend the solicitation period to 8 APR 22.

The purpose of this amendment is to add missing drawings to the TDP. Solicitation period extended to 25 MAR 22.

The purpose of this amendment is to:

1. Update the solicitation close date to 18 MAR 22.
2. Update TDP from version 012 to version 013.
 1. This is a competitive 1G purchase requirement. The Government has rights to the technical data, engineering, tooling or manufacturing restrictions.
 2. This solicitation is for the purchase of NIIN 15610794, CASE,AFTERBODY TORP,qty. 108.
 - 3."The IWSST has determined that all NIINs for this requirement are covered by the 30 July 2018 Class Determination and Findings (D&F) for the Use of Special Emergency Procurement Authority (SEPA), and that the criteria in Paragraph 3 thereof are met. Proceed with the use of SEPA as appropriate. The carcass(es) is (are) available for repair.
 4. NAVSUP WSS Mechanicsburg will be considering past performance in the evaluation of offers in accordance with FAR 13.106(a)(2) and DFARS 252.213-7000.
 5. Proposal is to be submitted as a Firm-Fixed Price (FFP) for the requirement.
 6. All contractual documents (i.e.contracts, purchase orders, and modification (s) related to the instant procurement are considered to be "issued" by the Government when copies are either deposited in the mail, transmitted by facsimile, or sent by other electronic commerce method such as email. The Government's acceptance of the contractor's proposal

constitutes bilateral agreement to "issue" contractual documents as detailed herein.

7.If supplies will be packaged at a location different from the offeror address, the offeror shall provide the name, street address, and CAGE of the packaging facility.

8. The final delivery date for this requirement shall be 537 days from the date of contract award.

1. SCOPE

1.1 This contract/purchase order contains the requirements for manufacture and the contract quality requirements for the CASE,AFTERBODY TORP .

2. APPLICABLE DOCUMENTS

2.1 Applicable Documents - The document(s) listed below form a part of this contract/purchase order including modifications or exclusions.

2.1.1 Documents, drawings, and publications supplied are listed under "Drawing Number". These items should be retained until an award is made.

2.1.2 "Document References" listed below must be obtained by the Contractor. Ordering information is included as an attachment to this contract/purchase order.

2.2 Order of Precedence - In the event of a conflict between the text of this contract/purchase order and the references and/or drawings cited herein, the text of this contract/purchase order shall take precedence. Nothing in this contract/purchase order,

however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

DRAWING DATA=2507345 |10001| G|FN |D|0001 | |49998|0112633

DRAWING DATA=2508921 |10001| G|FN |D|0001 | G|49998|0045995

DRAWING DATA=2508922 |10001| D|FN |D|0001 | D|49998|0046270

DRAWING DATA=2508924 |10001| D|FN |D|0001 | D|49998|0044222

DRAWING DATA=2508925 |10001| E|FN |D|0001 | E|49998|0044498

DRAWING DATA=2509045 |10001| F|FN |D|0001 | F|49998|0048978

DRAWING DATA=6300782 |53711| C|FN |D|0001 | C|49998|0059718

DRAWING DATA=6300782 |53711| C|FN |D|0002 | C|49998|0017769

DRAWING DATA=6300782 |53711| C|FN |D|0003 | C|49998|0020810

DRAWING DATA=6300782 |53711| C|FN |D|0004 | C|49998|0023458

DRAWING DATA=7052791 |53711| A|FN |D|0001 | A|49998|0043931

DRAWING DATA=7052965 |53711| E|FN |D|0001 | |49998|0125177

DRAWING DATA=7052966 |53711| F|FN |D|0001 | |49998|0061195

DRAWING DATA=7052966 |53711| F|PL |D|0001 | |49998|0040467

DRAWING DATA=7052967 |53711| C|FN |D|0001 | C|49998|0162088

DRAWING DATA=7052968 |53711| B|FN |D|0001 | B|49998|0055358

DRAWING DATA=7052968 |53711| D|PL |D|0001 | |49998|0015704

DRAWING DATA=7052969 |53711| F|FN |D|0001 | F|49998|0056703

DRAWING DATA=7052969 |53711| E|PL |D|0001 | |49998|0040598

DRAWING DATA=7052989 |53711| A|FN |D|0001 | A|49998|0262034

DOCUMENT REF DATA=MIL-STD-129 | | |P |041029|A| |03|

DOCUMENT REF DATA=ISO9001 | | | |010417|A| | |

DOCUMENT REF DATA=MIL-STD-973 | | | |950113|A| |03|

3. REQUIREMENTS

3.1 Design, Manufacture, and Performance - Except as modified herein, the CASE,AFTERBODY TORP furnished under this contract/purchase order shall meet the design, manufacture, and performance requirements specified on drawing ;53711 7052969 0F1X1 7052969;

cage ; .

3.2 Marking - This item shall be physically identified in accordance with ;MIL-STD-129; .

3.3 Configuration Control - MIL-STD-973 entitled "Configuration Management", Paragraph 5.4.8, Configuration Control (Short Form Procedure), is hereby incorporated. The Contractor shall submit all Engineering Change Proposals in accordance with MIL-STD-973, Paragraph 5.4.8.2 and Appendix D. Requests for Deviations shall be processed in accordance with MIL-STD-973, Paragraph 5.4.8.3 and Appendix E. Requests for Waivers shall be processed in accordance with MIL-STD-973, Paragraph 5.4.8.4 and Appendix E. (Original and two copies shall be submitted to Contracting Officer, NAVICP-MECH, P. O. Box 2020, Mechanicsburg Pa. 17055-0788.)

3.3.1 Configuration Control - When the Contractor has received authorization on a prior contract for the same NSN for the use of a drawing of a later revision status, that authorization is hereby extended to all succeeding contracts/purchase orders until another drawing revision is approved. The Contractor will notify the PCO of this occurrence in each instance, in the response to the solicitation. Such notification shall be in writing setting forth the contract under which the prior authorization was granted, the date of the granting of the authorization, and the name of the granting authority.

Contractors shall also refer technical inquiries (other than those covered by MIL-STD-973) on company letterhead signed by a responsible company official, with copies distributed as stated below.

The original and two copies of all Contractor generated correspondence regarding configuration shall be submitted to Contracting Officer, NAVICP-MECH, P.O. Box 2020, Mechanicsburg, PA 17055-0788.

Contractors are cautioned that implementing engineering changes, waivers, deviations or technical inquiries into the contract/purchase order without approval of the Contracting Officer will be at the sole risk of the Contractor.

3.4 Mercury Free - The material supplied under this contract/purchase order is intended for use on submarines/surface ships and therefore shall contain no metallic mercury and shall be free from mercury contamination. Mercury contamination of the material will be cause for rejection.

If the inclusion of metallic mercury is required as a functional part of the material furnished under this contract, the Contractor shall obtain written approval from the Procurement Contracting Officer before proceeding with manufacture. The

contractor's request shall explain in detail the requirements for mercury, identify specifically the parts to contain mercury, and explain the method of protection against mercury escape. Such a request will be forwarded directly to the Procurement Contracting

Officer with a copy to the applicable Government Inspector. Upon approval by the Contracting Officer, the vendor will provide a "Warning Plate" stating that metallic mercury is a functional part of the item and will include name and location of that part.

The use of mercury, mercury compounds, or mercury-bearing instruments and/or equipment in a manner which might cause contamination in the manufacture, assembly, or test of material on this contract is prohibited. The most probable causes of

contamination are direct-connected manometers, mercury vacuum pumps, mercury seals, or the handling of mercury in the immediate vicinity. Mercury switches, mercury in glass thermometers, standard cells and other items containing mercury may be used if they are located so as not to constitute a contamination hazard.

If external contamination by metallic mercury occurs or is suspected, the following test may be used to determine whether contamination by metallic mercury exists or whether corrective cleaning measures have been effective. Enclose the equipment in a

polyethylene bag or close-fitting airtight container for eight hours at room temperature (70 degrees F minimum). Sample the trapped air and if mercury vapor concentration is 0.01 mg/cu meter or more, the material is mercury contaminated insofar as the requirements of this contract are concerned.

These requirements shall be included in any subcontract or purchase order hereunder and the Contractor shall insure SubContractor compliance with these requirements.

Technical questions pertaining to these requirements shall be referred to the Procurement Contracting Officer via the cognizant Administrative Contracting Officer. For background, the following information is provided: Mercury is corrosive to gold, silver, nickel, stainless steels, aluminum and copper alloys. Stainless steels, nickel, and copper alloys are widely used in reactor plants and other submarine/surface ship systems. Accidental trapping of mercury in a component could cause serious damage to vital parts. Mercury is also toxic if inhaled, ingested, or absorbed through the skin. It is evident that grave consequences could result from small amounts of mercury vapor present in an unreplenished submarine/surface ship atmosphere.

4. QUALITY ASSURANCE

4.1 Responsibility for Inspection - Unless otherwise specified in the contract/purchase order, the Contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract/purchase order,

the Contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality System Requirements - The supplier shall provide and maintain a quality system acceptable to the Government. The quality system requirements shall be in accordance with ISO 9001.

4.2.1 ;Suppliers currently using and maintaining Inspection System Requirements to MIL-I-45208 are granted permission to utilize this if desired.;

4.3 Responsibility for Compliance - All items must meet all requirements of this contract/purchase order. The inspection set forth in this specification shall become a part of the Contractor's overall inspection system or quality program. The absence of any inspection requirements shall not relieve the Contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract/purchase order. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.4 Records of Inspection - (This requirement is not applicable to Government Purchase Orders) Records of all inspection work performed by the Contractor, as referenced elsewhere in this contract, shall be kept complete and available to the Government during the performance of the contract and for a period of four years after final delivery of supplies.

5. PACKAGING

5.1 Preservation, Packaging, Packing and Marking - Preservation, Packaging, Packing and Marking shall be in accordance with the Contract/Purchase Order Schedule and as specified below.

MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

6. NOTES

6.1 Ordering Information for Document References - The Department of Defense Single Stock Point (DODSSP), Website <http://www.dsp.dla.mil/>, provides product information for the Department Of Defense Index Of Specifications and Standards (DODISS) (i.e. Military/Federal Specifications and Standards), Data Item Descriptions (DIDs), and other DODSSP Products.

A. Availability of Cancelled Documents - The DODSSP offers cancelled documents that are required by private industry in fulfillment of contractual obligations in paper format. Documents can be requested by phoning the Subscription Services Desk.

B. Commercial Specifications, Standards, and Descriptions - These specifications, standards and descriptions are not available from Government sources. They may be obtained from the publishers of the applicable societies.

C. Ordnance Standards (OS), Weapons Specifications (WS), and NAVORD OSTD 600 Pages - These type publications may be obtained by submitting a request to:

Commander, Indian Head Division, Naval Surface Warfare Center
Code 8410P, 101 Strauss Avenue
Indian Head, MD 20640-5035

D. On post-award actions, requests for "Official Use Only" and "NOFORN" (Not Releasable To Foreign Nationals) documents must identify the Government Contract Number, and must be submitted via the cognizant Defense Contract Management Command (DCMC) for certification of need for the document. On pre-award actions such requests must be submitted to the PCO for certification of need for the document.

E. NOFORN Military Specifications and Standards (including Amendments, Change Notices and Supplements, but NOT interim Changes) to be ordered from:

Contracting Officer
NAVICP-MECH
Code 87321
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

F. Nuclear Reactor Publications Assigned NAVSEA Documents and Identification Numbers (i.e. NAVSEA Welding Standard, NAVSEA 250-1500-1) are to be ordered from:

Commanding Officer
NAVICP-MECH
Code 009
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

G. Technical Manuals Assigned NAVSEA Identification Numbers (i.e. NAVSEA Welding And Brazing Procedure, NAVSEA S9074-AQ-GIB-010/248) are to be ordered from:

Naval Inventory Control Point
Code 1 Support Branch
700 Robbins Avenue
Philadelphia, Pa. 19111-5094

H. Interim Changes and Classified Specifications shall be obtained by submitting a request on DD Form 1425 to NAVICP-MECH.

Country:
United States

Published date:
Mar 28 2022

Deadline:
Apr 08 2022

Contact:
Telephone: 7176052982

Email:
BRITTANY.A.LANGLETZ@NAVY.MIL

Link:

Link to original

×

Please register

Registering is free and only takes a moment.

[Register](#)

[Login](#)

Open Contracts ID:

ocds-0c46vo-0421-c0c0a311ac28403e8747fcc046f539fd

Saved on:

Mar 29 2022

Source ID:

c0c0a311ac28403e8747fcc046f539fd

OCDS JSON:

<https://openopps.com/tenders/13-case-afterbody-torp/ocds-0c46vo-0421-c0c0a311ac28403e8747fcc046f539fd?format=json>
