

TEST SET,OPTICAL PO

Buyer: NAVSUP WEAPON SYSTEMS SUPPORT MECH

Description:

CONTACT INFORMATION|4|N7M3.6|ETA|N/A|nicholas.s.peters1@navy.mil|
ITEM UNIQUE IDENTIFICATION AND VALUATION (MAR 2016)|19|
HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NAVICP REVIEW FEB 1991)(FEB 1999)|1|ISO9001|
INSPECTION OF SUPPLIES--FIXED-PRICE (AUG 1996)|2||
HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT|6|x||
WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (DEC 2018)|16|Combo Invoice and Receiving Report|N/A|TBA|N00104|TBA|TBA|TBA|TBA||TBA||
NAVY USE OF ABILITYONE SUPPORT CONTRACTOR - RELEASE OF OFFEROR INFORMATION (3-18))|1||
EQUAL OPPORTUNITY (SEP 2016)|2||
BUY AMERICAN --FREE TRADE AGREEMENTS--BALANCE OF PAYMENTS PROGRAM - BASIC(DEVIATION 2020-O0019) (JUL 2020))|3||
ALTERNATE A, ANNUAL REPRESENTATIONS AND CERTIFICATIONS (NOV 2020)|13|
BUY AMERICAN-FREE TRADE AGREEMENTS-BALANCE OF PAYMENTS PROGRAM CERTIFICATE (DEVIATION 2020-O0019) (JUL 2020))|3||
BUY AMERICAN-BALANCE OF PAYMENTS PROGRAM CERTIFICATE-BASIC (NOV 2014)|1||
ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2022)|13|333314|500|
NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE, EMERGENCY PERPARDENESS, AND ENRGY PROGAM USE (APRIL 2008))|2||x|
1) WHEN SUBMITTING QUOTES, MAKE SURE YOU SPECIFY ANY EXCEPTIONS, I.E. MIL-STD PACKAGING, MIL-STD LABELING, INSPECTION AND ACCEPTANCE LOCATIONS, PACKAGING HOUSES, SURPLUS MATERIAL, ETC. IF NO EXCEPTIONS ARE INDICATED OR RECEIVED, AWARD WILL BE BASED UPON SOLICITATION REQUIREMENTS. CHANGES OR REQUESTS FOR CHANGES AFTER AWARD WILL HAVE CONSIDERATION COSTS DEDUCTED FROM UNIT PRICE.
2) IF SUPPLIES WILL BE PACKAGED AT A LOCATION DIFFERENT FROM THE OFFEROR ADDRESS, THE OFFEROR SHALL PROVIDE THE NAME, STREET ADDRESS AND CAGE CODE OF THE PACKAGING FACILITY.
3) IF YOU ARE NOT THE MANUFACTURER OF THE MATERIAL YOU ARE OFFERING, YOU MUST STATE WHO THE MANUFACTURER IS (NAME & CAGE CODE) AND BE ABLE TO PROVIDE TRACEABILITY INFORMATION IF REQUESTED. EXAMPLES OF TRACEABILITY DOCUMENTATION INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING: PURCHASE ORDER/INVOICE BETWEEN YOU AND THE MANUFACTURER IDENTIFYING THE PART NUMBER, REVISION LEVEL AND QUANTITIES, MANUFACTURER'S PACKING SLIP OR CERTIFICATION IDENTIFYING THE PART NUMBER, REVISION LEVEL AND QUANTITIES.
4) SOURCE INSPECTION IS REQUIRED FOR THIS ITEM. PLEASE FACTOR ANY ADDITIONAL COSTS ASSOCIATED WITH SOURCE INSPECTION INTO YOUR PRICE.
5)ALL CONTRACTUAL DOCUMENTS (I.E. CONTRACTS, PURCHASE ORDERS, TASK ORDERS, DELIVERY ORDERS AND MODIFICATIONS) RELATED TO THIS PROCUREMENT ARE CONSIDERED TO BE "ISSUED" BY THE GOVERNMENT WHEN COPIES ARE EITHER DEPOSITED IN THE MAIL, TRANSMITTED BY FAX, OR SENT BY

OTHER ELECTRONIC COMMERCE METHODS, SUCH AS EMAIL. THE GOVERNMENT'S ACCEPTANCE OF THE CONTRACTOR'S PROPOSAL CONSTITUTES BILATERAL AGREEMENT TO "ISSUE" CONTRACTUAL DOCUMENTS AS DETAILED HEREIN.

6) COMPANIES WHO ARE NOT CURRENTLY TECHNICALLY APPROVED SOURCES FOR THE SOLICITED ITEM AND ARE INTERESTED IN DOING BUSINESS WITH NAVSUP CAN EXPRESS INTEREST BY COMPLETING A VENDOR INTEREST FORM AT THE NAVSUP BUSINESS OPPORTUNITIES WEB PORTAL AT [HTTPS://WWW.NAVSUP.NAVY.MIL/PUBLIC/NAVSUP/BUSINESS_OPPTS/](https://www.navsup.navy.mil/public/navsup/business_opps/). THE AWARD ACTION FOR THE CURRENT SOLICITED REQUIREMENT WILL NOT BE HELD UP FOR ATTAINING APPROVAL OF AN OFFEROR THAT IS NOT CURRENTLY TECHNICALLY ACCEPTABLE BY THE GOVERNMENT FOR THIS ITEM.

NAVY POC:

NICK PETERS

NICHOLAS.S.PETERS1@NAVY.MIL

\

1. SCOPE

1.1 This contract/purchase order contains the requirements for manufacture and the contract quality requirements for the TEST SET,OPTICAL PO .

2. APPLICABLE DOCUMENTS

2.1 Applicable Documents - The document(s) listed below form a part of this contract/purchase order including modifications or exclusions.

2.1.1 "Document References" listed below must be obtained by the Contractor. Ordering information is included as an attachment to this contract/purchase order.

2.2 Order of Precedence - In the event of a conflict between the text of this contract/purchase order and the references and/or drawings cited herein, the text of this contract/purchase order shall take precedence. Nothing in this contract/purchase order,

however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

DOCUMENT REF DATA=MIL-STD-129 || |R |180524|A| |01|

DOCUMENT REF DATA=ISO9001 || | |010417|A| ||

3. REQUIREMENTS

3.1 Cage Code/Reference Number Items - The TEST SET,OPTICAL PO furnished under this contract/purchase order shall be the design represented by Cage Code(s) reference number(s). Cage _____ ref. no.

;0XY53 525N-60;

3.2 Marking - This item shall be physically identified in accordance with ;MIL-STD-129; .

3.3 Changes in Design, Material Servicing, or Part Number - Except for a Code 1 change, which shall be processed as provided in the code statement shown below, no substitution of items shall be made until the SPCC Contracting Officer has been notified and

approval has been given by issuance of a written change order. When any change in design, material, servicing or part number is made to replace or substitute any item to be furnished on this contract/purchase order, the Contractor shall furnish, for the

substituting/replacement item, a drawing and an explanation of the reason for the change, or a detailed description of the change, explaining the reason therefore. If finished detail drawings are not available, shop drawings in the form used by the manufacturer

will be acceptable for Government evaluation. When notifying the Contracting Officer of the reasons for making substitutions, the type of change shall be indicated by code number in accordance with one of the following statements:

Code 1: PART NUMBER CHANGE/MINOR DESIGN CHANGE - If the Manufacturer's Part Number or item design indicated thereon has changed, but form, fit and function of the item is not affected thereby, and the

design change meets the criteria for minor, by not effecting form, fit, function, reliability or safety , supply the item and advise SPCC immediately of the new part number, furnishing a detail drawing and/or a detailed description of the change, as applicable.

Code 2: Assembly (or set or kit) not furnished - Used following detail parts.

Code 3: Part not furnished separately - Use assembly.

Code 4: Part redesigned - Old and new parts are completely interchangeable.

Code 5: Part redesigned - New part replaces old. Old part cannot replace new.

Code 6: Part redesigned - Parts not interchangeable.

3.4 Mercury Free - The material supplied under this contract/purchase order is intended for use on submarines/surface ships and therefore shall contain no metallic mercury and shall be free from mercury contamination. Mercury contamination of the material will be cause for rejection.

If the inclusion of metallic mercury is required as a functional part of the material furnished under this contract, the Contractor shall obtain written approval from the Procurement Contracting Officer before proceeding with manufacture. The

contractor's request shall explain in detail the requirements for mercury, identify specifically the parts to contain mercury, and explain the method of protection against mercury escape. Such a request will be forwarded directly to the Procurement Contracting

Officer with a copy to the applicable Government Inspector. Upon approval by the Contracting Officer, the vendor will provide a "Warning Plate" stating that metallic mercury is a functional part of the item and will include name and location of that part.

The use of mercury, mercury compounds, or mercury-bearing instruments and/or equipment in a manner which might cause contamination in the manufacture, assembly, or test of material on this contract is prohibited. The most probable causes of

contamination are direct-connected manometers, mercury vacuum pumps, mercury seals, or the handling of mercury in the immediate vicinity. Mercury switches, mercury in glass thermometers, standard cells and other items containing mercury may be used if they are located so as not to constitute a contamination hazard.

If external contamination by metallic mercury occurs or is suspected, the following test may be used to determine whether contamination by metallic mercury exists or whether corrective cleaning measures have been effective. Enclose the equipment in a polyethylene bag or close-fitting airtight container for eight hours at room temperature (70 degrees F minimum). Sample the trapped air and if mercury vapor concentration is 0.01 mg/cu meter or more, the material is mercury contaminated insofar as the requirements of this contract are concerned.

These requirements shall be included in any subcontract or purchase order hereunder and the Contractor shall insure SubContractor compliance with these requirements.

Technical questions pertaining to these requirements shall be referred to the Procurement Contracting Officer via the cognizant Administrative Contracting Officer. For background, the following information is provided: Mercury is corrosive to gold, silver, nickel, stainless steels, aluminum and copper alloys. Stainless steels, nickel, and copper alloys are widely used in reactor plants and other submarine/surface ship systems. Accidental trapping of mercury in a component could cause serious damage to vital parts. Mercury is also toxic if inhaled, ingested, or absorbed through the skin. It is evident that grave consequences could result from small amounts of mercury vapor present in an un replenished submarine/surface ship atmosphere.

4. QUALITY ASSURANCE

4.1 Responsibility for Inspection - Unless otherwise specified in the contract/purchase order, the Contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified

in the contract/purchase order,
the Contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality System Requirements - The supplier shall provide and maintain a quality system acceptable to the Government. The quality system requirements shall be in accordance with ISO 9001.

4.2.1 ;Suppliers currently using and maintaining Inspection System Requirements to MIL-I-45208 are granted permission to utilize MIL-I-45208 if desired.;

4.3 Responsibility for Compliance - All items must meet all requirements of this contract/purchase order. The inspection set forth in this specification shall become a part of the Contractor's overall inspection system or quality program. The absence of any inspection requirements shall not relieve the Contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract/purchase order. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.4 Records of Inspection - (This requirement is not applicable to Government Purchase Orders) Records of all inspection work performed by the Contractor, as referenced elsewhere in this contract, shall be kept complete and available to the Government during the performance of the contract and for a period of four years after final delivery of supplies.

5. PACKAGING

5.1 Preservation, Packaging, Packing and Marking - Preservation, Packaging, Packing and Marking shall be in accordance with the Contract/Purchase Order Schedule and as specified below.

MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

6. NOTES

6.1 Ordering Information for Document References - The Department of Defense Single Stock Point (DODSSP), Website <http://www.dsp.dla.mil/>, provides product information for the Department Of Defense Index Of Specifications and Standards (DODISS)

(i.e. Military/Federal Specifications and Standards), Data Item Descriptions (DIDs), and other DODSSP Products. Most Specifications can be obtained directly from <http://quicksearch.dla.mil/>

A. Availability of Cancelled Documents - The DODSSP offers cancelled documents that are required by private industry in fulfillment of contractual obligations in paper format. Documents can be requested by phoning the Subscription Services Desk.

B. Commercial Specifications, Standards, and Descriptions - These specifications, standards and descriptions are not available from Government sources. They may be obtained from the publishers of the applicable societies.

C. Ordnance Standards (OS), Weapons Specifications (WS), and NAVORD OSTD 600 Pages - These type publications may be obtained by submitting a request to:

Commander, Indian Head Division, Naval Surface Warfare Center
Code 8410P, 101 Strauss Avenue
Indian Head, MD 20640-5035

D. On post-award actions, requests for "Official Use Only" and "NOFORN" (Not Releasable To Foreign Nationals) documents must identify the Government Contract Number, and must be submitted via the cognizant Defense Contract Management Command (DCMC) for certification of need for the document. On pre-award actions such requests must be submitted to the PCO for certification of need for the document.

E. NOFORN Military Specifications and Standards (including Amendments, Change Notices and Supplements, but NOT interim Changes) to be ordered from:

Contracting Officer

NAVSUP-WSS

Code 87321

5450 Carlisle Pike

P.O. Box 2020

Mechanicsburg, Pa. 17055-0788

F. Nuclear Reactor Publications Assigned NAVSEA Documents and Identification Numbers (i.e. NAVSEA Welding Standard, NAVSEA 250-1500-1) are to be ordered enue:

Commanding Officer

NAVSUP-WSS

Code 009

5450 Carlisle Pike

P.O. Box 2020

Mechanicsburg, Pa. 17055-0788

G. Technical Manuals Assigned NAVSEA Identification Numbers (i.e. NAVSEA Welding And Brazing Procedure, NAVSEA S9074-AQ-GIB-010/248) are to be ordered from:

Commanding Officer

NAVSUP-WSS

Code 1 Support Branch

700 Robbins Avenue

Philadelphia, Pa. 19111-5094

H. Interim Changes and Classified Specifications must be obtained by submitting a request on DD Form 1425 to NAVSUP-WSS.

6.2 Notice To Distributors/Offerors - Consideration for award of contract shall be given only to authorized distributors of the original manufacturer's item represented in this solicitation. If you desire to be considered as a potential source for award of

this contract, proof of being an authorized distributor shall be provided on company letterhead signed by a responsible company official and sent with your offer to the Procurement Contracting Officer.

6.3 In accordance with OPNAVINST 5510.1 all documents and drawings provided by the U.S. Navy to perspective Contractors must include a "Distribution Statement" to inform the contractor of the limits of distribution, and the safeguarding of the information contained on those documents and drawings.

There are 7 (seven) seperate distribution statement codes used for non-classified documents and drawings. The definition for each is as follows:

A... approved for public release; distribution is unlimited.

B... distribution authorized to US Governments agencies only.

C... distribution authorized to US Government agencies and their contractors.

D... distribution authorized to DoD and DoD contractors only.

E... distribution authorized to DoD Components only.

F... further distribution only as directed by Commander, Naval Sea Systems Command, code 09T.

X... distribution is authorized to US Government agencies and private individuals or enterprises eligible to obtain export controlled technical data in accordance with OPNAVINST 5510.161.

Country:

United States

Published date:

Mar 29 2022

Deadline:
Apr 25 2022

Contact:
Telephone: 7176054358

Email:
NICHOLAS.S.PETERS1@NAVY.MIL

Link:

Link to original

×

Please register

Registering is free and only takes a moment.

[Register](#) [Login](#)

Open Contracts ID:
ocds-0c46vo-0421-9d1c01974b864efcb19b6a6e1e3a631b

Saved on:
Mar 30 2022

Source ID:
9d1c01974b864efcb19b6a6e1e3a631b

OCDS JSON:

<https://openopps.com/tenders/test-set-optical-po/ocds-0c46vo-0421-9d1c01974b864efcb19b6a6e1e3a631b?format=json>
