

59--ANTENNA CONTROL UNI, IN REPAIR/MODIFICATION OF

Buyer: NAVSUP WEAPON SYSTEMS SUPPORT MECH

Description:

CONTACT INFORMATION|4|N774.17|DTS|717.605.3020|ROBERT.REHMAN@NAVY.MIL|
ITEM UNIQUE IDENTIFICATION AND VALUATION (MAR 2022)|19|
INSPECTION OF SUPPLIES--FIXED-PRICE (AUG 1996)|2||
WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (DEC 2018)|16|INVOICE AND RECEIVING
REPORT|NA|TBD DFAS|N00104|TBD FCMA|TBD DCMA|SEE SCHEDULE|SOURCE||TBD||
NAVY USE OF ABILITYONE SUPPORT CONTRACTOR - RELEASE OF OFFEROR INFORMATION (3-
18))|1|WSS MECHANICSBURG|
EQUAL OPPORTUNITY (SEP 2016)|2||
BUY AMERICAN --FREE TRADE AGREEMENTS--BALANCE OF PAYMENTS PROGRAM -
BASIC(DEVIATION 2020-O0019) (MAR 2022))|3||
BUY AMERICAN - FREE TRADE AGREEMENTS - ISRAELI TRADE ACT (NOV 2021)|3||
ALTERNATE A, ANNUAL REPRESENTATIONS AND CERTIFICATIONS (NOV 2020)|13|X|X|X||X|X|
BUY AMERICAN-FREE TRADE AGREEMENTS-BALANCE OF PAYMENTS PROGRAM
CERTIFICATE (DEVIATION 2020-O0019) (JUL 2020))|3||
BUY AMERICAN-BALANCE OF PAYMENTS PROGRAM CERTIFICATE-BASIC (NOV 2014)|1||
ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2022)|13|334290|750|
NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE, EMERGENCY PERPARDENESS, AND
ENRGY PROGAM USE (APRIL 2008))|2||X|
EVALUATION CRITERIA AND BASIS FOR AWARD-|1||
1.This is a US Navy Repair requirement for the items listed in this solicitation.
2.All contractual documents (i.e. contracts, purchase orders, task orders,
delivery orders and modifications) related to the instant procurement
are considered to be "issued" by the Government when copies are
either deposited in the mail, transmitted by facsimile, or sent by other
electronic commerce methods, such as email. The Government's
acceptance of the contractor's proposal constitutes bilateral agreement
to "issue" contractual documents as detailed herein.
3.The ultimate awardee of the proposed contract action must be an authorized supplier. Award of the proposed
contract action will not be delayed while an unauthorized source seeks to obtain authorization.
4.The offeror's cage code must be clearly marked, and have a valid SAM registration.
5.The Navy is requesting that all quotes be valid for a minimum of 90 days.
6.Quotes shall be emailed to ROBERT.REHMAN@NAVY.MIL . Other forms of submission are unacceptable.
7.Delivery Days _____ARO.
8.If supplies will be packaged at a location different from the offeror If supplies will be packaged at a location
different from the offeror address, the offeror shall provide the name and address of the packaging facility.
9.Please provide an email address for follow-up communications. Email Address:

10.I&A MUST be performed by the DCMA QAR at source before shipment. If I&A is not completed there
WILL be a delay in payment.

\

1. SCOPE

1.1 This contract/purchase order contains the requirements for repair and the contract quality requirements for
the ANTENNA CONTROL UNI .

2. APPLICABLE DOCUMENTS

2.1 Applicable Documents - The document(s) listed below form a part of this contract/purchase order including modifications or exclusions.

2.1.1 "Document References" listed below must be obtained by the Contractor. Ordering information is included as an attachment to this contract/purchase order.

DOCUMENT REF DATA=MIL-STD-130 || |N |121116|A| ||

3. REQUIREMENTS

3.1 Cage Code/Reference Number Items - The ANTENNA CONTROL UNI repaired under this contract/purchase order shall meet the operational and functional requirements as represented by the Cage Code(s) and reference number(s) listed below. All repair work shall be performed in accordance with the contractors repair/overhaul standard practices, manuals and directives including but not limited to drawings, technical orders, manufacturing operations, tooling instructions, approved repair standards and any other contractor or government approved documents developed to provide technical repair procedures.

CAGE___Ref. No.

; 022Q2 CVG-A117-ACU00-MOD;

3.2 Marking - This item shall be physically identified in accordance with ;MIL-STD-130, REV N, 16 NOV 2012; .

3.3 Changes in Design, Material Servicing, or Part Number - Except for a Code 1 change, which shall be processed as provided in the code statement shown below, no substitution of items shall be made until the NAVICP-MECH Contracting Officer has notified and approval has been given by issuance of a written change order. When any change in design, material, servicing or part number is made to replace or substitute any item to be furnished on this contract/purchase order, the Contractor shall furnish, for the substituting/replacement item, a drawing and an explanation of the reason for the change, explaining the reason therefor. If finished detail drawings are not available, shop drawings in the form used by the manufacturer will be acceptable for Government evaluation. When notifying the Procurement Contracting Officer of the reasons for making substitutions, the type of change shall be indicated by code number in accordance with one of the following statements:
Code 1: PART NUMBER CHANGE ONLY - If the Manufacturer's Part Number indicated thereon has changed, but the parts are identical in all respects, supply the item and advise NAVICP-MECH immediately of the new part number.

Code 2: Assembly (or set or kit) not furnished - Used following detail parts.

Code 3: Part not furnished separately - Use assembly.

Code 4: Part redesigned - Old and new parts are completely interchangeable.

Code 5: Part redesigned - New part replaces old. Old part cannot replace new.

Code 6: Part redesigned - Parts not interchangeable.

3.4 Mercury Free - The material supplied under this contract/purchase order is intended for use on submarines/surface ships and therefore shall contain no metallic mercury and shall be free from mercury contamination. Mercury contamination of the material will be cause for rejection.

If the inclusion of metallic mercury is required as a functional part of the material furnished under this contract, the Contractor shall obtain written approval from the Procurement Contracting Officer before proceeding with manufacture. The contractor's request shall explain in detail the requirements for mercury, identify specifically the parts to contain mercury, and explain the method of protection against mercury escape. Such a request will be forwarded directly to the Procurement Contracting Officer with a copy to the applicable Government Inspector. Upon approval by the Contracting Officer, the vendor will provide a "Warning Plate" stating that metallic mercury is a functional part of the item and will include name and location of that part.

The use of mercury, mercury compounds, or mercury-bearing instruments and/or equipment in a manner which might cause contamination in the manufacture, assembly, or test of material on this contract is prohibited. The most probable causes of contamination are direct-connected manometers, mercury vacuum pumps, mercury seals, or the handling of mercury in the immediate vicinity. Mercury switches, mercury in glass thermometers, standard cells and other items containing mercury may be used if they are located so as not to constitute a contamination hazard.

If external contamination by metallic mercury occurs or is suspected, the following test may be used to determine whether contamination by metallic mercury exists or whether corrective cleaning measures have been effective. Enclose the equipment in a polyethylene bag or close-fitting airtight container for eight hours at room temperature (70 degrees F minimum). Sample the trapped air and if mercury vapor concentration is 0.01 mg/cu meter or more, the material is mercury contaminated insofar as the requirements of this contract are concerned.

These requirements shall be included in any subcontract or purchase order hereunder and the Contractor shall insure SubContractor compliance with these requirements.

Technical questions pertaining to these requirements shall be referred to the Procurement Contracting Officer via the cognizant Administrative Contracting Officer. For background, the following information is provided: Mercury is corrosive to gold, silver, nickel, stainless steels, aluminum and copper alloys. Stainless steels, nickel, and copper alloys are widely used in reactor plants and other submarine/surface ship systems. Accidental trapping of mercury in a component could cause serious damage to vital parts. Mercury is also toxic if inhaled, ingested, or absorbed through the skin. It is evident that grave consequences could result from small amounts of mercury vapor present in an unreplenished submarine/surface ship atmosphere.

4. QUALITY ASSURANCE

4.1 Responsibility for Inspection - Unless otherwise specified in the contract/purchase order, the Contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract/purchase order, the Contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Responsibility for Compliance - All items must meet all requirements of this contract/purchase order. The inspection set forth in this specification shall become a part of the Contractor's overall inspection system or quality program. The absence of any inspection requirements shall not relieve the Contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract/purchase order. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.3 Records - Records of all inspection work by the Contractor shall be kept complete and available to the Government during the performance of contract/purchase order and for a period of 365 calendar days after final delivery of supplies.

4.4 Inspection/Testing Repaired Items - The Contractor shall perform all inspection and testing requirements as specified in the original manufacturer's specifications and drawings.

5. PACKAGING

5.1 Preservation, Packaging, Packing and Marking - Preservation, Packaging, Packing and Marking shall be in accordance with the Contract/Purchase Order Schedule and as specified below.

MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

6. NOTES

6.1 In accordance with OPNAVINST 5510.1 all documents and drawings provided by the U.S. Navy to perspective Contractors must include a "Distribution Statement" to inform the contractor of the limits of distribution, and the safeguarding of the information contained on those documents and drawings.

There are 7 (seven) separate distribution statement codes used for non-classified documents and drawings. The definition for each is as follows:

A... approved for public release; distribution is unlimited.

B... distribution authorized to US Governments agencies only.

C... distribution authorized to US Government agencies and their contractors.

D... distribution authorized to DoD and DoD contractors only.

E... distribution authorized to DoD Components only.

F... further distribution only as directed by Commander, Naval Sea Systems Command, code 09T.

X... distribution is authorized to US Government agencies and private individuals or enterprises eligible to obtain export controlled technical data in accordance with OPNAVINST 5510.161.

6.2 Ordering Information for Document References - The Department of Defense Single Stock Point (DODSSP), Website <http://www.dsp.dla.mil/>, provides product information for the Department Of Defense Index Of Specifications and Standards (DODISS)

(i.e. Military/Federal Specifications and Standards), Data Item Descriptions (DIDs), and other DODSSP Products. Most Specifications can be obtained directly from <http://quicksearch.dla.mil/>

A. Availability of Cancelled Documents - The DODSSP offers cancelled documents that are required by private industry in fulfillment of contractual obligations in paper format. Documents can be requested by phoning the Subscription Services Desk.

B. Commercial Specifications, Standards, and Descriptions - These specifications, standards and descriptions are not available from Government sources. They may be obtained from the publishers of the applicable societies.

C. Ordnance Standards (OS), Weapons Specifications (WS), and NAVORD OSTD 600 Pages - These type publications may be obtained by submitting a request to:

Commander, Indian Head Division, Naval Surface Warfare Center
Code 8410P, 101 Strauss Avenue
Indian Head, MD 20640-5035

D. On post-award actions, requests for "Official Use Only" and "NOFORN" (Not Releasable To Foreign Nationals) documents must identify the Government Contract Number, and must be submitted via the cognizant Defense Contract Management Command (DCMC) for certification of need for the document. On pre-award actions such requests must be submitted to the PCO for certification of need for the document.

E. NOFORN Military Specifications and Standards (including Amendments, Change Notices and Supplements, but NOT interim Changes) to be ordered from:

Contracting Officer
NAVSUP-WSS
Code 87321

5450 Carlisle Pike
P.O. Box 2020

Mechanicsburg, Pa. 17055-0788

F. Nuclear Reactor Publications Assigned NAVSEA Documents and Identification Numbers (i.e. NAVSEA Welding Standard, NAVSEA 250-1500-1) are to be ordered enue:

Commanding Officer

NAVSUP-WSS

Code 009

5450 Carlisle Pike

P.O. Box 2020

Mechanicsburg, Pa. 17055-0788

G. Technical Manuals Assigned NAVSEA Identification Numbers (i.e. NAVSEA Welding And Brazing Procedure, NAVSEA S9074-AQ-GIB-010/248) are to be ordered from:

Commanding Officer

NAVSUP-WSS

Code 1 Support Branch

700 Robbins Avenue

Philadelphia, Pa. 19111-5094

H. Interim Changes and Classified Specifications must be obtained by submitting a request on DD Form 1425 to NAVSUP-WSS.

Country:

United States

Published date:

Apr 21 2022

Deadline:

May 20 2022

Contact:

Telephone: 7176053020

Email:

ROBERT.REHMAN@NAVY.MIL

Link:

[Link to original](#)

×

Please register

Registering is free and only takes a moment.

[Register](#) [Login](#)

Open Contracts ID:

ocds-0c46vo-0421-47a2a51f3da9427fa724e88b658a63f3

Saved on:

Apr 22 2022

Source ID:

47a2a51f3da9427fa724e88b658a63f3

OCDS JSON:

<https://openopps.com/tenders/59-antenna-control-uni-in-repair-modification-of/ocds-0c46vo-0421-47a2a51f3da9427fa724e88b658a63f3?format=json>
