

VALVE, 3-WAY MIXING

Buyer: NAVSUP WEAPON SYSTEMS SUPPORT MECH

Description:

ITEM UNIQUE IDENTIFICATION AND VALUATION (MAR 2022)|19||||||||||||||
INSPECTION OF SUPPLIES--FIXED-PRICE (AUG 1996)|2||
INSPECTION AND ACCEPTANCE - SHORT VERSION|8|X|X||||
STOP-WORK ORDER (AUG 1989)|1||
WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (DEC 2018)|16|INVOICE AND RECEIVING
REPORT (COMBO)|N/A|TBD|N00104|TBD|TBD|SEE SCHEDULE|TBD|N/A|N/A|N/A||||
LIMITATION OF GOVERNMENT LIABILITY (APR 1984)|2|TBD|TBD|
ALTERNATE A, ANNUAL REPRESENTATIONS AND CERTIFICATIONS (NOV 2020)|13||||||||||
SMALL BUSINESS PROGRAM REPRESENTATIONS (SEP 2021)|4|332919|750|X||
ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2022)|13|332919|750||||||||
NOTICE OF PRIORITY RATING FOR NATIONAL DEFENSE, EMERGENCY PERPARDENESS, AND
ENRGY PROGAM USE (APRIL 2008))|2||X|
IF YOU HAVE QUESTIONS CONCERNING THIS RFQ, PLEASE CONTACT THE
P.O.C. PETER MASTERS, PH 717-605-6449, FAX 717-605-1569, EMAIL:
PETER.MASTERS@NAVY.MIL.

NOTE: THIS REQUEST IS FOR QUOTATION (RFQ) IS BEING ISSUED ONLY TO OPEN, INSPECT
AND EVALUATE THE SUBJECT ITEM(S) REQUIRED TO BE REPAIRED. AFTER RECEIPT OF YOUR
QUOTATION, A CONTRACT WILL BE ISSUED, AND THE ITEM(S) NEEDING REPAIRED WILL BE
SHIPPED TO YOUR COMPANY

FOR OPENING, INSPECTION AND EVALUATION.

UNLESS OTHER SPECIFIED, YOUR QUOTATION IS VALID FOR 60 DAYS.

ALL CONTRACTUAL DOCUMENTS (I.E. CONTRACTS, PURCHASE ORDERS, TASK ORDERS
DELIVERY ORDERS) AND MODIFICATIONS RELATED TO THE INSTANT PROCUREMENT
ARE CONSIDERED TO BE 'ISSUED' BY THE GOVERNMENT WHEN COPIES ARE EITHER
DEPOSIT IN THE MAIL, TRANSMITTED BY FACSIMILE, OR SENT BY OTHER ELECTRONIC
COMMERCE METHODS, SUCH AS EMAIL. THE GOVERNMENT'S ACCEPTANCE OF THE
CONTRACTOR'S PROPOSAL CONSTITUTES BILATERAL AGREEMENT TO 'ISSUE'
CONTRACTUALDOCUMENTS AS DETAILED HEREIN.

WITH YOUR QUOTE FOR TEARDOWN & EVALUATION PRICING, PLEASE PROVIDE THE
FOLLOWING ADDITIONAL INFORMATION:

REPAIR TURN AROUND TIME (RTAT) DEFINED AS INDUCTION START DATE TO END/FINAL
DELIVERY DATE (IN DAYS).

THROUGHPUT CONSTRAINT DEFINED AS TOTAL ASSETS TO BE REPAIRED MONTHLY AFTER
INITIAL DELIVERY COMMENCES. A THROUGHPUT OF 0000/MONTH REFLECTS NO
THROUGHPUT CONSTRAINT.

\

1. SCOPE

1.1 In the event of a conflict between section "C" and section "D" of the contract/purchase order, Section "C"
will take precedence.

1.2 This contract/purchase order contains the requirements for repair and the contract quality requirements for
the VALVE, 3-WAY MIXING .

2. APPLICABLE DOCUMENTS

2.1 Applicable documents;

Applicable Documents are cited in sections "C" through sections "K" of the Contract/Purchase order.

3. REQUIREMENTS

1. FOR NECESSARY SERVICES (LABOR AND MATERIAL) TO INSPECT, EVALUATE, REPAIR AND RESTORE TO FIRST CLASS OPERATING CONDITION THIS GOVERNMENT OWNED EQUIPMENT IN ACCORDANCE WITH MFG/DWG ;METREX VALVE CORP. / N/A; . DRAWING REVISION LEVEL SHALL BE

THE SAME AS THAT TO WHICH THE ITEM WAS ORIGINALLY MANUFACTURED UP TO REVISION LEVEL ;N/A; .

2. SPECIAL INSTRUCTIONS ;PART NUMBER: EAOM-524S-NF2-3WT1; .

3.1 NAVSUP WSS-MECH CODE N94 ADDITIONAL TECHNICAL DOCUMENTATION

ORDER OF PRECEDENCE AND EFFECTIVE ISSUES OF CITED DOCUMENTATION DATED: JULY 2004

A. ORDER OF PRECEDENCE FOR DOCUMENT CONFLICT RESOLUTION: THE TECHNICAL AND QUALITY REQUIREMENTS APPLICABLE TO MANUFACTURE OF THE MATERIAL BEING PURCHASED UNDER THIS ORDER ARE CONTAINED OR INVOKED IN ONE OR MORE OF THE DOCUMENTS LISTED BELOW. IN THE EVENT OF ANY INCONSISTENCIES BETWEEN ANY PROVISIONS OF THIS ORDER, THE ORDER OR PRECEDENCE SHALL BE AS FOLLOWS:

1. AMENDMENTS TO THE PURCHASE ORDER/CONTRACT

2. SCHEDULE OF SUPPLIES OF THE PURCHASE ORDER/CONTRACT.

3. TERMS AND CONDITIONS OF THE PURCHASE ORDER/CONTRACT.

4. INDIVIDUAL REPAIR PART ORDERING DATA (IRPOD); OR MASTER PROCUREMENT SPECIFICATION, AS APPLICABLE.

5. ANY INVOKED STANDARD TECHNICAL REQUIREMENTS (STRS).

6. DRAWINGS REFERENCED IN THE IRPOD, OR MASTER PROCUREMENT SPECIFICATION , AS APPLICABLE.

7. SPECIFICATIONS REFERENCED IN THE IRPOD, MASTER PROCUREMENT SPECIFICATIONS OR DRAWING(S), AS APPLICABLE.

B. EFFECTIVE ISSUES OF CITED DRAWINGS, SPECIFICATIONS, STANDARDS AND OTHER DOCUMENTS:

1. THE CONTRACTOR SHALL COMPLY WITH THE SPECIFIED REVISIONS OF THE DOCUMENTS (I.E. DRAWINGS,SPECIFICATIONS,STANDARDS AND OTHER DOCUMENTS) CITED IN THE IRPOD AND/OR PROCUREMENT SPECIFICATION CONTAINED HEREIN. THE CONTRACTOR SHALL OBTAIN WRITTEN APPROVAL

FOR THE CONTRACTING OFFICER TO USE DOCUMENT REVISIONS OTHER THAN THOSE SPECIFIED. WHEN A LATER DRAWING REVISION IS SUBMITTED FOR APPROVAL, TWO FULL SIZE CLEAR LEGIBLE PRINTS SHALL BE PROVIDED.

2. WHERE DOCUMENTS ARE REFERRED TO ONLY BY THE BASIC IDENTIFICATION NAME OR NUMBER AND NO SPECIFIC REVISION THERETO, THE CONTRACTOR USE OF ANY ISSUE OF THE DOCUMENT EXCEPT ALL SUCH REVISIONS SHALL BE DATED 1 NOVEMBER 1969 OR LATER.

C. USE OF DOCUMENT REVISIONS IN THEIR ENTIRETY:

1. CONTRACTORS SHALL USE REVISIONS TO EACH CITED OR REFERENCED DOCUMENT IN ITS ENTIRETY UNLESS THE CONTRACTOR OBTAINS CONTRACTING OFFICER APPROVAL TO DO OTHERWISE (i.e. THE CONTRACTOR SHALL NOT USE PORTIONS OF DIFFERENT REVISIONS OF A DOCUMENT).

D. VENDOR WAIVER/DEVIATIONS ON CRITICAL CONTRACTS.

1. COMPLIANCE WITH THE DELIVERY DATE AND TECHNICAL REQUIREMENTS OF NAVSUP WSS CRITICAL REPAIR PART MATERIAL CONTRACTS IS EXPECTED.

2. AS THE CAUTIONARY NOTE CONTAINED IN THE CONTRACT STATES, SELLER INTENDED USE OF ANY MATERIAL WHICH IS NOT IN FULL COMPLIANCE WITH THE SPECIFIED CONTRACT

TECHNICAL REQUIREMENTS, SHOULD BE IDENTIFIED AS AN EXCEPTION IN ADVANCE EITHER AT THE TIME THE QUOTATION IS SUBMITTED OR PRIOR TO MANUFACTURE.

3. REQUESTS FOR DELIVERY DATE EXTENSIONS AND WAIVERS/DEVIATIONS SHOULD BE ACCOMPANIED BY AN EXPLANATION OF THE CAUSE FOR THE DELAY, OR THE REASON FOR THE REQUESTED NON-CONFORMANCE WITH AN OFFER OF CONSIDERATION IN THE EVENT THE CONTRACTING OFFICER CONCURS WITH YOUR REQUEST.

4. REQUESTS FOR WAIVERS/DEVIATIONS SHOULD PROVIDE JUSTIFICATION FOR THE REQUESTED CHANGE INCLUDING AN EVALUATION WHICH DEMONSTRATES THAT PROPOSED NON-CONFORMANCE WILL NOT AFFECT THE QUALITY, FORM, FIT, OR FUNCTION OF THE PART. WHERE A PROPOSED ALTERNATE OR REPLACEMENT ITEM IS OFFERED, SUPPORTING TECHNICAL DATA (CATALOG PAGE, DRAWING (S), ETC.) THAT FULLY DESCRIBE THE PROPOSED ITEM SHALL BE PROVIDED FOR TECHNICAL EVALUATION.

5. REQUESTS WHICH DO NOT CONTAIN THE ABOVE INFORMATION WILL BE RETURNED AND WILL NOT BE SUBMITTED TO TECHNICAL/ENGINEERING REVIEW UNTIL SUFFICIENT JUSTIFICATION IS PROVIDED.

6. REQUESTS FOR WAIVERS/DEVIATIONS SHALL BE PRESENTED TO THE GOVERNMENT QUALITY ASSURANCE REPRESENTATIVE (QAR) FOR COMMENT. THE QAR SHALL FORWARD THE REQUEST, WITH THEIR COMMENTS, DIRECTLY TO THE POST AWARD PCO IDENTIFIED IN THE CONTRACT/PURCHASE ORDER WITHIN FIVE WORKING DAYS AFTER RECEIPT.

E. EXCLUSION OF MERCURY

1. MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO OR COME IN DIRECT CONTACT WITH HARDWARE OR SUPPLIES UNDER THIS CONTRACT.

4. QUALITY ASSURANCE

4.1 Quality Assurance Requirements- The Contractor shall provide and maintain an inspection system acceptable to the Government covering the supplies herein.

Records of all inspection work by the Contractor shall be kept complete and available to the Government during the performance of this contract and for such longer periods as may be specified elsewhere in the contract.

5. PACKAGING

5.1 WHEN THE CLEANLINESS CONTROL REQUIREMENTS OF ONE OR MORE OF THE FOLLOWING DOCUMENTS ARE INVOKED: MIL-STD-767, MIL-STD-2041, REFUELING CLEAN, OR REACTOR PLANT CLEAN, THE FOLLOWING CLARIFICATION OF REQUIREMENTS FOR MIL-PRF-23199 PACKAGING OF REPAIR PARTS APPLIES.

(1). THE FOLLOWING SUMMARY CLARIFIES THE PACKAGING REQUIREMENTS OF MIL-PRF-23199 PERTAINING TO THE USE OF MIL-DTL-24466 GREEN POLY BAGS. THE SUPPLIER REMAINS RESPONSIBLE FOR MEETING ALL CONTRACT REQUIREMENTS. SUPPLIERS WHO ARE UNSURE OF THE PACKAGING, PACKING, AND MARKING.

REQUIREMENTS FOR A PARTICULAR PART SHOULD REQUEST CLARIFICATION BY CONTACTING THE NAVSUP-WSS CONTRACTING POC.

(A). PARAGRAPH 3.4.2 OF MIL-PRF-23199 DISCUSSES LEVEL B PACKAGING AND REFERS TO PARAGRAPH 3.3.1 FOR THE METHOD OF PACKAGING. PARAGRAPH 3.3.1 PROVIDES SEVERAL METHODS OF PACKAGING. PACKAGING IN HEAT SEALED ENVELOPES IS COVERED IN PARAGRAPH 3.3.1.1 WHICH STATES,

"COMPONENTS WHICH ARE SUBJECT TO CLEANLINESS CONTROLS (SEE 6.2) OR AS SPECIFIED

(SEE 6.1) SHALL BE PACKAGED IN HEAT SEALED ENVELOPES (SEE 3.2.2.5 AND 3.2.2.5.1)".

(2). THE FOLLOWING CONDITIONS MUST BE SATISFIED IN ORDER FOR MIL-DTL-24466 BAGS TO APPLY:

(A). PARAGRAPH 6.2 OF MIL-PRF-23199 DEFINES CLEANLINESS CONTROLS AS ANY REFERENCE TO (OR APPLICATION OF) THE CLEANLINESS CONTROL REQUIREMENTS OF ONE OR MORE OF THE FOLLOWING DOCUMENTS: MIL-STD-767, MIL-STD-2041, REFUELING CLEAN, REACTOR PLANT CLEAN, OR OTHER

REQUIREMENTS IDENTIFIED WITHIN THE IRPOD.

THE REPAIR PART MUST HAVE CLEANING REQUIREMENTS OF ONE OF THE AFORMENTIONED METHODS.

(B). PARAGRAPH 6.1 CONTAINS ORDERING DATA OPTIONS. PARAGRAPH 6.1(k)2. PROVIDES AN OPTION TO SPECIFY THE METHOD OF PACKAGING TO BE USED WHEN PACKAGING IS OTHER THAN IN ACCORDANCE WITH PARAGRAPH 3.3.1.1 ONLY. IF A CONTRACT SPECIFIES ANY ADDITIONAL REQUIREMENTS

FOR THE USE OF GREEN POLY BAGS, THEN THEY ARE REQUIRED AND TAKE PRECEDENCE.

(4). THE USE OF FIRE RETARDANT PACKAGING MATERIAL IS NO LONGER REQUIRED IN ANY NAVSUP-WSS N94 CONTRACT.

MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

6. NOTES

6.1 1. NUCLEAR REACTOR PUBLICATIONS ASSIGNED NAVSEA DOCUMENT AND IDENTIFICATION NUMBERS THAT ARE NOT AVAILABLE FROM BPMI E-COMMERCE WEB SITE MUST BE REQUESTED FROM:

CONTRACTING OFFICER

NAVSUP WSS-MECH

CODE N943

5450 CARLISLE PIKE

P.O. BOX 2020

MECHANICSBURG, PA. 17055-0788

REQUESTS FOR "OFFICIAL USE ONLY" AND "NOFORN" (NOT RELEASABLE TO FOREIGN NATIONALS) DOCUMENTS MUST IDENTIFY THE QUOTATION NUMBER ON PRE-AWARD PROCUREMENT ACTIONS. REQUESTS MUST BE SUBMITTED TO THE PCO FOR CERTIFICATION OF "NEED-TO-KNOW" FOR THE DOCUMENT. ON

POST-AWARD ACTIONS, THE REQUEST MUST IDENTIFY THE GOVERNMENT CONTRACT NUMBER, AND BE SUBMITTED VIA THE DEFENSE CONTRACT MANAGEMENT AGENCY (DCMA) FOR CERTIFICATION OF "NEED-TO-KNOW" FOR THE DOCUMENT.

2. COMMERCIAL SPECIFICATIONS, STANDARDS AND DESCRIPTIONS - THESE SPECIFICATIONS, STANDARDS AND DESCRIPTIONS ARE NOT AVAILABLE FROM GOVERNMENT SOURCES. THEY MAY BE OBTAINED FROM THE PUBLISHERS OR SOCIETIES OF THE APPLICABLE DOCUMENTS.

6.2 In accordance with DoDI 5230.24 all documents and drawings provided by the U.S. Navy to prospective Contractors must include a "Distribution Statement" to inform the contractor of the limits of distribution, and the safeguarding of the information

contained on those documents and drawings.

There are 6 (six) separate distribution statement codes used for non-classified documents and drawings. The definition for each is as follows:

A... approved for public release; distribution is unlimited.

B... distribution authorized to US Governments agencies only.

C... distribution authorized to US Government agencies and their contractors.

D... distribution authorized to DoD and DoD contractors only.

E... distribution authorized to DoD Components only.

F... further distribution only as directed by Commander, Naval Sea

Systems Command, code 09T.


Country:
United States

Published date:
May 20 2022

Deadline:
Jun 17 2022

Contact:
Telephone: 7176056449

Email:
PETER.MASTERS@NAVY.MIL

Link:
[Link to original](#)


Please register

Registering is free and only takes a moment.

[Register](#) [Login](#)

Open Contracts ID:
ocds-0c46vo-0421-83ca7c6e28524c96a26449d1e223b3ca

Saved on:
May 21 2022

Source ID:
83ca7c6e28524c96a26449d1e223b3ca

OCDS JSON:

<https://openopps.com/tenders/valve-3-way-mixing/ocds-0c46vo-0421-83ca7c6e28524c96a26449d1e223b3ca?format=json>
