



Margalla Heavy Industries Limited (Margalla HIL)

C/O

Commercial Directorate, Heavy Industries Taxila

Taxila Cantonment Post Code 47070, Pakistan

Corporate Universal Identification No 0158287

Tel: +92 51 9315020

E-mail: dircommmdte@hit.gov.pk

Ref: 1528-52/CEO Ofc/Ind-01/2871/206/EM(M)/IT-15/Margalla EM/HRF (M)

15 April 2022

To: M/s _____

Subject: **Tender Inquiry – FOR BASIS**

1. You are requested to please forward your offer for the following:-

| Ser | Part No and Nomenclature | A/U | Qty Req | Total Price |
|-----|--|---------------|---------|-------------|
| a. | Proc of Spares. Specifications are attached as per Annexure 'A' . | As per "Anx"A | | |

Instructions for Bidders

- Rates will be quoted on FOR Taxila basis.
Offer maximum discount while submitting your bid.
- Over writing and cutting of any nature in the quotation will not be accepted.
- Part-I and Part-II bids will be enclosed in separate sealed envelopes for each tender inquiry. For identification purpose, the words "TECHNICAL BID PART-I WITHOUT PRICE" and COMMERCIAL BID (PART-II) WITH PRICE" shall be written in BLOCK CAPITAL LETTERS on the respective sealed envelopes which will be placed in a large envelope bearing complete details of the tender inquiry as under:-

REGISTERED

BID

TENDER ENQUIRY NO: 1528-52/CEO Ofc/Ind-01/2871/206/EM (M)/IT 15/Margalla/EM/HRF (M) Dated 15 April 2022.

TO BE OPENED ON: 10 May 2022 at 1100 Hours

**TO: ASSISTANT DIRECTOR (MARGALLA HIL) C/O COMMERCIAL DIRECTORATE
HEAVY INDUSTRIES TAXILA, TAXILA CANTONMENT**

FROM: M/s _____

- Forward your bids not later than **1030 hours** on **10 May 2022**.
- a. **Submission of Bids for 12x Critical Items**. Pre-requisite conditions for submission of bids and qualification of firms for quoting u/m 12 x critical items as per following details are given in the succeeding paras:-

| Serial | List Serial | Part No | Nomenclature |
|--------|-------------|----------|--------------------------|
| (1) | 19 | 5573014 | Oil Filter Element |
| (2) | 20 | 5574508 | Diesel Filter |
| (3) | 21 | 5575032 | Fuel Filter Primary |
| (4) | 97 | 8763180 | Cushion Rubber |
| (5) | 152 | 10866008 | Seat Indl |
| (6) | 270 | 11669369 | Radiator Assy A2 |
| (7) | 272 | 11677982 | Track Shoe Link |
| (8) | 273 | 11677990 | Track Path Rubber |
| (9) | 274 | 11678027 | Small Bush |
| (10) | 275 | 11678029 | Large Bush |
| (11) | 276 | 11678270 | Wheel Solid Rubber (Alu) |
| (12) | 295 | 12313117 | Track Pad |

(a) Filters at Serial No.1-3 as mentioned above:-

- i. The firms quoting Filters at Serial 1 to 3 will be duly qualified by ITD / HIT.
- ii. The firms will submit advance sample of all Filters during quotation of bids for approval / qualification by Quality Control Section of HRF (M).
- iii. The firm should submit separate technical / commercial bids for these items.
- iv. Commercial bids of only qualified firms will be opened.

(b) Cushion Rubber at Serial No. 4:-

- i. The firms quoting this item should have a manufacturing facilities / establishment as per requirement. The item should be local manufactured.
- ii. The firm will submit advance sample duly manufactured at their local firm premises for approval of Quality Control Section of HRF(M) as per requirement of relevant part drawing/specification.
- iii. The firm should submit separate technical / commercial bids for the item.
- iv. Commercial bids of only qualified firms will be opened based on the approval of advance sample.

(c) Seat Indl at Serial No. 5:-

- i. The firms quoting this item should have a manufacturing facilities / establishment as per requirement.
- ii. The firm will submit advance sample duly manufactured at their local firm premises for approval of Quality Control Section of HRF(M) as per requirement of relevant part drawing/specification (Min Tensile Strength 17000 PSI).
- iii. The firm should submit separate technical / commercial bids for the item.
- iv. Commercial bids of only qualified firms will be opened.

(d) Radiator Assy A2 at Serial No. 6:-

- i. The firms quoting should have a manufacturing facilities / establishments as per requirement in Pakistan and the assembly is locally manufactured.
- ii. The radiator Assembly of only qualified firms will be accepted. Technical Bids of qualified firms whom advance sample has already been approved based on successful test trial by HRF(M) / HIT will be acceptable.
- iii. The firm should submit separate technical / commercial bids for the item.
- iv. Commercial bids of only qualified firms will be opened.

(e) Track Shoe Link at serial No. 7:-

- i. The firms quoting should have a manufacturing facilities / establishment as per requirement. The Track Shoe Link should be locally manufactured in Pakistan.
- ii. The Track Shoe Link of only qualified firms will be accepted. Technical Bids of qualified firms whom advance sample has already been approved based on successful test trial by HRF(M) / HIT will be acceptable.
- iii. The firm should submit separate technical / commercial bids for the item.
- iv. Commercial bids of only qualified firms will be opened.

(f) Serial No. 8-10 and 11 Track Path Rubber/ Small & Large Bush:-

- i. The offer of only qualified firms / set-ups for re-rubberization of Bushing Inserts, Track Paths and Track Pad will be accepted.
- ii. The bidders should have a proper manufacturing set up for re-rubberization of Bushing Inserts, Track Paths and Track Pad.
- iii. Only qualified firms based on qualification of their Track Components products accordance to the requirement of Military Standard No. Mil-T-11891e (At) will be accepted.
- iv. Firms already qualified by HRF(M) based on qualification of demonstrated Track mileage of these components will be accepted.
- (v) The firm should submit separate technical / commercial bids for these items.

(g) Serial No.12 Wheel Solid (Alu):-

- i. The offer of only qualified firms / set-ups for re-rubberization of road wheels will be accepted.
- ii. The bidders should have a proper manufacturing set up for re-rubberization of road wheels.
- iii. The Wheel Solid Rubber of only qualified firms will be accepted. Technical Bids of qualified firms whom advance sample has already been approved based on successful qualification by HRF(M) / HIT will be accepted.
- iv. The firm should submit separate technical / commercial bids for the item.

7. The tender if brought by hand, will be handed over to security staff on duty at Heavy Industries Taxila Gate No. 5 for placing the same in bid box (available at gate). The bid will not be brought by hand by any firm while visiting the offices of Assistant Director (Margalla HIL), Heavy Industries Taxila (HIT).
8. All papers must be signed and stamped and items not quoted / quoted must be mentioned clearly.
9. If, required endorsements are not made on the envelope, the bid is liable to be disqualified. The bids will be opened on **10 May 2022 at 1100** hours in the presence of the available representatives of the firms in Conference Room of Commercial Directorate. No bid will be entertained / considered after **1030 hours**, on the aforementioned date.
10. Chief Executive Officer Margalla HIL, Taxila does not pledge himself to accept the lowest of any tender and reserves the right of accepting the whole or any part of any tender.
11. Margalla HIL reserves its right to cancel the bidding process with reason but without any obligation to justify it.
12. The stores should conform to prescribed drawing/specifications/samples as available with HRF (M) HIT.
13. The store will be packed in standard grade, worthy of transportation by the means adopted.
14. This inquiry may not be taken as an indication of subsequent supply order and does not in any way commit Margalla HIL to purchase the items offered.
15. In case of failure to supply the stores within stipulated period, liquidated damages at the rate of 2% but not less than 1% of amount involved per month (with max value not more than 10% of contracted store value or a part there-of) will be levied.
16. In case of any dispute regarding the terms and conditions and the quality of the stores, decision of the Board of Directors, Margalla Heavy Industries Limited will be considered as final and binding on the suppliers/firms.
17. In case, your firm fails to execute the order within stipulated time and does not materialize supply of the ordered stores, the supply order/contract will be cancelled at firm's risk and expense. Expenditure incurred on re-purchase of the offered stores will be recovered from the supplier under existing procedures.
18. Indenter / purchaser reserves the right to increase/decrease quantity of the items placed on the tender, without any reference to the firm.
19. Bidder/firm shall sign the contract within 15 x working days of receipt of the contract. Failure to do so may constitute sufficient grounds for the cancellation of the award of contract and forfeiture of the bid security and on which event Margalla HIL may award the contract to 2nd highest rated bidder or call for new bids.

20. All clauses/terms mentioned in this inquiry will be considered accepted by the firm even no reference to them is given in the offer.
21. **Offers must remain valid for 180 days** from the date of opening of the tender bid.
22. The prices quoted must be firm and final and inclusive of all taxes, duties, packing, handling charges.
23. **Postal Order for Rs. 200/-** (Rupees Two Hundred) in favor of MD (M), HIT Taxila Cantt, will invariably be enclosed with the technical offer, failing which the bid will be ignored.
24. Tender documents are available -at PPRA website which may be downloaded free of cost. However, any bidder who is desirous to get the hard copies, can do so by submitting Postal Orders amounting Rs. 1000.00 or a CDR of equal amount in favour of Chief Executive Officer, Margalla HIL on any working day during office hours from Commercial Directorate, HIT.
25. The firms are instructed NOT to send Telex and Fax bids. Such bids/offers will not be accepted.
26. **BGs against Contract Performance / Warranty Period.** The Supplier shall furnish a 5% Performance Bank Guarantee in shape of bank guarantee (on judicial paper valued rupees Rs.100.00 / CDR) within one month from the date of signing of the contract from any scheduled bank in Pakistan against the total value of contract excluding taxes/duties. This bank guarantee will remain valid as per warranty clause. BG will be released after completion of warranty period of store.
27. **Payment Terms:** Payment terms will be as under:-
- Partial payments against partial deliveries will be allowed.
 - The payment to the registered person is linked with active taxpayer status of the supplier as per FBR data base. If any registered supplier is not on active Taxpayer list, his / her mandatory returns and appears on ATL of FBR.
28. Inspection will be carried out at HRFM, HIT Taxila Cantt by the nominated team. Inspection authority will be Managing Director HRFM, HIT, Taxila Cantt.
29. **All firms participating in the tender will deposit 2% bid security of total quoted value in the shape of CDR issued by any scheduled bank of Pakistan addressing to CEO, Margalla Heavy Industries Limited, Taxila. The bid security instrument shall be enclosed in the commercial envelope. A separate certificate that 2% Bid money is enclosed in the commercial offer, will be rendered along with the technical offer. The bid securities of unsuccessful bidders will be returned within 14 days after issuance of the Bids Evaluation Report, whereas the bid security money of the successful bidder will be returned upon submission of 5% Performance Bank Guarantee.**
30. The offered price will be inclusive of 17% GST and applicable Taxes as imposed by Government of Pakistan. The offers without the inclusion of GST will not be considered.
31. Integrity Pact will invariably be involved / invoked when the total value of the contract exceeds 10 million as specified in PPRA Rules 2004.

32. **Eligibility**

- a. Firms should not have litigation in any contract with government organizations within or outside Pakistan. An affidavit to the fact as per **Annexure 'B'** would be provided on a judicial stamp paper.
- b. The firm should not be blacklisted in any of the government organizations. In this regard the firm shall provide "No Blacklisting Certificate" on judicial stamp paper as per **Annexure 'C'**.
- c. Firms should not have defaulted in any contract with government organizations within or outside Pakistan. Firms will provide "No Defaulter Certificate" as per attached **Annexure 'D'**.
- d. Only registered suppliers / persons who are on Active Taxpayer List (ATL) of FBR are eligible to supply goods/services to the government departments. The supplier will submit a certificate to this effect along with the technical offer.
- e. 100% compliance against **technical specifications (attached as Annexure 'A')** is mandatory. The bidders are required to confirm the technical specifications on following lines:-

| Serial | Specification Demanded | Confirmed or Not | Remarks |
|--------|------------------------|------------------|---------|
|--------|------------------------|------------------|---------|

- f. **Delivery Period (DP).** Delivery period will be 04 x months after signing of the contract.
- g. Multiple offers quoting firms will be technically rejected.
- h. Country of Origin: **Locally Manufactured Items.**
- i. **Warranty Period.** The warranty period will be one year from the date of issuance of CRV of stores.
- j. Separate certificate in the technical offer that 2% bid money is enclosed in the commercial offer.
- k. Confirmation of validity period, delivery and warranty period.
- l. Bidders are also required to provide item wise cost of material as mentioned in Annexure "A" in their commercial quotation.
- m. Technical & Commercial Quotations must be provided on **CDs in MS EXCEL, MS WORD or MS ACCESS** format along with hard copies. **Quotations without CDs will not be entertained.** Also ensure following while preparing bids:-
 - (a) Sequence of serial no as given in tender inquiry will not be changed.
 - (b) No serial no will be deleted or short listed in the bid/offer.

33. Offers of those firms will be given less weightage which are still having pending supplies of the contracted stores beyond respective DPs against previous contracts.

34. Evaluation Criteria

a. Qualification Criteria. Participating firms should meet the following criteria with:-

- (1) 50% score in every individual category.
- (2) 70% aggregate score of all categories.
- (3) The scoring would be done as under:-

| Ser | Description | Maximum Points |
|--------------|---|----------------|
| (a) | Financial Soundness | 35 |
| (b) | Past Experience / Previous Record | 15 |
| (c) | Past Performance | 20 |
| (d) | Project's Technical Evaluation criteria | 30 |
| Total | | 100 |

(4) Further details of criteria for each of the above categories are as follows:-

(a) Financial soundness. Credit marks for financial soundness of the firm shall be on the basis of following qualifications:-

| Ser | Description | Max Points | Explanation for Marks Obtained | Remarks |
|--------------|---|------------|---|---|
| i. | Annual turnover of last 3 x Financial Years | 15 | Marks will be calculated as per the formula:- Formula $\text{Score} = \frac{(Y1+Y2+Y3)}{3} \times 15$ *(Y1,Y2,Y3 respective annual turnovers of last three years) X= Last purchased rate / estimated value of the quoted items available with HIT. | Third Party generated verifiable audit reports for last three financial years to be provided. |
| ii. | Working Capital of last three years | 15 | Marks will be calculated as per the formula $\text{Score} = \frac{(Y1+Y2+Y3)}{3} \times (X/2)$ *(Y1,Y2 and Y3 being respective working capitals of last three years. X= Last purchased rate / estimated value of the quoted items available with HIT. | Note: All calculation will be done in Pak Rs, other currency (if any will be converted into Pak Rs with applicable conversation rate. |
| iii. | Litigation History where decision went against the firm | 5 | Full marks for firms with no litigation history. One mark will be deducted for each litigation where decision went against the firm. | (Affidavit on judicial stamp paper as per Annexure 'B' to be provided). |
| Total | | 35 | | |

- b) **Past Experience**. Credit marks for experience shall be awarded on the basis of following qualifications:-

| Ser | Description | Max Point | Explanation for Marks Obtained | Remarks |
|--------------|---|-----------|--|--|
| i. | Projects of similar nature and complexity i.e. Proc of Spare for Rebuild APCS in last 3 years. | 10 | Marks will be calculated as per the formula $\text{Score} = \frac{C \times X}{2 \times 10}$ C= Total amount of contract in last four years. X= Last purchased rate estimated with HIT. | Attested and verifiable copies of related contracts / Purchase orders be attached. Note: All calculation will be done in Rs. |
| ii. | Status of enlistment with Government Organizations | 5 | Non registered firms be awarded 2.5 gratis Marks. Registered firms will be given full marks on provision of at least one valid registration certificate. | Attested copies of Registration certificates to be enclosed. |
| Total | | 15 | | |

- (c) **Past Performance**. Credit Marks for past performance shall be awarded on the basis of following criteria (data will be attached duly verified from the concerned procurement agency as per format attached at **Annexure 'E'**):-

| Ser | Description | Max Points | Maximum Points | Remarks |
|-----|--|------------|---|---------|
| i. | Contracted store supplied beyond DP in last 5 years (data will be attached duly verified from the concerned procurement agency) | 5 | Marks of bidders will be calculated as per given formula:- X1 = Total value of last 5 years' contracts. X2 = Total value of last 5 years' contracts completed within DP first go. Formula: $\text{Score} = \frac{X2}{X1} \times 5$ | |

| | | | | |
|--------------|--|-----------|---|--|
| ii. | Quantum of rejections of items in the last 5 years contracts (data will be attached duly verified from the concerned procurement agency). | 5 | X1 = Total value of last 3 years contracts. X2 = Total value of the passed items in first go in the last 3 years' contracts. Formula: Score = $\frac{X2}{X1} \times 5$ | |
| iii. | Timely provision of documents / bank guaranties / bid security money (data will be attached duly verified from the concerned procurement agency). | 2.5 | X1 = Total no of contracts concluded in last 3 years'. X2 = Total number of timely provided bank guarantees/ bid securities against the total no of contracts in last 3 years. Formula: Score= $\frac{X2}{X1} \times 2.5$ | |
| iv. | No of contracts / items still pending beyond DP (data will be attached duly verified from the concerned procurement agency). | 2.5 | 0.5 x marks would be deducted for each contract in hand, which is pending beyond DP over 2 months | |
| v. | Risk and Expense action. | 2.5 | 0.5 x mark will be deducted per "Risk and Expense" action. | |
| vi. | Response to procurement queries /problems of the procuring agencies | 2.5 | 0.5 x mark will be deducted for each advice / warning letter issued to the firm by any procurement agency. | |
| Total | | 20 | | |

(d) **Project's Technical Evaluation criteria.** Credit Marks on technical specification parameters will be granted as per following:-

| Ser | Description | Max Points | Remarks |
|--------------|--|------------|---|
| i. | Availability of in-house manufacturing/Quality Assurance facilities. Availability of ASTM standards, specifications, well conversant with drawings and materials expertise for manufacturing of similar items. | 5 | Copy of document which shows that facilities of manufacturing / Quality assurance facilities availability be provided |
| ii. | Technical qualification / know how of tech staff of the firm. Att qualification documents of designated staff. | 5 | |
| iii. | Confirmation of all tech parameters specified in IT or confirmation as per sample. Tech specs related to each item must be given in Tech quote. Marks will be awarded on basis of %age of parts for which this requirement has been met. | 10 | Full marks will be awarded for 100% confirmation o IT specifications. 08 x marks will be awarded for 90% confirmation to IT specifications. 05 x marks will be awarded for 50% confirmation to IT specifications and so on. |
| iv. | Capabilities / response of the firms to meet emergency requirement / chock points of the factory to complete the project. (Att supporting documents) | 5 | Full marks will be awarded for 100% response over the last 03 years. 0.5 mark will be deducted against every non-compliance to factory emergency requirement / choke points. |
| v. | Completion of contracts within DP (Att supporting documents) | 5 | Full marks will be awarded to the firm for successful completion of contracts within DP in last 03 years. 0.5 marks will be deducted for every contract completed beyond DP |
| Total | | 30 | |

35. Only affidavits and authorized third parties' (having no conflict of interest with either Margalla HIL or the bidder) generated / verified documents will be treated as credible evidences for scoring.

36. The contract will be awarded to the **"Most Advantageous Bidder"** using "Least Cost Method".

Note: Technical / Commercial quotation must conform to IT parameters specified in this tender. The offer will be rejected there in if the said parameters are not complied with.

Lt Col
Assistant Director (Margalla HIL)
(Muhammad Amir)

Annexure 'A'

To 1528-52/CEO Ofc/IT-15/Ind-01/2871/206/EM(M)/
Margalla/EM HRF(M) dated 15 Apr 2022

LIST OF SPARE PARTS REQUIRED FOR REBUILD OF SINDH POLICE APCs
TO BE PROCURED THROUGH FOR BASIS

| S/No | Part No | Nomenclature | A/U | Qty | Specification |
|------|---------|-----------------------|-----|-----|---------------|
| 1 | 13657 | Washer | Nos | 1 | |
| 2 | 70157 | Bearing | Nos | 4 | |
| 3 | 71164 | Washer | Nos | 1 | |
| 4 | 71245 | Bearing Washer Thrust | Nos | 1 | |
| 5 | 77641 | Contact Magnetic | Nos | 6 | |
| 6 | 444625 | Plug Pipe | Nos | 2 | |
| 7 | 505688 | Key Machine | Nos | 6 | |
| 8 | 1086134 | Seal Rubber | Nos | 12 | |
| 9 | 1915011 | Gasket | Nos | 1 | |
| 10 | 1916439 | Wick | Nos | 1 | |
| 11 | 1917241 | Wick | Nos | 1 | |
| 12 | 1953244 | Terminal | Nos | 3 | |
| 13 | 5121256 | Seal | Nos | 48 | |
| 14 | 5127629 | Slinger Oil | Nos | 5 | |
| 15 | 5151519 | Lever | Nos | 1 | |

| | | | | | |
|----|---------|---------------------|-----|----|--|
| 16 | 5294465 | Decal | Nos | 3 | |
| 17 | 5294468 | Decal (Flash Light) | Nos | 3 | |
| 18 | 5294478 | Decal | Nos | 3 | |
| 19 | 5573014 | Oil Filter Element | Nos | 2 | Approved by ITD / DESCOM |
| 20 | 5574508 | Diesel Filter | Nos | 2 | Approved by ITD / DESCOM |
| 21 | 5575032 | Fuel Filter Primary | Nos | 2 | Approved by ITD / DESCOM |
| 22 | 5703405 | Part Kit | Nos | 1 | Only 2 x items of said kit(i-e packing & leather piece) req. |
| 23 | 7006236 | Washer Flat | Nos | 20 | |
| 24 | 7013845 | Clamp Assy | Nos | 16 | |
| 25 | 7017826 | Tubing Plastic | Nos | 1 | |
| 26 | 7044253 | Spring Helical | Nos | 6 | |
| 27 | 7053773 | Decal | Nos | 8 | |
| 28 | 7056732 | Terminal Lug | Nos | 16 | |
| 29 | 7057354 | Washer Spring | Nos | 12 | |
| 30 | 7064900 | Insulator | Nos | 2 | |
| 31 | 7320641 | Screw | Nos | 11 | |
| 32 | 7320642 | Ring Retaining | Nos | 3 | |
| 33 | 7320655 | Gasket | Nos | 1 | |

| | | | | | |
|----|---------|---------------------------|-----|----|--|
| 34 | 7320691 | Screw | Nos | 1 | |
| 35 | 7320711 | Clip | Nos | 1 | |
| 36 | 7341632 | Nut Self Locking (Spline) | Nos | 6 | |
| 37 | 7356114 | Felt | Nos | 2 | |
| 38 | 7525965 | Gasket | Nos | 3 | |
| 39 | 7539688 | Gasket | Nos | 16 | Synthetic Rubber Neoprene base |
| 40 | 7539689 | Gasket | Nos | 16 | Synthetic Rubber Neoprene base |
| 41 | 7726600 | Gasket | Nos | 40 | Rubber, Grade RN/RS 510 BC, F, Spec Mil-R-3065 |
| 42 | 7761546 | Spring Helical Comp | Nos | 8 | |
| 43 | 7962251 | Packing | Nos | 2 | Rubber, Grade RS615BC,F2 Spec Mil-R-3065 |
| 44 | 7976648 | Plug & Chain | Nos | 1 | |
| 45 | 7981885 | Handle Fire Ext | Nos | 2 | |
| 46 | 7995457 | Post Binding Electrical | Nos | 28 | |
| 47 | 8329221 | Clamp | Nos | 4 | |
| 48 | 8335233 | Post Binding Elect | Nos | 2 | |
| 49 | 8337143 | Shaft Assy | Nos | 8 | |
| 50 | 8338561 | Shell | Nos | 25 | |
| 51 | 8338562 | Insulator | Nos | 20 | |

| | | | | | |
|----|---------|------------------------|-----|----|--|
| 52 | 8338564 | Terminal | Nos | 83 | |
| 53 | 8338566 | Shell | Nos | 15 | |
| 54 | 8338569 | Shell | Nos | 3 | |
| 55 | 8338570 | Washer | Nos | 1 | |
| 56 | 8338572 | Shell | Nos | 3 | |
| 57 | 8340107 | Washer Key | Nos | 9 | |
| 58 | 8340656 | Spring Helical | Nos | 3 | |
| 59 | 8340901 | Hook | Nos | 3 | |
| 60 | 8341554 | Spring Helical Torsion | Nos | 9 | |
| 61 | 8368647 | Decal | Nos | 8 | |
| 62 | 8376702 | Decal | Nos | 8 | |
| 63 | 8378667 | Decal | Nos | 8 | |
| 64 | 8690466 | Strap Webbing | Nos | 15 | |
| 65 | 8690468 | Strap Webbing | Nos | 21 | |
| 66 | 8690470 | Strap Webbing | Nos | 6 | |
| 67 | 8690472 | Strap Webbing | Nos | 32 | |
| 68 | 8690473 | Strap Webbing | Nos | 12 | |
| 69 | 8690474 | Strap Webbing | Nos | 30 | |

| | | | | | |
|----|---------|-------------------|-----|-----|--|
| 70 | 8690476 | Strap Webbing | Nos | 6 | |
| 71 | 8690477 | Strap Webbing | Nos | 3 | |
| 72 | 8690513 | Strap Webbing | Nos | 3 | |
| 73 | 8690519 | Strap Webbing | Nos | 3 | |
| 74 | 8690532 | Strap Webbing | Nos | 12 | |
| 75 | 8694464 | Gasket | Nos | 2 | |
| 76 | 8704583 | Strap | Nos | 32 | |
| 77 | 8704692 | Washer Key | Nos | 136 | |
| 78 | 8720150 | Seal | Nos | 6 | |
| 79 | 8731984 | Bumper Rubber | Nos | 64 | Rubber Synthetic, Grade SC 512 A,B,C,F Spec Mil-R-3065 |
| 80 | 8737857 | Mount Resilient | Nos | 17 | |
| 81 | 8738009 | Hose Preformed | Nos | 8 | |
| 82 | 8741122 | Back Rest | Nos | 2 | |
| 83 | 8756255 | Packing Preformed | Nos | 18 | Rubber, Grade SC315 A,B,C,F3,F1 Spec Mil-R-3065 |
| 84 | 8756288 | Rubber Shield | Nos | 8 | Rubber Type R, Class RS Grade RS 715 A,B,C,F,S, Spec Mil-R-3065 |
| 85 | 8756315 | Stiffener | Nos | 5 | |
| 86 | 8756335 | Insulator Washer | Nos | 4 | |
| 87 | 8756356 | Hinge | Nos | 5 | |

| | | | | | |
|-----|---------|---------------------|-----|----|---|
| 88 | 8756389 | Gasket | Nos | 8 | |
| 89 | 8756506 | Seal Rubber | Nos | 6 | Rubber, 3BA515B13C12F17Z Mil-R-3065 Suffix Z: durometer not to exceed 70 at minus 40 F |
| 90 | 8756884 | Spacer Cover | Nos | 16 | |
| 91 | 8756888 | Bumper Rubber | Nos | 24 | Rubber, Grade Rs 415, BC,F,K Spec Mil-R-3065 |
| 92 | 8756915 | Pulley | Nos | 2 | |
| 93 | 8756947 | Cover Oil Level | Nos | 1 | |
| 94 | 8756978 | Washer | Nos | 48 | |
| 95 | 8763161 | Seal Plain Encased | Nos | 2 | |
| 96 | 8763162 | Wire Rope Steel | Nos | 6 | |
| 97 | 8763180 | Cushion Rubber | Nos | 17 | The construction and material as per part drawing and Spec MIL-R-3065 (Rubber, 3BA730B13C12F17ZZ2. Spec Mil-R-3065) |
| 98 | 8763183 | Bumper Rubber | Nos | 16 | |
| 99 | 8763190 | Plate Instruction | Nos | 2 | |
| 100 | 8763191 | Plate Warning | Nos | 2 | |
| 101 | 8763204 | Bracket Tow Cable | Nos | 2 | |
| 102 | 8763238 | Strap | Nos | 30 | |
| 103 | 8763252 | Decal | Nos | 6 | |
| 104 | 8763361 | Clip | Nos | 84 | |
| 105 | 8763381 | Washer Non-Metallic | Nos | 24 | |

| | | | | | |
|-----|----------|-----------------------|-----|----|---|
| 106 | 8763395 | Cradle Wiring Harness | Nos | 21 | |
| 107 | 8763397 | Clip Retaining | Nos | 45 | |
| 108 | 8763398 | Strap Tie Down | Nos | 7 | |
| 109 | 8763416 | Comd Plate Form | Nos | 5 | |
| 110 | 8763417 | Pin Quick Release | Nos | 6 | |
| 111 | 8763438 | Tube Bent Aluminum | Nos | 3 | |
| 112 | 8763458 | Washer Flat | Nos | 39 | |
| 113 | 8763469 | Cushion Bilge Pump | Nos | 24 | |
| 114 | 8763474 | Hose Rubber | Nos | 40 | Hose , Type III, Grade B, Class Z Spec ZZ-H-00428, 1,1/2 x 1 7/8 OD |
| 115 | 8763488 | Strut | Nos | 2 | |
| 116 | 8763494 | Plug Special | Nos | 12 | |
| 117 | 8763567 | Cap Dvr Seat | Nos | 6 | Mold with Plastisol Molding Compound Type II, Class C30P4, Spec Mil-P-20689 |
| 118 | 8763570 | Mount Resilient | Nos | 6 | |
| 119 | 10861125 | Seal Rubber | Nos | 1 | Rubber , 3BA515B13C12F17 per Spec Mil-R-3065 |
| 120 | 10861134 | Shield | Nos | 3 | |
| 121 | 10861138 | Shim Door Hinge | Nos | 20 | |
| 122 | 10861259 | Washer Flat | Nos | 12 | |
| 123 | 10861390 | Seal Rubber | Nos | 1 | Rubber, Grade Rs 515 BC,F,Z, Spec Mil-R-3065, Durometer not to exceed 70 at -40 F |

| | | | | | |
|-----|----------|---------------------|-----|-----|--|
| 124 | 10861440 | Bearing Sleeve | Nos | 4 | |
| 125 | 10861441 | Spring Helical Ext | Nos | 4 | |
| 126 | 10861512 | Gasket | Nos | 3 | |
| 127 | 10861533 | Tubing Rubber | Nos | 7 | Rubber Grade 5B610 A,B,C,F, Spec Mil-R-3065 |
| 128 | 10861582 | Spring Helical Comp | Nos | 3 | |
| 129 | 10861633 | Seal Rubber | Nos | 2 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065, Suffix Z-Durometer not to exceed 70 at minus 40 F |
| 130 | 10861635 | Seal Rubber | Nos | 2 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065, Suffix Z-Durometer not to exceed 70 at minus 40 F |
| 131 | 10861663 | Washer Key | Nos | 8 | |
| 132 | 10861665 | Pin Straight Headed | Nos | 2 | |
| 133 | 10861758 | Washer Non-Metallic | Nos | 12 | |
| 134 | 10861777 | Bleeder Valve | Nos | 5 | |
| 135 | 10861974 | Cover | Nos | 4 | |
| 136 | 10863009 | Bellows | Nos | 12 | |
| 137 | 10863380 | Washer Lock | Nos | 850 | |
| 138 | 10863386 | Hose | Nos | 5 | Hose Type III, Grade A Class 2 Spec ZZ - H - 428 |
| 139 | 10863423 | Tube | Nos | 8 | |
| 140 | 10863494 | Ball Bearing | Nos | 6 | NTN, FAG, SKF with High RPM. (i-e upto 3600 rpm) |
| 141 | 10865525 | Gasket | Nos | 2 | |

| | | | | | |
|-----|----------|-------------------------|-----|-----|---|
| 142 | 10865526 | Gasket | Nos | 2 | |
| 143 | 10865614 | Bushing | Nos | 5 | |
| 144 | 10865654 | Gasket | Nos | 6 | |
| 145 | 10865663 | Washer Non-Metallic | Nos | 48 | |
| 146 | 10865723 | Decal | Nos | 8 | |
| 147 | 10865747 | Rubber Washer | Nos | 117 | |
| 148 | 10865843 | Grommet Rubber | Nos | 8 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065. Suffix Z-Durometer not to exceed 70 at Minus 40F |
| 149 | 10865882 | Seat Back Assy | Nos | 7 | |
| 150 | 10865908 | Seal Rubber Spec | Nos | 8 | |
| 151 | 10865960 | Marker | Nos | 8 | |
| 152 | 10866008 | Seat Ind | Nos | 5 | Min Tensile Strength 17000 PSI |
| 153 | 10866044 | Sign | Nos | 3 | |
| 154 | 10866049 | Collar Throttle Control | Nos | 44 | |
| 155 | 10866087 | Spring Torsion | Nos | 16 | |
| 156 | 10866136 | Nut Connector | Nos | 14 | |
| 157 | 10866137 | Insulator Bushing | Nos | 20 | |
| 158 | 10866207 | Clamp | Nos | 8 | |
| 159 | 10866261 | Seat Cushion | Nos | 14 | |

| | | | | | |
|-----|----------|------------------------|-----|-----|--|
| 160 | 10866262 | Seat Cushion | Nos | 16 | |
| 161 | 10866352 | Seat Cushion | Nos | 24 | |
| 162 | 10874601 | Tube Non Metallic | Nos | 1 | |
| 163 | 10874701 | Bracket Seat | Nos | 2 | |
| 164 | 10874783 | Elbow | Nos | 3 | |
| 165 | 10874832 | Filter | Nos | 5 | |
| 166 | 10874856 | Seal Rubber | Nos | 8 | |
| 167 | 10874857 | Seal | Nos | 8 | A. Rubber, 3BA515B13C12F17Z or Rubber 2BC515B14C12F17Z, Per Spec Mil-R-3065-Suffix Z: Durometer not to exceed 70 at minus 40 F |
| 168 | 10875056 | Seal | Nos | 3 | |
| 169 | 10875089 | Packing Preformed | Nos | 18 | |
| 170 | 10875096 | Cover | Nos | 3 | |
| 171 | 10875100 | Shell | Nos | 1 | |
| 172 | 10875107 | Seal Oil Out Put Shaft | Nos | 2 | |
| 173 | 10875193 | Packing Preformed | Nos | 2 | Synthetic Rubber Neoprene base |
| 174 | 10875377 | Welded Nut | Nos | 109 | |
| 175 | 10875378 | Welded Nut | Nos | 22 | |
| 176 | 10875414 | Pin | Nos | 2 | |
| 177 | 10886357 | Bumper Rubber | Nos | 64 | Rubber, Grade 3BA615B13C12F17 |

| | | | | | |
|-----|----------|--------------------------------|-----|----|---|
| 178 | 10886447 | Plate Instruction Ramp Up/Down | Nos | 2 | |
| 179 | 10886449 | Plate Ins | Nos | 2 | |
| 180 | 10886501 | Hose Air Duct | Nos | 8 | |
| 181 | 10886767 | Plate Instruction | Nos | 5 | |
| 182 | 10886771 | Support Rubber | Nos | 84 | |
| 183 | 10886773 | Pad Cushioning | Nos | 3 | |
| 184 | 10886776 | Pad Cushioning | Nos | 8 | |
| 185 | 10886778 | Cushion | Nos | 18 | |
| 186 | 10886779 | Seal Nonmetallic | Nos | 3 | |
| 187 | 10886780 | Cushion | Nos | 3 | |
| 188 | 10886781 | Cushion | Nos | 8 | |
| 189 | 10890210 | Mount | Nos | 12 | |
| 190 | 10890212 | Decal | Nos | 3 | |
| 191 | 10890243 | Decal | Nos | 6 | |
| 192 | 10915185 | Mount Resilient | Nos | 6 | Rubber, Grade RS325 BC, F, Spec Mil-R-3065 |
| 193 | 10915186 | Mount Resilient | Nos | 6 | Rubber, Grade RS325 BC, F, Spec Mil-R-3065 |
| 194 | 10917437 | Washer Flat | Nos | 20 | |
| 195 | 10917616 | Seal Periscope (M17) | Nos | 42 | Rubber, Cellular Type RN-RS 13 A,B,F, Spec Mil-C-3133 |

| | | | | | |
|-----|----------|-----------------------|-----|----|--|
| 196 | 10917641 | Gasket | Nos | 3 | |
| 197 | 10917769 | Washer Key | Nos | 48 | |
| 198 | 10917773 | Nut Plain | Nos | 2 | |
| 199 | 10917897 | Clamp Shroud Track | Nos | 9 | |
| 200 | 10917945 | Washer Key | Nos | 16 | |
| 101 | 8763204 | Bracket Tow Cable | Nos | 2 | |
| 102 | 8763238 | Strap | Nos | 30 | |
| 103 | 8763252 | Decal | Nos | 6 | |
| 104 | 8763361 | Clip | Nos | 84 | |
| 105 | 8763381 | Washer Non-Metallic | Nos | 24 | |
| 106 | 8763395 | Cradle Wiring Harness | Nos | 21 | |
| 107 | 8763397 | Clip Retaining | Nos | 45 | |
| 108 | 8763398 | Strap Tie Down | Nos | 7 | |
| 109 | 8763416 | Comd Plate Form | Nos | 5 | |
| 110 | 8763417 | Pin Quick Release | Nos | 6 | |
| 111 | 8763438 | Tube Bent Aluminum | Nos | 3 | |
| 112 | 8763458 | Washer Flat | Nos | 39 | |
| 113 | 8763469 | Cushion Bilge Pump | Nos | 24 | |

| | | | | | |
|-----|----------|---------------------|-----|----|--|
| 114 | 8763474 | Hose Rubber | Nos | 40 | Hose , Type III, Grade B, Class Z Spec ZZ-H-00428, 1,1/2 x 1 7/8 OD |
| 115 | 8763488 | Strut | Nos | 2 | |
| 116 | 8763494 | Plug Special | Nos | 12 | |
| 117 | 8763567 | Cap Dvr Seat | Nos | 6 | Mold with Plastisol Molding Compound Type II, Class C30P4, Spec Mil-P-20689 |
| 118 | 8763570 | Mount Resilient | Nos | 6 | |
| 119 | 10861125 | Seal Rubber | Nos | 1 | Rubber , 3BA515B13C12F17 per Spec Mil-R-3065 |
| 120 | 10861134 | Shield | Nos | 3 | |
| 121 | 10861138 | Shim Door Hinge | Nos | 20 | |
| 122 | 10861259 | Washer Flat | Nos | 12 | |
| 123 | 10861390 | Seal Rubber | Nos | 1 | Rubber, Grade Rs 515 BC,F,Z, Spec Mil-R-3065, Durometer not to exceed 70 at -40 F |
| 124 | 10861440 | Bearing Sleeve | Nos | 4 | |
| 125 | 10861441 | Spring Helical Ext | Nos | 4 | |
| 126 | 10861512 | Gasket | Nos | 3 | |
| 127 | 10861533 | Tubing Rubber | Nos | 7 | Rubber Grade 5B610 A,B,C,F, Spec Mil-R-3065 |
| 128 | 10861582 | Spring Helical Comp | Nos | 3 | |
| 129 | 10861633 | Seal Rubber | Nos | 2 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065, Suffix Z-Durometer not to exceed 70 at minus 40 F |
| 130 | 10861635 | Seal Rubber | Nos | 2 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065, Suffix Z-Durometer not to exceed 70 at minus 40 F |
| 131 | 10861663 | Washer Key | Nos | 8 | |

| | | | | | |
|-----|----------|---------------------|-----|-----|---|
| 132 | 10861665 | Pin Straight Headed | Nos | 2 | |
| 133 | 10861758 | Washer Non-Metallic | Nos | 12 | |
| 134 | 10861777 | Bleeder Valve | Nos | 5 | |
| 135 | 10861974 | Cover | Nos | 4 | |
| 136 | 10863009 | Bellows | Nos | 12 | |
| 137 | 10863380 | Washer Lock | Nos | 850 | |
| 138 | 10863386 | Hose | Nos | 5 | Hose Type III, Grade A Class 2 Spec ZZ - H - 428 |
| 139 | 10863423 | Tube | Nos | 8 | |
| 140 | 10863494 | Ball Bearing | Nos | 6 | NTN, FAG, SKF with High RPM. (i-e upto 3600 rpm) |
| 141 | 10865525 | Gasket | Nos | 2 | |
| 142 | 10865526 | Gasket | Nos | 2 | |
| 143 | 10865614 | Bushing | Nos | 5 | |
| 144 | 10865654 | Gasket | Nos | 6 | |
| 145 | 10865663 | Washer Non-Metallic | Nos | 48 | |
| 146 | 10865723 | Decal | Nos | 8 | |
| 147 | 10865747 | Rubber Washer | Nos | 117 | |
| 148 | 10865843 | Grommet Rubber | Nos | 8 | Rubber 3BA515B13C12F17Z Spec Mil-R-3065. Suffix Z-Durometer not to exceed 70 at Minus 40F |
| 149 | 10865882 | Seat Back Assy | Nos | 7 | |

| | | | | | |
|-----|----------|-------------------------|-----|----|--|
| 150 | 10865908 | Seal Rubber Spec | Nos | 8 | |
| 151 | 10865960 | Marker | Nos | 8 | |
| 152 | 10866008 | Seat Ind | Nos | 5 | Min Tensile Strength 17000 PSI |
| 153 | 10866044 | Sign | Nos | 3 | |
| 154 | 10866049 | Collar Throttle Control | Nos | 44 | |
| 155 | 10866087 | Spring Torsion | Nos | 16 | |
| 156 | 10866136 | Nut Connector | Nos | 14 | |
| 157 | 10866137 | Insulator Bushing | Nos | 20 | |
| 158 | 10866207 | Clamp | Nos | 8 | |
| 159 | 10866261 | Seat Cushion | Nos | 14 | |
| 160 | 10866262 | Seat Cushion | Nos | 16 | |
| 161 | 10866352 | Seat Cushion | Nos | 24 | |
| 162 | 10874601 | Tube Non Metallic | Nos | 1 | |
| 163 | 10874701 | Bracket Seat | Nos | 2 | |
| 164 | 10874783 | Elbow | Nos | 3 | |
| 165 | 10874832 | Filter | Nos | 5 | |
| 166 | 10874856 | Seal Rubber | Nos | 8 | |
| 167 | 10874857 | Seal | Nos | 8 | A. Rubber, 3BA515B13C12F17Z or Rubber 2BC515B14C12F17Z, Per Spec Mil-R-3065-Suffix Z: Durometer not to exceed 70 at minus 40 F |

| | | | | | |
|-----|----------|--------------------------------|-----|-----|--------------------------------|
| 168 | 10875056 | Seal | Nos | 3 | |
| 169 | 10875089 | Packing Preformed | Nos | 18 | |
| 170 | 10875096 | Cover | Nos | 3 | |
| 171 | 10875100 | Shell | Nos | 1 | |
| 172 | 10875107 | Seal Oil Out Put Shaft | Nos | 2 | |
| 173 | 10875193 | Packing Preformed | Nos | 2 | Synthetic Rubber Neoprene base |
| 174 | 10875377 | Welded Nut | Nos | 109 | |
| 175 | 10875378 | Welded Nut | Nos | 22 | |
| 176 | 10875414 | Pin | Nos | 2 | |
| 177 | 10886357 | Bumper Rubber | Nos | 64 | Rubber, Grade 3BA615B13C12F17 |
| 178 | 10886447 | Plate Instruction Ramp Up/Down | Nos | 2 | |
| 179 | 10886449 | Plate Ins | Nos | 2 | |
| 180 | 10886501 | Hose Air Duct | Nos | 8 | |
| 181 | 10886767 | Plate Instruction | Nos | 5 | |
| 182 | 10886771 | Support Rubber | Nos | 84 | |
| 183 | 10886773 | Pad Cushioning | Nos | 3 | |
| 184 | 10886776 | Pad Cushioning | Nos | 8 | |
| 185 | 10886778 | Cushion | Nos | 18 | |

| | | | | | |
|-----|----------|----------------------|-----|----|---|
| 186 | 10886779 | Seal Nonmetallic | Nos | 3 | |
| 187 | 10886780 | Cushion | Nos | 3 | |
| 188 | 10886781 | Cushion | Nos | 8 | |
| 189 | 10890210 | Mount | Nos | 12 | |
| 190 | 10890212 | Decal | Nos | 3 | |
| 191 | 10890243 | Decal | Nos | 6 | |
| 192 | 10915185 | Mount Resilient | Nos | 6 | Rubber, Grade RS325 BC, F, Spec Mil-R-3065 |
| 193 | 10915186 | Mount Resilient | Nos | 6 | Rubber, Grade RS325 BC, F, Spec Mil-R-3065 |
| 194 | 10917437 | Washer Flat | Nos | 20 | |
| 195 | 10917616 | Seal Periscope (M17) | Nos | 42 | Rubber, Cellular Type RN-RS 13 A,B,F, Spec Mil-C-3133 |
| 196 | 10917641 | Gasket | Nos | 3 | |
| 197 | 10917769 | Washer Key | Nos | 48 | |
| 198 | 10917773 | Nut Plain | Nos | 2 | |
| 199 | 10917897 | Clamp Shroud Track | Nos | 9 | |
| 200 | 10917945 | Washer Key | Nos | 16 | |
| 201 | 10918115 | Guard | Nos | 3 | |
| 202 | 10932309 | Bushing Rubber | Nos | 8 | |
| 203 | 10932310 | Bolt Eye | Nos | 2 | |

| | | | | | |
|-----|----------|-------------------|-----|-----|---|
| 204 | 10932311 | Pad Cushioning | Nos | 112 | |
| 205 | 10932373 | Jerry Can Bracket | Nos | 11 | |
| 206 | 10932429 | Locking Plate | Nos | 180 | |
| 207 | 10932464 | Seal Radiator | Nos | 8 | Rubber, Synthetic, Grade SC413, B,C,F,Z. Suffix Z Indicates an additional req, material must resist heat aging for 70 hours at 240 F Spec Mil-R-3065 |
| 208 | 10932514 | Catch Extension | Nos | 3 | |
| 209 | 10932533 | Spring | Nos | 1 | |
| 210 | 10932622 | Bolt Tee Head | Nos | 12 | |
| 211 | 10932698 | Stiffener | Nos | 5 | |
| 212 | 10932812 | Washer Flat | Nos | 2 | |
| 213 | 10932820 | Pin | Nos | 2 | |
| 214 | 10932871 | Tube Assy | Nos | 2 | |
| 215 | 10932881 | Plate | Nos | 3 | |
| 216 | 10932892 | Plate Idn | Nos | 6 | |
| 217 | 10932894 | Plate Ins | Nos | 6 | |
| 218 | 10932895 | Plate Ins | Nos | 6 | |
| 219 | 10932932 | Tube Steel | Nos | 3 | |
| 220 | 10932933 | Gasket | Nos | 17 | |
| 221 | 10932936 | Bracket | Nos | 4 | |

| | | | | | |
|-----|----------|---------------------------------|-----|----|--|
| 222 | 10932980 | Tube | Nos | 3 | |
| 223 | 10933023 | Tube Assy | Nos | 2 | |
| 224 | 10933071 | Strainer | Nos | 3 | |
| 225 | 10933083 | Decal | Nos | 3 | |
| 226 | 10942565 | Cushion | Nos | 8 | |
| 227 | 10942653 | Hose Assy Non-Metallic | Nos | 2 | |
| 228 | 10942750 | Bolt Machine | Nos | 4 | |
| 229 | 10942841 | Plate Instruction/(Stall Check) | Nos | 2 | |
| 230 | 10942891 | Washer | Nos | 16 | |
| 231 | 10942907 | Bty Cover Assy | Nos | 2 | |
| 232 | 10943014 | Bty Cover | Nos | 1 | |
| 233 | 10943075 | Elbow Tube | Nos | 7 | |
| 234 | 10943076 | Decal | Nos | 8 | |
| 235 | 10943081 | Plug Hull Drain | Nos | 12 | |
| 236 | 10943082 | Nut Plain Link | Nos | 8 | |
| 237 | 10943083 | Assy Plug | Nos | 2 | |
| 238 | 10943120 | Tube Bent Radiator | Nos | 7 | |
| 239 | 10943385 | Track Mount | Nos | 5 | |

| | | | | | |
|-----|----------|----------------------------|-----|----|--|
| 240 | 10949338 | Spacer Sleeve | Nos | 3 | |
| 241 | 10949352 | Gasket | Nos | 1 | |
| 242 | 10949865 | Gasket | Nos | 8 | |
| 243 | 11589343 | Packing Preformed | Nos | 44 | Synthetic Rubber Neoprene base |
| 244 | 11589346 | Plug | Nos | 6 | |
| 245 | 11589464 | Strainer Bilge Pump | Nos | 4 | |
| 246 | 11589471 | Strainer Front Bilge | Nos | 4 | |
| 247 | 11589516 | Plate Ins | Nos | 6 | |
| 248 | 11597869 | Thumb Screw | Nos | 9 | |
| 249 | 11597872 | Rifle Bracket | Nos | 2 | |
| 250 | 11598399 | Filter Element Air Cleaner | Nos | 3 | Approved by ITD / DESCOM |
| 251 | 11633310 | Pad Cushioning | Nos | 3 | |
| 252 | 11633311 | Pad Cushioning | Nos | 3 | |
| 253 | 11633317 | Pad Cushioning | Nos | 3 | Rubber, Celluar, Grade S8E7, A BC F2 L Spec Mil-C-3133, Suffix Req supplement ary to Mil-Std-670 |
| 254 | 11633333 | Decal | Nos | 6 | |
| 255 | 11633334 | Decal | Nos | 8 | |
| 256 | 11633456 | Tube Asm | Nos | 3 | |
| 257 | 11633463 | Tube Assy | Nos | 2 | |

| | | | | | |
|-----|----------|-------------------------|-----|------|--|
| 258 | 11633546 | Seal Rubber | Nos | 1 | Rubber (EPDM) |
| 259 | 11633547 | Seal Rubber | Nos | 1 | Rubber, Grade Rs 515 BC,F,Z, Spec Mil-R-3065, Durometer not to exceed 70 at -40 F |
| 260 | 11633594 | Plat Regulator Mounting | Nos | 4 | |
| 261 | 11633832 | Pad Cushioning | Nos | 3 | |
| 262 | 11633836 | Boot | Nos | 3 | Rubber, Grade SB-715-A,B,C,E,F Spec Mil-R-3065 |
| 263 | 11646822 | Cover Access | Nos | 2 | |
| 264 | 11646823 | Cover Access | Nos | 2 | |
| 265 | 11647538 | Floor Plate | Nos | 2 | |
| 266 | 11660771 | Caution Plate | Nos | 12 | |
| 267 | 11660779 | Clamp Loop | Nos | 4 | |
| 268 | 11661343 | Decal | Nos | 3 | |
| 269 | 11662996 | Hose Non-Metallic | Nos | 20 | |
| 270 | 11669369 | Radiator Assy A2 | Nos | 6 | |
| 271 | 11677876 | Periscope Box | Nos | 6 | |
| 272 | 11677982 | Track Shoe Link | Nos | 274 | |
| 273 | 11677990 | Track Path Rubber | Nos | 889 | Re-Rubberization according to Military standard No. MIL-T-11891E (AT), Bids of Only Qualified Firms will be accepted |
| 274 | 11678027 | Small Bush | Nos | 1778 | Re-Rubberization according to Military standard No. MIL-T-11891E (AT), Bids of Only Qualified Firms will be accepted |
| 275 | 11678029 | Large Bush | Nos | 2667 | Re-Rubberization according to Military standard No. MIL-T-11891E (AT), Bids of Only Qualified Firms will be accepted |

| | | | | | |
|-----|----------|--------------------------|-----|-----|---|
| 276 | 11678270 | Wheel Solid Rubber (Alu) | Nos | 160 | Bids of Only Qualified Firms will be accepted |
| 277 | 11678405 | Seat Cushion | Nos | 2 | |
| 278 | 12253112 | Decal | Nos | 8 | |
| 279 | 12253115 | Decal | Nos | 16 | |
| 280 | 12253286 | Seal Plain Encased | Nos | 67 | |
| 281 | 12253406 | Marker Identification | Nos | 8 | |
| 282 | 12253408 | Gasket | Nos | 12 | |
| 283 | 12253409 | Gasket | Nos | 4 | |
| 284 | 12253522 | Aux Tank | Nos | 6 | |
| 285 | 12253536 | Tube | Nos | 2 | |
| 286 | 12268686 | Pin | Nos | 4 | |
| 287 | 12268792 | Gasket | Nos | 9 | |
| 288 | 12268886 | Cover Track (Rt) Rear | Nos | 1 | |
| 289 | 12268887 | Clamp Fender | Nos | 24 | |
| 290 | 12268888 | Cover Track (Lt) Rear | Nos | 1 | |
| 291 | 12268889 | Cover Track (Rt) Front | Nos | 1 | |
| 292 | 12268890 | Cover Track (Lt) Front | Nos | 1 | |
| 293 | 12268895 | Shroud Track | Nos | 6 | |

| | | | | | |
|-----|-----------------|------------------------|-----|------|--|
| 294 | 12269502 | Bracket | Nos | 14 | |
| 295 | 12313117 | Track Pad | Nos | 1016 | Re-Rubberization according to Military standard No. MIL-T-11891E (AT), Bids of Only Qualified Firms will be accepted |
| 296 | 10861316 -1 | Washer Convex | Nos | 2 | |
| 297 | 10861387 -1 | Bolt | Nos | 16 | |
| 298 | 10910174 -33 | Washer Flat | Nos | 268 | |
| 299 | 10910174 -5 | Washer Flat | Nos | 81 | |
| 300 | 10910174 -7 | Washer | Nos | 3 | |
| 301 | 10917651 -1 | Hose Assy Non-Metallic | Nos | 6 | |
| 302 | 10932293 -2 | Hose Assy Rubber | Nos | 1 | |
| 303 | 10932293 -4 | Hose Assy Rubber | Nos | 5 | |
| 304 | 10932436 -3 | Hose Assy Non-Metallic | Nos | 6 | |
| 305 | 10932437 -1 | Hose Assy Non-Metallic | Nos | 5 | |
| 306 | 10932440 -2 | Hose Pipe | Nos | 6 | |
| 307 | 10933120 -1 | Lining | Nos | 14 | |
| 308 | 10942709 -3 | Hose Assy Non-Metallic | Nos | 5 | |
| 309 | 10943122 -3 | Hose Non Metallic | Nos | 6 | |
| 310 | 10943122 -4 | Hose Non Metallic | Nos | 6 | |
| 311 | 10950010 -4 | Hose Assy Non-Metallic | Nos | 4 | |

| | | | | | |
|-----|----------------|-----------------------|-----|----|--|
| 312 | 11598738 -1 | Packing Preformed | Nos | 12 | |
| 313 | 11598738 -2 | Packing Preformed | Nos | 12 | |
| 314 | 11633341 -2 | Pad Cushioning | Nos | 3 | |
| 315 | 11646972 -3 | Strip Rubber Cellular | Nos | 16 | |
| 316 | 11647365 -1 | Trim Vane | Nos | 1 | |
| 317 | 11647536 -1 | Floor Plate | Nos | 2 | |
| 318 | 11647536 -2 | Floor Plate | Nos | 2 | |
| 319 | 12253513 -2 | Hose | Nos | 32 | |
| 320 | 12253513 -3 | Hose Non Metallic | Nos | 1 | |
| 321 | 12253513 -4 | Hose Non Metallic | Nos | 1 | |
| 322 | 12253513 -5 | Hose Non Metallic | Nos | 1 | |
| 323 | 12253588 -1 | Guard Fuel Line | Nos | 3 | |
| 324 | 12268811 -2 | Heater Shiled | Nos | 3 | |
| 325 | 2K OHM 2 W | Resistance | Nos | 4 | |
| 326 | 2N 6287 | Transistor | Nos | 2 | |
| 327 | 2N3773 | Transistor | Nos | 4 | |
| 328 | 2N5405 | Transistor | Nos | 2 | |
| 329 | 33-115- 017 | Gasket | Nos | 14 | |

| | | | | | |
|-----|--------------|---------------------------|-----|-----|--|
| 330 | 42C15120-210 | Chain Weldless | Nos | 16 | |
| 331 | 60198S | O Ring | Nos | 2 | |
| 332 | 8114-3760 | Gen Belt V Matched 02/Set | Set | 3 | |
| 333 | AN912-2D | Bushing Pipe | Nos | 7 | |
| 334 | AN914-1D | Elbow Pipe | Nos | 6 | |
| 335 | AN932-5 | Plug Pipe | Nos | 21 | |
| 336 | IN4004 | Transistor In-4004 Diode | Nos | 8 | |
| 337 | IN746 | Diode | Nos | 4 | |
| 338 | MS16562-27 | Pin Spring | Nos | 12 | |
| 339 | MS16562-29 | Pin Spring | Nos | 8 | |
| 340 | MS16562-65 | Pin | Nos | 11 | |
| 341 | MS16624-1075 | Ring Retaining | Nos | 4 | |
| 342 | MS17987-829 | Pin Quick Release | Nos | 21 | |
| 343 | MS19060-5 | Ball | Nos | 5 | |
| 344 | MS19070-072 | Washer Key | Nos | 6 | |
| 345 | MS20002-10 | Washer Flat | Nos | 256 | |
| 346 | MS20066-189 | Key Machine | Nos | 6 | |
| 347 | MS20144 N10 | Track Pad Nut | Nos | 327 | |

| | | | | | |
|-----|--------------|----------------------|-----|-----|--|
| 348 | MS20392-9C57 | Pin Straight Headed | Nos | 2 | |
| 349 | MS20392-9C65 | Pin Straight Headed | Nos | 2 | |
| 350 | MS20604 B4K2 | Rivet Blind | Nos | 144 | |
| 351 | MS20604 B4W2 | Rivet Blind | Nos | 192 | |
| 352 | MS20913-2S | Plug Pipe | Nos | 3 | |
| 353 | MS20913-3S | Plug Pipe | Nos | 4 | |
| 354 | MS21044 N10 | Nut Self Locking Hex | Nos | 374 | |
| 355 | MS21333-121 | Clamp Loop | Nos | 8 | |
| 356 | MS21333-125 | Clamp | Nos | 10 | |
| 357 | MS21333-128 | Clamp | Nos | 10 | |
| 358 | MS21333-50 | Clamp Loop | Nos | 5 | |
| 359 | MS21333-81 | Clamp Loop | Nos | 20 | |
| 360 | MS21334-34 | Clamp Loop | Nos | 5 | |
| 361 | MS21919 DG10 | Clamp Loop | Nos | 152 | |
| 362 | MS21919 DG11 | Clamp | Nos | 80 | |
| 363 | MS21919 DG16 | Clamp Loop | Nos | 72 | |
| 364 | MS21919-DG16 | Clamp | Nos | 5 | |
| 365 | MS21919 DG24 | Clamp Loop | Nos | 184 | |

| | | | | | |
|-----|-------------------|----------------------------|-----|-----|--|
| 366 | MS21919 DG3 | Clamp Loop | Nos | 28 | |
| 367 | MS21919 DG4 | Clamp Loop | Nos | 104 | |
| 368 | MS21919 DG40 | Clamp | Nos | 16 | |
| 369 | MS21919 DG6 | Clamp | Nos | 80 | |
| 370 | MS21919 DG9 | Clamp Loop | Nos | 104 | |
| 371 | MS21919- WDG24 | Clamp | Nos | 2 | |
| 372 | MS21921- 6 | Nut Tube Coupling | Nos | 7 | |
| 373 | MS21922- 6 | Sleeve Clinch Tube Fitting | Nos | 13 | |
| 374 | MS24066- 2-240 | Clip | Nos | 5 | |
| 375 | MS24585- 61 | Spring | Nos | 2 | |
| 376 | MS2466- 2-240 | Clip | Nos | 6 | |
| 377 | MS24665- 132 | Pin Cotter | Nos | 49 | |
| 378 | MS24665- 134 | Pin Cotter | Nos | 81 | |
| 379 | MS24665- 281 | Pin Cotter | Nos | 6 | |
| 380 | MS24665- 283 | Pin Cotter | Nos | 480 | |
| 381 | MS24665- 285 | Pin Cotter | Nos | 132 | |
| 382 | MS24665- 291 | Pin Cotter | Nos | 10 | |
| 383 | MS24665- 300 | Pin Cotter | Nos | 48 | |

| | | | | | |
|-----|-------------|-------------|-----|-----|--|
| 384 | MS24665-357 | Pin Cotter | Nos | 6 | |
| 385 | MS24665-370 | Pin Cotter | Nos | 12 | |
| 386 | MS24665-419 | Pin Cotter | Nos | 14 | |
| 387 | MS24665-443 | Pin Cotter | Nos | 12 | |
| 388 | MS24665-497 | Pin Cotter | Nos | 12 | |
| 389 | MS24665-640 | Pin Cotter | Nos | 6 | |
| 390 | MS25231-313 | Lamp | Nos | 1 | |
| 391 | MS27183-11 | Washer Flat | Nos | 101 | |
| 392 | MS27183-12 | Washer Flat | Nos | 74 | |
| 393 | MS27183-13 | Washer Flat | Nos | 8 | |
| 394 | MS27183-15 | Washer Flat | Nos | 130 | |
| 395 | MS27183-17 | Washer Flat | Nos | 9 | |
| 396 | MS27183-18 | Washer Flat | Nos | 608 | |
| 397 | MS27183-21 | Washer Flat | Nos | 5 | |
| 398 | MS27183-24 | Washer Flat | Nos | 5 | |
| 399 | MS27183-27 | Washer Flat | Nos | 5 | |
| 400 | MS27183-6 | Washer Flat | Nos | 8 | |
| 401 | MS27183-8 | Washer Flat | Nos | 231 | |

| | | | | | |
|-----|-------------|-------------------|-----|----|---|
| 402 | MS28664-628 | Pin Cotter | Nos | 6 | |
| 403 | MS28775-149 | Packing Preformed | Nos | 19 | Mil-P-25732 |
| 404 | MS28775-210 | Packing Preformed | Nos | 4 | Mil-P-25732 |
| 405 | MS28775-212 | Packing Preformed | Nos | 4 | |
| 406 | MS28775-217 | Packing Preformed | Nos | 1 | |
| 407 | MS28775-218 | Packing Preformed | Nos | 6 | Mil-P-25732 |
| 408 | MS28775-219 | Packing Preformed | Nos | 5 | |
| 409 | MS28775-240 | Packing Preformed | Nos | 21 | |
| 410 | MS28778-4 | Packing Preformed | Nos | 16 | |
| 411 | MS29512-12 | Packing Preformed | Nos | 15 | |
| 412 | MS29513-212 | Packing Preformed | Nos | 5 | Mil-P-5325 (Synthetic Rubber Neoprene base) |
| 413 | MS29513-224 | Packing Preformed | Nos | 12 | |
| 414 | MS29513-226 | Packing | Nos | 5 | |
| 415 | MS29513-236 | Packing Preformed | Nos | 1 | |
| 416 | MS29513-425 | Packing Preformed | Nos | 30 | Mil-P-5325 (Synthetic Rubber Neoprene base) |
| 417 | MS35000-3 | Battery Storage | Nos | 6 | |
| 418 | MS35190-273 | Screw | Nos | 5 | |
| 419 | MS35190-291 | Screw Machine | Nos | 26 | |

| | | | | | |
|-----|-------------|---------------|-----|-----|--|
| 420 | MS35191-274 | Screw Machine | Nos | 40 | |
| 421 | MS35206-228 | Screw | Nos | 1 | |
| 422 | MS35206-230 | Screw | Nos | 2 | |
| 423 | MS35206-231 | Screw Cap | Nos | 168 | |
| 424 | MS35206-280 | Screw | Nos | 116 | |
| 425 | MS35206-283 | Screw Machine | Nos | 5 | |
| 426 | MS35207-263 | Screw | Nos | 160 | |
| 427 | MS35207-264 | Screw | Nos | 52 | |
| 428 | MS35207-265 | Screw | Nos | 140 | |
| 429 | MS35207-281 | Screw Machine | Nos | 39 | |
| 430 | MS35225-42 | Screw | Nos | 1 | |
| 431 | MS35333-33 | Washer Lock | Nos | 12 | |
| 432 | MS35333-37 | Washer Lock | Nos | 56 | |
| 433 | MS35333-41 | Washer Lock | Nos | 11 | |
| 434 | MS35333-42 | Washer Lock | Nos | 106 | |
| 435 | MS35338-42 | Washer | Nos | 1 | |
| 436 | MS35338-48 | Washer | Nos | 5 | |
| 437 | MS35425-42 | Nut Wing | Nos | 3 | |

| | | | | | |
|-----|--------------|-----------------|-----|----|---------------|
| 438 | MS35426-16 | Nut Plain Wing | Nos | 8 | |
| 439 | MS35478-1691 | Lamp | Nos | 2 | |
| 440 | MS35489-106 | Grommet | Nos | 16 | Rubber (EPDM) |
| 441 | MS35489-12 | Grommet Rubber | Nos | 8 | |
| 442 | MS35489-19 | Grommet | Nos | 16 | |
| 443 | MS35489-35 | Grommet Rubber | Nos | 24 | Rubber (EPDM) |
| 444 | MS35489-89 | Grommet Rubber | Nos | 15 | |
| 445 | MS35489-96 | Grommet Rubber | Nos | 5 | |
| 446 | MS35691-17 | Nut Plain Hex | Nos | 6 | |
| 447 | MS35692-53 | Nut Slotted Hex | Nos | 40 | |
| 448 | MS35692-54 | Nut | Nos | 40 | |
| 449 | MS35756-10 | Key Woodruff | Nos | 6 | |
| 450 | MS35769-31 | Gasket | Nos | 1 | |
| 451 | MS35810-32 | Pin | Nos | 3 | |
| 452 | MS35812-7 | Clevis Rod End | Nos | 3 | |
| 453 | MS35842-10 | Clamp Hose | Nos | 20 | |
| 454 | MS35842-12 | Clamp Hose | Nos | 59 | |
| 455 | MS35842-14 | Clamp Loop | Nos | 33 | |

| | | | | | |
|-----|---------------------|-----------------------------|-----|-----|--|
| 456 | MS35842-15 | Clamp Hose | Nos | 10 | |
| 457 | MS35842-16 | Clamp Hose | Nos | 6 | |
| 458 | MS39904-72 | Washer | Nos | 10 | |
| 459 | MS45904-60 | Washer Lock | Nos | 120 | |
| 460 | MS45904-69 | Washer | Nos | 274 | |
| 461 | MS45904-72 | Washer Lock | Nos | 10 | |
| 462 | MS45904-76 | Washer Lock | Nos | 37 | |
| 463 | MS51066-74-2 | Fan Belt V Match 02 Per Set | Set | 3 | |
| 464 | MS51095-306 | Screw Cap Hex Head | Nos | 48 | |
| 465 | MS51816-5 | Adapter | Nos | 2 | |
| 466 | MS51823-3 | Nut Tube Coupling | Nos | 3 | |
| 467 | MS51825-3 | Sleeve Clinch Tube | Nos | 7 | |
| 468 | MS51922-9 | Nut | Nos | 15 | |
| 469 | MS51932-62 | Pin Straight Headless | Nos | 8 | |
| 470 | MS51963-34 | Set Screw | Nos | 10 | |
| 471 | MS51971-1 | Nut | Nos | 3 | |
| 472 | MS52103 A120270R | Hose | Nos | 5 | |
| 473 | MS87006-3 | Hook Chain | Nos | 32 | |

| | | | | | |
|-----|-------------|--------------------|-----|-----|--|
| 474 | MS9048-107 | Pin | Nos | 2 | |
| 475 | MS9048-115 | Pin Spring | Nos | 6 | |
| 476 | MS9048-306 | Pin Spring | Nos | 3 | |
| 477 | MS9058-20 | Packing | Nos | 1 | |
| 478 | MS90725-10 | Screw, Cap | Nos | 21 | |
| 479 | MS90725-111 | Screw Cap Hex Head | Nos | 5 | |
| 480 | MS90725-113 | Screw Cap Hex Head | Nos | 72 | |
| 481 | MS90725-29 | Bolt Machine | Nos | 8 | |
| 482 | MS90725-3 | Screw | Nos | 11 | |
| 483 | MS90725-36 | Screw | Nos | 2 | |
| 484 | MS90725-5 | Screw Cap | Nos | 8 | |
| 485 | MS90725-57 | Screw Cap Hex Head | Nos | 103 | |
| 486 | MS90725-6 | Screw Cap | Nos | 56 | |
| 487 | MS90725-60 | Screw Cap | Nos | 30 | |
| 488 | MS90725-65 | Screw Cap Hex Head | Nos | 60 | |
| 489 | MS90725-66 | Screw Cap Hex Head | Nos | 1 | |
| 490 | MS90725-69 | Screw | Nos | 3 | |
| 491 | MS90725-8 | Screw Cap Hex Head | Nos | 6 | |

| | | | | | |
|-----|-------------|--------------------|-----|-----|--|
| 492 | MS90726-111 | Screw Cap Hex Head | Nos | 24 | |
| 493 | MS90726-113 | Screw Cap | Nos | 20 | |
| 494 | MS90726-114 | Screw Cap Hex Head | Nos | 5 | |
| 495 | MS90726-115 | Screw Cap Hex Head | Nos | 3 | |
| 496 | MS90726-163 | Screw Cap Hex Head | Nos | 63 | |
| 497 | MS90726-164 | Screw Cap Hex Head | Nos | 20 | |
| 498 | MS90726-190 | Screw Cap Hex Head | Nos | 2 | |
| 499 | MS90726-33 | Bolt | Nos | 5 | |
| 500 | MS90726-35 | Bolt Machine | Nos | 20 | |
| 501 | MS90726-37 | Screw Cap Hex Head | Nos | 11 | |
| 502 | MS90726-38 | Bolt | Nos | 36 | |
| 503 | MS90726-6 | Screw Cap | Nos | 11 | |
| 504 | MS90726-60 | Screw Cap | Nos | 12 | |
| 505 | MS90726-62 | Screw Cap | Nos | 40 | |
| 506 | MS90726-65 | Screw Cap Hex Head | Nos | 153 | |
| 507 | MS90726-66 | Screw | Nos | 11 | |
| 508 | MS90726-90 | Screw Cap Hex Head | Nos | 10 | |
| 509 | MS90727-114 | Screw Cap | Nos | 60 | |

| | | | | | |
|-----|-------------|-------|-----|---|--|
| 510 | MS90728-120 | Screw | Nos | 3 | |
| 511 | MS90728-123 | Screw | Nos | 3 | |
| 512 | MS90728-177 | Screw | Nos | 2 | |

Annexure 'B'

To 1528-52 / CEO Ofc/IT-15 / Ind-01 / 2871/206/
EM(M)/ Margalla/EM HRF(M) dated 15 Apr 22

AFFIDAVIT**NO LITIGATION CERTIFICATE**

It is certified that M/s _____ have no litigation history where decision went against the firm anywhere within or outside Pakistan.

OR

It is certified that M/s _____ Have following litigation history:-

- a.
- b.
- c.

(Designation, Signature & Stamp)

(Signature & Stamp of Notary Public)

Annexure 'C'

To 1528-52/CEO Ofc/IT-15/Ind-01/2871/206/
EM(M)/ Margalla/EM HRF(M) dated 15 Apr 22

NO BLACKLISTING CERTIFICATE

**Margalla HIL Tender No 1528-52/CEO Ofc/IT-15/Ind-01/2871/206/Margalla/EM/HRF(M)
dated 15 Apr 2022**

We M/s_____ have never been blacklisted by any
Government Agency within or outside Pakistan.

(Designation, Signature & Stamp)

(Attestation / Signatures of Notary Public)

Annexure 'D'

To 1528-52 / CEO Ofc/IT-15/Ind-01/2871 / 206/
EM(M)/ Margalla/EM HRF(M) dated 15 Apr 22

NO DEFAULTER CERTIFICATE

Margalla HIL Tender No. 1582-52/CEO Ofc/IT-15/Ind-01/2871/206//Margalla 15 Apr 2022

We M/s have never been defaulted by any
Government Agency within or outside Pakistan.

(Designation, Signature & Stamp)

(Attestation / Signatures of Notary Public)

Annexure 'E'

To 1528-52 / CEO Ofc / IT-15/Ind-01/2871 /206/
EM(M)/ Margalla/EM HRF(M) dated15 Apr 22

DETAIL OF CONTRACTS OF SIMILAR NATURE & COMPLEXITY

| S/No | Contract No | Value | Organization | DP | Store delivered (within DP/pending beyond DP) | Value of accepted items in first go | Provn of Bank Guarantee within timeline of contract (Yes/No) | Verification from proc agency is att |
|------|-------------|-------|--------------|----|---|-------------------------------------|--|--------------------------------------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

It is certified that above-mentioned data is correct and verified from concerned procuring agency / origination. In case any information found wrong / hidden, firm may be disqualified and suitable punitive action may also be taken including confiscation of bid security money.

(Signature & Stamp of the Firm)