

RESTRICTED

MOST IMMEDIATE

Central Ordnance Depot
Lahore Cantonment

Telephone - 669934646

02304 / Policy / LP

25 July 2022

To: The Assistant Directorate IT, PPRA
1st Floor, FBC Building, Near State Bank of Pakistan
Sector G-5/2, Islamabad
(Attention, Mr. Rizwan Mehmood)

Subject: Publication of Advertisement on PPRA's Website

1. Attached "TENDER NOTICE" pertaining to Pak Army is required to be published on PPRA's website on 26 July 2022.
2. Forwarded for necessary action, please.


Lt Col
for Commandant
(Khurram Irfan)

RESTRICTED

RESTRICTED

Central Ordnance Depot
Lahore Cantonment
Telephone - 669934646
02314 / 22-23 / IT - LP
25 July 2022

To: M/s _____

Subject: Local Purchase of Ordnance Stores - FY 2022/23

1. Stores mentioned at Annexure 'A', 'B' are urgently required by this depot. Please forward your quotation through bearer / by post, so as to reach Commandant Central Ordnance Depot Lahore Cantonment latest by 11 August 2022 at **1100 AM** and the same will be opened on 11 August 2022 at **1130 AM** in the presence of Depot Board of Officers representatives of the firms, if desired.
2. Accounting Unit and Nomenclature of item will not be amended. Over writing of rates will not be accepted. Your firm will be held responsible for any negative report regarding quality rates. In this connection render a certificate from your side which depicts complete satisfaction regarding quality / rates.
3. Firm's stamp, NTN, CNIC, Letter number of the firm and IT letter number must be endorsed on all quotations. Incomplete quotations will not be accepted.
4. The rates quoted should be as per accounting unit, confirm and final including all taxes/duties and valid upto **30 June 2023**. No change in quoted rates will be accepted later on subject to any cause i.e. fluctuation in value of foreign currency or all types of government duties / taxes.
5. Inspection of complete stores, if ordered will be carried out by competent inspection authority. Charges for inspection store / test if any from any Government / non Government Organization will be paid by firm When ever asked by Depot.
6. Quotations must be submitted separately as **Technical Offer** and **Commercial Offer** with each Offer packed and sealed in **separate envelope** marked in bold letters and red ink as "TECHNICAL OFFER" and "COMMERCIAL OFFER" (only for Annexure-A).

RESTRICTED

RESTRICTED

7. Rates will be mentioned on paper enclosed in Technical Offer. Only Technical Specifications and brochures dully filled out will be the part of Technical Offer.
8. Rates will only be mentioned in Commercial Offer and **5% of bid price (refundable) will be submitted alongwith bid / quotation in shape of bank draft / pay order in favour of Commandant COD Lahore otherwise quotation will be rejected.**
9. For ease of shipment / postage, all the separately sealed Commercial and Technical Offer envelopes can be placed in an outer envelope and dropped in the tender box placed at Main Gate of Central Ordnance Depot Lahore or posted to following address:
Central Ordnance Depot (COD) – LP Branch Sarfraz Rafiqui Road Lahore Cantt
10. Initially only the envelope clearly marked as **"Technical Proposal"** shall be opened.
11. The envelope marked as **"Financial Proposal" / Bid Price / Bid Money** shall be retained in the safe custody without being opened.
12. The Technical Proposal shall be evaluated by technical board without reference to the price.
13. On Conclusion of contract / purchase order with successful bidder/ firm, the firm may take back **5%** money already deposited as bid money and will re-deposit an amount **@ 10%** of the value of Contract / Purchase Order as **performance guarantee for one year** in shape of bank guarantee / pay order in favour of Commandant COD Lahore which must be valid upto the warranty period and will be released after successful expiry of warranty period as given in contract / purchase order.
14. Payment will be released / made through the concerned CMA after 100% delivery of ordered/ contracted stores. Part delivery / part payment will not be accepted / made
15. Pre-qualification of firms:-
 - a. Only those firms can participate who are already registered with COD Lahore/ DGP (Army)/ DGDP or willing to get themselves registered with COD Lahore **OR**
 - b. Original manufacturers and suppliers, original stockiest in trade (In case of dealers, authority letter of original manufactures be attached).

RESTRICTED

RESTRICTED

16. Commandant Central Ordnance Depot Lahore reserves the right to reject any inquiry / quoted rates (considered contrary to the spirit of tender competition / incomplete/ low quality samples or samples not of required Army specification), change delivery target and increase/ decrease the quantity at any stage.

17. In case any dispute regarding the terms and conditions or the quality of stores, decision of the Commandant Central Ordnance Depot Lahore will be considered as final and binding on the suppliers.

Encl: ()

Central Ordnance Depot
Lahore Cantt
Mob# 0309-1145976


Lt Col
for Commandant
(Khurram Irfan)

RESTRICTED

RESTRICTED

Annexure 'A'

MHE

Ser	Nomenclature	A/U	Rate
1	Battery Operated Stacker for GS&C (specification attached) Appendix-I	Nos	
2.	Hand Pallet Truck (specification attached) Appendix-II	Nos	

RESTRICTED

RESTRICTED

Annexure 'B'

GENERAL STORES ITEMS FY-2022/23

Ser	Part No	Nomenclature	A/U	Rate
1.	3740-ZO-250-9208	Sprayers, Hand General Purpose Insecticide	Nos	
2.	8305-ZO-250-0828	Cloth Canvas Flax Khaki Grade C Water proof 91.4 CM (36")	Mtr	
3.	8465-ZO-250-3369	Goggles Protective Field MK-8	Nos	
4.	KG/PKG-2218	CO2 Cylinder With Meter Hose Reels 45 Kg	Nos	
5.	H1/8010-ZO-250-7842	Varnish Brushing Brunswick Black 5 Ltr Can	Ltr	
6.	J-J1/5120-ZO-250-1117	Handle Single Bit Axe 89.0 CM (35")	Nos	
7.	J1/7105-ZO-250-4669	Chair Folding Steel Tubing	Nos	
8.	KF/6360-ZO-250-5278	Cooking Set Spoon Large	Nos	
9.	KF/7360-ZO-250-5943	Cover Cooking POT Karahi 610 MM (24 In DIA)	Nos	
10.	PDA-1089	Carrier Ammo B" Mortar	Nos	
11.	3770-ZO-250-3508	Cases, Cleaning tools 769.6 CM V.B Gun Horse shoe S.U Sword Frog	Nos	
12.	KF/6360-ZO-250-5278	Cooking Set Spoon Large	Nos	
13.	7350-ZO-250-5387	Tray Mess Compartmental Patient	Nos	
14.	4020-99-942-5032	Rope Manila Grade 2,3 strand, Rot Proofed 76 MM (3-IN) Circ	Mtr	
15.	KB/UN-251-1703-0932	Khauncha Large for Degcha	Nos	
16.	8465-ZO-250-3369	Goggles Protective Field MK-8	Nos	
17.	4210-ZO-250-9005	Foam Liquid Fire Extinguishing	Ltr	
18.	KG/PKG-3803	Fire Hooter (Addressable Type)	Nos	
19.		Fire Alarm System (Electric) for ARP	Nos	
20.		Fire Alarm System (Manual) for ARP	Nos	

RESTRICTED



NEWLY APPROVED/ AMMENDED GSR
FOR
BATTERY OPERATED STACKER

1.	Sponsoring Directorate	Ordinance Services Directorate
2.	Approving Authority	General Staff Equipment Evaluation Committee
3.	Technical Scrutiny Carried out by	Inspection and Technical Development Directorate
4.	<u>General</u>	The stacker is required for horizontal transportation and stacking of stores in intensive applications such as large warehouses/ depots. The machine should have fixed support arms which could lift stores to desirable heights. It should be easy to operate and maintain.
5.	<u>Technical Details</u>	
a.	Operating type	Pedestrian/stand on/cabin
b.	Load lift capacity	Minimum 1200 Kg
c.	Load centre	Maximum 650 mm
d.	Travel speed without load	Minimum 5 Km /hour
e.	Travel speed with rated load	Minimum 4 Km/hour
f.	Lift Height	Minimum 4000 mm
g.	Lift speed without load	Minimum 200 mm / second
h.	Lift speed with rated load	Minimum 100 mm / second
i.	Gradient without load	Minimum 10%
j.	Gradient with rated load	Minimum 08 %
k.	Service/Parking brake	1 stage electromagnetic brake
l.	Drive motor/intermittent rating (S2 60')	Compatible to equipment
m.	Lift motor/intermittent rating (S3 11%)	Compatible to equipment
n.	Steering system	Steering arm / wheel



c.	Speed control	Transistor stepless / electronic
	Steering arc	180 degree
	Bty capacity	180 – 440 AH
	Bty voltage	24 Volt DC
	Should have battery status indication feature	
	Should preferably have battery charging facility (built in)	
6.	<u>Dimensions, mm</u>	
a.	Wheel base	Minimum 1350 mm
b.	Platform height	Minimum 150 mm
c.	Platform length	Minimum 400 mm
d.	Height of lower fork	Maximum 100 mm
e.	Fork thickness	Minimum 65 mm
f.	Fork width	Minimum 180 mm
g.	Fork length	Minimum 1150 mm
h.	Width across fork	Minimum 570 mm
i.	Turning radius, without/ with platform up/ down	Maximum 2200 mm
j.	Gr Clearance	Minimum 50 mm
7.		It should be certified that equipment does not contain Ozone Depleting Substances in it



SPECIFICATION / DIMENSIONS OF HAND PALLET TRUCK

Ser	Cat / Description	Specs / Dimensions
1.	Lift	Manually Up & Down
2.	Ld cap	2 Ton
3.	Height (Lift)	90mm
4.	Height of tiller in drive position, min/max	70mm
5.	Height, lowered	25 mm down side
6.	Overall length	1500mm
7.	Length to face of forks	1140mm x 540mm
8.	Overall width	540mm
9.	Fork dimensions s/e/l	160x1150x55mm
10.	Width over forks	160mm
11.	Lift height	115mm
12.	Ground clearance, Centre of wheelbase	70mm
13.	Aisle width for pallets 1000x1200 crossways	200 to 300mm
14.	Aisle width for pallets 800x1200 lengthways	200x300mm
15.	Turning radius	1981mm