



UNION AFRICAINE UNIÃO AFRICANA

Addis Ababa, ETHIOPIA P. O. Box 3243 Tel: +251 (0)11-551 7700 Fax: +251 (0)11-551

0430

Website: www.africa-union.org

African Union Commission

Request for Quotations

FOR

SUPPLY AND DELIVERY ICT Equipment TO PAN AFRICAN UNIVERSITY

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

Date: 15/10/2021

Background:

The Pan African University (PAU) is the culmination of continental initiatives of the Commission of the African Union to revitalize higher education and research in Africa, under the Second Decade of Education for Africa and the consolidated Plan of Action of Science and Technology for Africa. It will exemplify excellence, enhance the attractiveness and global competitiveness of African higher education and research and establish the African University at the core of Africa's development.

The PAU will greatly boost the population and retention of high-level human resources and quality knowledge outputs and be able to attract the best intellectual capacity from all over the world. Africa acknowledges the fact that social and economic development is not possible without substantive investment in higher education and research. The PAU was launched as the African Union (AU) undertook the evaluation of the **Second Decade of Education for Africa.**

The African Union Commission identified critical themes within the five institutes of the Pan African University, as key to the development of Africa and attainment of the vision of the African Union. These are hosted in the different PAU Institutes as follows:

- Water and Energy Sciences (including Climate Change) (PAUWES, Algeria);
- Basic Science, Technology and Innovation (PAUSTI, Kenya);
- Life and Earth Sciences (including Health and Agriculture) (PAULESI, Nigeria);
- Governance, Humanities and Social Sciences (PAUGHSS, Cameroon);
- and Space Sciences (PAUSS, South Africa).

The PAU Rectorate is based in Yaoundé, Cameroon.

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

SECTION A: REQUEST FOR QUOTATION:

- 1) Description of the Goods: Pan African Virtual and E-University (PAVEU) is seeking for eligible and experienced suppliers to supply and deliver **ICT equipment** with the attached specification in the requirements
- 2) Currency of Quotation: USD/EUR
- **3)** Quotations should be based on: CIP to The PAU Rectorate is based in Yaoundé, Cameroon.
- 4) The delivery to Commence by: Immediate.
- 5) Quotations must be valid for 90 days from the RETURN BY DATE given below.
- 6) The warranty/guarantee offered shall be a minimum of: 2-3 Years.
- 7) Quotations and supporting documents as specified in Section B must be marked with the Procurement Number above and indicate your acceptance of the terms and conditions.
- 8) Quotations must be received, in PAURectorate@africa-union.org no later than: 5:00 PM on 26/11/2021. PAN AFRICAN UNIVERSITY / UNIVERSITE PANAFRICAINEPAU RECTORATE / RECORAT DE L'UPA.

Street Address: Rue 1777 Joseph MBALLA ELOUMDEN – Nlongkak – Bastos

Floor/Room number: BP: 5383 Yaoundé, Cameroun

City: BP: 5383 Yaoundé, Cameroun compound, Country: Cameroun Tele: Tel: +237 222 21 70 90

- 9. Prices must be quoted CIP to the PAU Rectorate is based in Yaoundé, Cameroon.
- **10.** The attached Schedule of Requirements at Section C and Technical Data at Section D detail the items to be purchased. You are requested to quote your delivered price for these items by completing and returning Sections B, C and D in a sealed envelope marked with your name and the Procurement Number.
- **11.** Quotations that are responsive, qualified and technically compliant will be ranked according to price. Award of Contract will be made to the lowest priced quotation by the issue of a Purchase Order.
- **12.** Payments will be made in accordance with any resulting order within thirty (30) days of receipt of an invoice supported by delivery receipt or dispatch documentation, and subject to issue of a satisfactory inspection report.

13: Preliminary examination: Certificate of Business Registration or incorporation, Valid
VAT Certificate, manufacturer's authorization dealer or any other relevant document.
Bidder must be compiled with the above 3 requirements

Signed:	NT C	
	Name: Samso	

Title/Position: Procurement Officer
For and on behalf of the Purchaser

PAU RECTORATE / RECORAT DE L'UPA

SECTION B: OUOTATION DETAILS

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

Your quotation is to be returned on this Form by completing and returning Sections B, C and D including any other information/certification required within this RFQ.

1)				
	Currency of Quotation:			
2)	Delivery period offered: days/weeks/months from date of Purchase Order.			
3)	The validity period of this Quotation is: days from the RETURN BY DATE .			
4)	Warranty period (where applicable):			
5)	We enclose the following document(s) as required by the Purchaser:			
	We confirm that our quotation is subject to the African Union General Conditions of Contract for Purchase Orders, and is based on the terms and conditions stated in your Request for Quotations referenced above.			
	We confirm that the prices quoted are fixed for the duration of the validity period and will not be subject to revision or variation.			
Aut	thorised By:			
Sigı	nature: Name:			
Pos	ition: Date:			
Aut	horised for and on behalf of:			
Cor	mpany:			
	gistered Address:			

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

SECTION C: SCHEDULE OF REQUIREMENTS (TO BE PRICED BY BIDDER)

Destination: The PAU Rectorate is based in Yaoundé, Cameroon.

1. 1/ All-in-One Desktops (Qty = 8) DELL

Processor	11th Generation Intel® Core TM i7-1165G7 Processor (12MB Cache, up
	to 4.7 GHz)
Operating System	Windows 10 Pro English
Graphics Card	NVIDIA® GeForce® MX330 with 2GB GDDR5 graphics memory
Memory	16GB, 8GBx2, DDR4, 2666MHz
Hard Drive	256GB M.2 PCIeNVMe Solid State Drive (Boot) + 1TB 5400 rpm 2.5" SATA Hard Drive (Storage)
Wireless	Intel® Wi-Fi 6 2x2 (Gig+) and Bluetooth 5.1
Support & warranty	3 years on-site support – service and parts, to include in the agreement

2. <u>UPSs</u> - QTY =8

	APC Smart 750VA - SUA750I or Equivalent
Power Cables	Two UPS Cables and Schuko power cables
Power Input	220-240VAC, 50HZ

3. APC PERFORMANCE SURGE ARRESTS - PMF83VT-GR OTY =8

	APC	Performance	Surge	Arrest	-Schuko	(PMF83VT-GR)	or
	Equiv	alent					
Power Input	220-2	40VAC, 50HZ					
Power Plug and cord	Schuko Plug - 3 metre length						
length	Schuko Flug - 3 metre length						
Operating	0-40oC, Elevation of up to 0 - 5000M, Relative Humidity from 0 – 95%						
Environment	0-4000	c, Elevation of u	ip to 0 - 3	OUUIVI, IX	cian ve Huni	idity 110111 0 - 9570	

PAN AFRICAN UNIVERSITY / UNIVERSITE PANAFRICAINE PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

4. Laptops (Qty= 2) DELL

Processor 10th Generation Intel® Core™ i7-10750H (12MB Cache, up to 5.0 GF 6 cores) Operating System Windows 10 Pro English Graphics Card NVIDIA® GeForce® GTX 1650 Ti 4GB GDDR6 Display 15.6" UHD+ (3840 x 2400) InfinityEdgeTouch Anti-Reflective 500-Ni Display Memory 32GB DDR4-2933MHz, 2x16G Hard Drive 512GB M.2 PCIeNVMe Solid State Drive Keyboard English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0 Ports
Graphics Card NVIDIA® GeForce® GTX 1650 Ti 4GB GDDR6 Display 15.6" UHD+ (3840 x 2400) InfinityEdgeTouch Anti-Reflective 500-Ni Display Memory 32GB DDR4-2933MHz, 2x16G Hard Drive 512GB M.2 PCIeNVMe Solid State Drive Keyboard English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0
Display 15.6" UHD+ (3840 x 2400) InfinityEdgeTouch Anti-Reflective 500-Ni Display Memory 32GB DDR4-2933MHz, 2x16G Hard Drive 512GB M.2 PCIeNVMe Solid State Drive Keyboard English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0
Display Memory 32GB DDR4-2933MHz, 2x16G Hard Drive 512GB M.2 PCIeNVMe Solid State Drive Keyboard English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0
Memory 32GB DDR4-2933MHz, 2x16G Hard Drive 512GB M.2 PCIeNVMe Solid State Drive Keyboard English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0
English/French keyboard, black, backlit, Fingerprint Reader 2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0 Ports
2x Thunderbolt™ 3 with power delivery &DisplayPort 1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0 Ports
1x USB-C 3.1 with power delivery &DisplayPort 1x Full size SD card reader v6.0 Ports
1x Full size SD card reader v6.0 Ports
Ports
Ports
1x 3.5mm neadphone/microphone comoo jack
1x Wedge-shaped lock slot
1x USB-C to USB-A v3.0 & HDMI v2.0 adapter ships standard
Camera 720p at 30 fps HD camera
Dual-array microphones
Audio and Speakers Studio quality tuning with Waves MaxxAudio® Pro and Waves Nx® 3D audio
Quad-speaker design with 2.5W x2 woofers and 1.5W x2 tweeters = 8W total peak output
3.5mm headphone/microphone combo jack featuring Waves Nx® 3D audio with headtracking
Dual microphone array optimized with Waves MaxxVoice supporting VoIP - Microsoft Cortana capable
Wireless Killer Wi-Fi 6 AX1650 (2x2) and Bluetooth 5.0
Primary Battery 6-Cell Battery, 86WHr (Integrated)
Support & warranty 3 years on-site support – service and parts, to include in the agreement

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

5. Laptops (Qty= 5) DELL

Processor	11th Generation Intel® Core™ i5-1145G7 (4 Core, 8M cache,
110005501	base 2.6GHz, up to 4.4GHz, vPro)
Operating System	Windows 10 Pro English
Craphics card	Intel® Iris® Xe graphics with Thunderbolt for i5-1145G7 vPro®
Graphics card	processor
Memory More Info	16 GB, 1X16 GB 3200MHz DDR4 Non-ECC
Systems Management	vPro Manageability
Hard Drive More	512GB M.2 PCIeNVMe Solid State Drive
Additional Hard Drive	No Additional Hard Drive
Diamlay Mana Info	15.6" FHD (1920x1080) Non-Touch, Anti-Glare, 250nits,
Display More Info	WLAN/WWAN, HD+IR Camera
Keyboard	Single Pointing Backlit English US Keyboard and 10 Key Numpad
Wireless More Info	Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz + Bluetooth 5.1
Primary Battery More Info	4 Cell 63Whr ExpressChargeTM Capable Battery
Sunnant & wannanty	3 years on-site support – service and parts, to include in the
Support & warranty	agreement

6. Docking stations of the Laptops (Qty=9) DELL

Docking station with port replicator	Docking Interface USB-C
Video Interfaces	HDMI, DP
Dimensions (WxDxH)	8.1 in x 3.5 in x 1.1 in
Networking	Gigabit Ethernet
Power	Power adapter 130 Watt AC 120/230 V (50/60 Hz)
Display	27" Full LED In-Plane Switching Technology monitor with integrated webcam
Keyboard & mouse	USB Keyboard and Mouse - US English/French as needed
Security Lock	Notebook Security Lock Cable

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

7. HIGH RESOLUTION LCD TV DESK SCREEN

QTY = 2

	Samsung Dm-E Series 55'' 1920x1080 Slim Direct-Lit LED Commercial Display Digital Signage(DM55E) or Equivalent
Screen size	55" Curved
Resolution	1920 x 1080 or better
Brightness	700 nits
Contrast Ratio	3500 - 1

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

8. $\underline{\text{TABLETTES MICROSOFT}}$ - $\underline{\text{QTY}} = 5$

Display	 Screen: 13" PixelSense™ Flow Display Resolution: 2880 x 1920 (267 PPI) Up to 120Hz refresh rate (60Hz default) Aspect ratio: 3:2 Touch: 10 point multi-touch GPU Ink Acceleration Dolby Vision® support3
Memory	16GB, (LPDDR4x RAM)
Processor	Quad-core 11th Gen Intel® Core™ i5-1135G7 Processor, designed on the Intel® Evo™ platform
Security	 Firmware TPM chip for enterprise-grade security and BitLocker support Enterprise-grade protection with Windows Hello face sign-in
Software	Windows 11 HomePreloaded Microsoft 365 Apps
Sensors	 Accelerometer Gyroscope Magnetometer Ambient Color Sensor (brightness and color)
Storage	Removable solid-state drive (SSD): 256GB
Battery life ²	Up to 16 hours of typical device usage
Graphics	Intel® Iris® Xe Graphics (i5)
Connections	 2 x USB-C® with USB 4.0/Thunderbolt™ 4 3.5mm headphone jack 1 Connect port Cover port
Cameras, video, and audio	 Windows Hello face authentication camera (front-facing) 5.0MP front-facing camera with 1080p full HD video 10.0MP rear-facing autofocus camera with 1080p HD and 4k video Dual far-field Studio Mics 2W stereo speakers with Dolby Atmos®
Wireless	 Wi-Fi 6: 802.11ax compatible Bluetooth Wireless 5.1 technology
Exterior	 Casing: Signature anodized aluminum Colors: Graphite Physical buttons: Volume, Power
Warranty	1-year limited hardware warranty
Battery capacity	Battery Capacity Nominal (WH) 51.5Wh

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

9. <u>PROFFESIONAL CAMCORDER</u> - QTY = 1

	Panasonic HC-X1-Ultra HD professional or Equivalent
Lens	LEICA DICOMAR 4K Lens
24mm / Zoom	24mm Wide-Angle / Optical 20x Zoom
Sensor	1.0-type (inch) 4K Sensor
recording	4K24p, UHD 60p/50p, FHD 60p/50p recording
Functions	Professional Functions
Rings / audio input	Triple manual rings / XLR audio input
Lens	LEICA DICOMAR 4K Lens

10. PROFFESIONAL CAMCORDER - QTY = 2

Make & Model	Panasonic HC-WX F1
Picture Quality	Brilliant 4K Picture Quality
Lens	Large MOS Sensor, LEICA Dicomar Lens
Wide-Angle	Wide-Angle 25mm
Lens	Optical 24x Zoom Lens
Functions	Professional Functions
Manual Ring	EVF and Manual Ring
Picture Quality	Brilliant 4K Picture Quality

11.<u>DIGITAL SINGLE LENS REFLEX (DSLR) CAMERA</u> QTY = 2

Make & Model	Panasonic Lumix G7W or Equivalent
Megapixels	45.7MP
Sensor size	35.9mm x 23.9mm4096 x 2160
Autofocus	153 Point AF, 99 cross-type
Screen Type	3.2 inch tilt angel touchscreen, 2,359,000 dots
Maximum continuous shooting speed	7 frames per second
ISO Sensitivity	ISO -25,600
Shutter speed	1/8000 to 30 sec. in steps of 1/3, 1/2, or 1 EV, Bulb, Time, X250
Case	Yes
Standard features	USB, Wi-Fi, GPS, Bluetooth

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN – Nlongkak – Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

12. TRIPOD

QTY = 3

	Libec LX 10 Studio system with Dolly or Equivalent
Payload	16kg
Counterbalance	FIX
Drag Mod	2step
Tilt angle	+850/650
Camera plate	Sliding plate
Sliding range	+/-50mm
Shutter speed	1/8000 to 30 sec. in steps of 1/3, 1/2, or 1 EV, Bulb, Time, X250
Plate attachment	3/8" screw x 2 (plus 4 spare)
Standard features	USB, Wi-Fi, GPS, Bluetooth
Height	91 to 187 cm
Ball diameter	100mm

13. CONDENSER MICROPHONES AND ACCESSORIESQTY = 4

	Neumann TLM-102 or equivalent
Acoustical operating principle:	Pressure gradient transducer
Directional pattern:	Cardioid
Frequency range:	20 Hz 20 kHz
Diaphragm size	Large diapragm
Peak SPL:	144 dB
Nominal impedance:	50 Ohm
Rated load impedance:	1 kOhm
Equivalent noise level, A-weighted:	12 dBA
Maximum output voltage:	13 dBu
Sensitivity at 1 kHz into 1 kohm	11 mV/Pa
Power source	48 V ± 4 V Phantom
Signal-to-noise ratio, A-weighted(rel. 94 dB SPL):	82 dB

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

Maximum output voltage:	13 dBu
Supply voltage (P48, IEC 61938):	$48 \text{ V} \pm 4 \text{ V}$
Connector	XLR

• With stand Mount, adapter

$14.\underline{DYNAMIC\ MICROPHONES}\qquad QTY = 4$

	Shure SM58 or Equivalent
Type	Dynamic (moving coil)
Frequency Response	50 to 15,000 Hz
Polar Pattern	Cardioid -rotationally symmetrical about microphone axis, uniform with frequency
Impedance	Rated impedance is 150 ohms (300 ohms actual) for connection to microphone inputs rated low impedance
Sensitivity (at 1,000 Hz Open Circuit Voltage)	-54.5 dBV/Pa (1.85 mV); 1 Pa = 94 dB SP
Polarity	Positive pressure on diaphragm produces positive voltage on pin 2 with respect to pin
Connector	Three-pin male XLR

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN - Nlongkak - Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

$15. \underline{\text{WEB CAM}} \qquad \qquad \text{QTY} = 2$

		Logitech Brio 4K Ultra HD or Equivalent
Technical Specifications	i. ii. iii. iv. v. vi. vii. viii. ix. x. xi. xii. xi	AK Ultra HD video calling (up to 4096 x 2160 pixels @ 30 fps) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 or 60 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30, 60, or 90 fps) Plug-and-play USB connectivity 90-degree field of view (FOV) with two additional settings (65 and 78 degrees) available with optional software download 5x digital zoom in Full HD Autofocus RightLight™ 3 with HDR for clear image in various lighting environments ranging from low light to direct sunlight Image controls with optional Camera Settings application for control of pan, tilt, and zoom Built-in dual omni-directional mics with noise cancellation Infrared sensor technology for Windows Hello (SDK available for application integration) External privacy shutter Multiple mounting options, including clip and tripod mount Supports multiple connection types, including USB 2.0 Type A and USB 3.0 Type A and C connections Custom carrying case

16. WHITE BOARD

QTY = 1

	Luxor 96''Wx40''H Double Sided Mobile Magnetic Whiteboard or equivalent
Specifications	 Rolling whiteboard features four casters, two with locking brakes, for easy manoeuvrability and stability. Measures 99"W x 23"D x 69"H with frame. Made of painted steel with aluminium frame. Both sides of the reversible whiteboard are magnetic. Colour: White. Board measures 96"W x 40"H. Frame base measures 23"D. Includes marker/eraser tray

PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN – Nlongkak – Bastos

BP: 5383 Yaoundé, Cameroun

Procurement Number: ESTI/PAVEU/005/704/10/21

17. STUDIO LIGHTS (CONTINUOUS) LED PLUS ACCESSORIESQTY = 2

	PIX	XEL 3 Pack Dimmable LED Video Light and Stand or equivalent
	i.	White LED Video Light
	ii.	Model: PIXEL K80
	iii.	LED Bulbs: 600 Pieces (White)
	iv.	Voltage: AC 110~240V/50HZ~60HZ DC 14~18V 5A
	v.	Power: 40W
Specifications	vi.	Color Temperature: 5600K
Specifications	vii.	Lumen: 4800LM
	viii.	CRI: 95+
	ix.	Power Source: Power Adapter
	х.	2.Light Stand:
	xi.	Folded Height: 35.8 inches/91 centimeters
	xii.	Maximum Height: 110 inches/280 centimeters
Aggagagias	•	Photoflex 72" Silver Reflective UmbrellasQty 3
Accessories	•	Replacement Bulbs Qty 6

18. STUDIO LIGHTS (STROBE) WITH ACCESSORIES QTY = 2

	Neewer VISION4 Studio Flash or Equivalent
Specifications	 i. Power Output (Max.): 300W ii. Power Output Range: 6 f-stop range (1/1, 1/2, 1/4, 1/8, 1/16, 1/32, 1/64) iii. Recycling Time: Approx. 0.4-2.5s iv. Full Power Flashes: 700 shots v. Flash Duration: 1/1000s-1/10000s vi. Successive Flashes: 3 shots; 5 shots; 7 shots; 10 shots; 12 shots; 15 shots vii. Color Temperature: 5600+/-200k viii. 2.4G Wireless: 16 Channels (1-16); 4 Groups (A,B,C,D) ix. Modeling Lamp: LED 13W, 1370 Lumen (Energy Saving) x. Flash Tube: "Plug-in" tube (user replaceable) xi. Flash Light Dimension: 125mm(diameter) x 220mm (length) xii. Flash Light Weight: 1.8 kilograms xiii. Battery Capacity: 6000mAH, 12V xiv. Charging Voltage: AC 110-130V
Accessories	 1 x Lithium Battery (Included in the flash) 1 x LED modelling Lamp (Included in the flash) 1 x 110-130V AC Charger 1 x Standard Reflector 1 x Protective Cover 1 x 4-meter 3.5mm Sync Cord 1 x Wireless Trigger(Battery Included) Replacement Bulbs Qty 6

PAN AFRICAN UNIVERSITY / UNIVERSITE PANAFRICAINE PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN – Nlongkak – Bastos

BP: 5383 Yaoundé, Cameroun

19.SOFTWARE

QTY = 1

Hosting	Website hosting and Management system environment
Licence	Zoom/webinar 500 – 1000 participants
Licence	Team 300 participants
Licence	Turnitin

Authorised By:		
Signature:	Name:	
Position:	Date:	(22.2.4.4.1)
Authorised for and on behalf of:		(DD/MM/YY)
Company:		

PAN AFRICAN UNIVERSITY / UNIVERSITE PANAFRICAINE PAU RECTORATE / RECORAT DE L'UPA

Rue 1777 Joseph MBALLA ELOUMDEN – Nlongkak – Bastos

BP: 5383 Yaoundé, Cameroun

Company:

,		
T) () 1		
Procurement N	lumber: ESTI/PAVEU/005/704/10/21	

SECTION D: TECHNICAL DATA

Item No	Technical Data		
_			
	hat we comply with the technic	cal requirements as detail	ed above.
orised I	3y:		
nature:		Name:	
ition:		Date:	
			