

**SCHEDULE – A**  
**ANNUR TOWN PANCHAYAT**

**15 TH FINANCE COMMISSION –**

**TIED GRANT SCHEME 2021-2022**  
**SUPPLY)**

**(TIED WORK-WATER**

Est. No.:

Estimate Amount: **Rs.11,00,000/-**

EMD.Amount :

ender Date & Time:

Sold to : Thiru.

Challan No.

Schedule of rates and approximate quantities to accompany the tender for the work of

**Construction of compound wall and Manitenance of the existing OHT at Weekly shandy in Annur Town Panchayat**

- a) The quantities have given are those upon which the lump-sum tender cost at the work is caused but they are subject to alterations, omissions, deductions or additions as provided for in the conditions of the contract and do not necessarily show the actual quantities of the work to be done. The unit of rates noted below are those governing payment for extras or deductions for omission according to the conditions of the contract as set forth in the conditions and specification for the contract.
  
- b) It is to be expressively understood that the measured work it is to be taken out (Not withstanding any customarily practice to the contrary according to the actual quantities when the place and finished accordingly to the Drawings or as may be ordered time to time by the Town Panchayat Engineer and the cost calculated by works connected there with. The rate quoted is for the works in site and complete in every respect.
  
- c) The material required for the works must be supplied by the contractor and of the approved quality

# ANNUR TOWN PANCHAYAT

## TENDER SCHEDULE

Name of wo Construction of compound wall and Manitenance of the existing OHT at Weekly shandy in Annur Town Panchayat

stimate Amou Rs.11,00,000/-

Schedule Cost remitted vide Challan no-

Date -

Issued to Thiru.

SI · N O.	Probable quantity.		Description of work etc.,	MOT SSRB	Rate in		Unit	Remarks
					Figures	Words		
1	30.00	M3	Earth work excavation for foundation and depositing on bank with in the initial lead of 10m and a lift of 2m in hard stiff clay, stiff block cotton, hard red earth, shales, murram, gravel, stoney earth and earth mixed with small size boulders etc. complete. complying with std. specifications.SS 20 B				1 m <sup>3</sup> (One Cubic Metre)	
2	7.00	M3	Plain Cement Concrete 1:4:8 Mix (one part cement, Four part sand and Eight part of aggrigate) using 40mm size ISS HBG metal machine crushed from approved quarry including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications.				1 m <sup>3</sup> (One Cubic Metre)	

Sl · N O.	Probable quantity.		Description of work etc.,	MOT SSRB	Rate in		Unit	Remarks
					Figures	Words		
3			Supplying and erecting centering for sides and soffits including supports and strutting upto 3.00m height for plane surface such as RCC Slab, Rectangular Beams, Tee (or) ELL Beams, Lintel Bed Block, Slabs, Landing Slabs, Beams Canopy, Side Slab (or) Square (or) Round columns etc., as detailed below with all cross branching using M.S. Sheets of size 80cm x 60cm and B.G. 10 stiffended with welded M.S. Angles of size 25 x 25 x 3mm for boarding laid over silver oak or country wood joints of 10cm to 30cm to dia spaced at 75cm c/c etc., complete complying with standard specifications as directed by departmental officers etc., complete.					
	22.00	M2	A)Footing				1 m <sup>2</sup> (One Square Metre)	
	42.00	M2	B) Plinth beam				1 m <sup>2</sup> (One Square Metre)	
	60.00	M2	C) Columns				1 m <sup>2</sup> (One Square Metre)	
4	1300.00	Kg	Supplying fabricating and placing in position of steel rods using TMT. or Ribbed Tor Steel including cost of binding wire, cost of labour charges for fabrication and placing in position etc. Complete. Complying with std. specifications.				1 KG (One Kilo Gram )	

Sl. No.	Probable quantity.		Description of work etc.,	MOT SSRB	Rate in		Unit	Remarks
					Figures	Words		
5	14.00	M3	Reinforced Cement Concrete 1:1½:3 Mix (One part cement, one and half part sand and three part of aggregate)using 20mm size ISS HBG metal machine crushed from approved quarry including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing but excluding cost of reinforcement etc. Complete with std. Specifications.				1 m <sup>3</sup> (One Cubic Metre)	
6	18.00	M3	Brick Work in Cement Mortar 1:5 Mix (one cement, five sand) using best II Class Bricks of size 9 " x 4 3/8 "x 2 3/4 " from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications				1 m <sup>3</sup> (One Cubic Metre)	
7	1450.00	Kg	Supplying and fixing of M.S.grill of approved design for doors. Windows and ventilators using necessary mild steel flats for inner and outermembers which should be fixed to window frames inclusive of priming coat of best approved quality red oxide primer etc., complete complying with standard specifications.				1 KG (One Kilo Gram )	

Sl. No.	Probable quantity.		Description of work etc.,	MOT SSRB	Rate in		Unit	Remarks
					Figures	Words		
8	190.00	M2	Plastering with cement mortar 1:5 (one cement three sand) mix to 12mm thick and including hacking the surfaces and providing necessary cement mortar nosing beading as per size, specification wherever necessary using the same mix as directed by the departmental officers etc., complete complying with standard specifications.				1 m <sup>2</sup> (One Square Metre)	
9	12.00	M2	Plastering with cement mortar 1: 3 mix to 12mm thick including cost and conveyance of all materials to site including curing etc., complete as per standard specification – 10m2				1 m <sup>2</sup> (One Square Metre)	
10	798.00	M2	Painting the new walls two coats over one coat of priming with best Emulsion paint of approved colour and quality including preparation of surface and finishing neatly etc., complete complying with standard specification and as directed by the department officers etc., complete complying with standard specifications.				1 m <sup>2</sup> (One Square Metre)	
11	57.00	M2	Painting two coats new iron work for doors, windows and ventilators using iron bars, window grills weld mesh screen in opt courtyard etc., with two coat synthetic enamel paint and approved quality and color including priming coat in all floors. The rate is inclusive of cost of all materials, labour brushes and scaffolding charges etc., complete complying with standard specifications.				1 m <sup>2</sup> (One Square Metre)	
12	#REF!	#REF!	Stainless steel slide 10 ft long with 35*35*6 mm angle ,42 mm side rail , 2*1.5 ft aluminium platforms , 60 mm center pipe, 50*25 mm pipe ladders with suitable grills and fittings Length 10 ft , height 5 ft , width 18" Inculding cost of Materials with labour charges etc..., complete				1 Nos (One Numbers)	

Sl · N O.	Probable quantity.		Description of work etc.,	MOT SSRB	Rate in		Unit	Remarks
					Figures	Words		
13	#REF!	#REF!	Double swings standard model with two frp seats and stainless steel chains 60mm pipes with bearing and hooks Height 7ft , width 10ft Inculding cost of Materials with labour charges etc., complete				1 Nos (One Numbers)	
14	#REF!	#REF!	Park bench standard 5 ft long with 50 x 25 mm and 50 pipe , height 18" Inculding cost of Materials with labour charges etc., complete				1 Nos (One Numbers)	