ARULMIGU SOWMIYA DHAMODHARA PERUMAL TEMPLE

Villivakkam, Chennai District.

PHONE NUMBER - 044 26173306, PINCODE - 600049

TENDER DOCUMENT

Name of Work:	IMPROVEMENTS TO TEMPLE TANK AT
	ARULMIGU SOWMIYA DHAMODHARA PERUMAL
	TEMPLE, VILLIVAKKAM, CHENNAI-49
Estimate amount:	RS.32,40,000/-
Amount put to Tender:	Rs 21,34,837/-
Total Number of Pages in this Tender Document:	37 Pages + 4 Pages for Schedule
Number of Items including Sub Items in Schedule :	
Tender Shall be submitted on or before 3.00 P.M.	27.04.2022
Date and Time of Tender opening:	4.00 P.M on 27.04.2022
Tender Documents sold to :	

TENDER SCHEDULE

Name of Work	:	IMPROVEMENTS TO TEMPLE TANK AT ARULMIGU
		SOWMIYA DHAMODHARA PERUMAL TEMPLE,
		VILLIVAKKAM, CHENNAI-49
Last date for receipt for tender	•	27.04.2022 up to 3.00 P.M
Date and Time of Opening	:	27.04.2022 at 4.00 P.M
Availability of Tender Schedule	:	From 12.04.2022 to 26.04.2022 during office hours.
Period of completion	:	Four Calendar months
Eligibility of Contractors	:	Contractors who are registered with PWD and Highways Department of Tamil Nadu, under Class ii and above.(engaged with five year experienced approved sthapathy from HRCE)
E.M.D.is to be remitted	:	Rs. 20700/- (Rupees Twenty Thousand and Seven Hundred only)
Mode of E.M.D. is to be remitted	:	Deposit at call receipt, Demand Draft of any Nationalized or cash payment will beaccepted.

NOTE:

- 1) The tender and the EMD should be enclosed in a common sealed cover.. Tenders not submitted in sealed covers will be summarilyrejected.
- 2) The rate in words and figures for each item of schedule should invariably be furnished by the tenders without fail in appropriate columns. Corrections, Over writings and erasing (should be avoided as far possible) should be attested by the tender.

The total value of each item of work should be worked out and entered in the amount column. Proper care must be taken in working out the value of each item of work taking into account the unit for which the rate is quoted and the quantity of work to be done under the item.

The total of each page should be noted at the end of each page and carried over to next page. The grand total value of the tender should be worked out and furnished at the end, both in words and figure.

ADDITIONAL GENERAL CONDITIONS (i.e.) IN ADDITION TO GENERAL CONDITIONS TOCONTRACT APPENDED WITH T.N.B.P.

1. Postal Tenders:

- 1.1) The contractor may have the option to present the tender directly or to sendregistered post acknowledgement due; on or before the last date for receipt oftenders.
- 1.2) In case of sending tenders by registered post acknowledgement due it is the responsibility of the tender himself to dispatch the tender sufficiently early so as to reach the tender opening authority before the date and time notified in the tender notice for opening oftenders.
- 1.3) No representation appeal of any kind will be allowed against belated receipt of tenders by post beyond the notified date and time or loss in transitetc.

2. E.M.D

The acceptance of EMD in various approved forms duly pledge in favor of the Manager concerned is subject to the specific condition that the successful tender should pay the Security Deposit (including E.M.D) in the form of small savings scripts\ deposits\Accounts in lieu of other mode of payment for E.M.D. If offering IndravikasPatras, the Contractor should note his name in the back side of the said patras and to furnish a letter stating that he is submitting the Indravikaspatras of such Indira VikasPatras will only be taken for calculation.

3. Security Deposit:

In case of contracts for Buildings works the Security Deposit (i.e., 1% of the value up to 20 lakhs and above 0.5% of contract minus the E.M.D. already remitted) will be collected at one timeonly.

The Security Deposit can be paid to the contractor asking them to invest the amount so paid in small savings scripts and to hand over to the Manager concerned by pledging them in his favour, subject to the condition that unless the contractor remit the security deposit in small savings scripts (which will be returned after observing the rules in force), their further bill to the work carried out by them will not bepaid.

Additional security deposit will have to paid by successful tender if called for Irrevocable bank guaranty in the prescribed form shall be accepted towards security deposit retention money also.

4. Sales Tax:

All rates quoted in the tender shall be **exclusive** of sales tax payable under General Sales Tax Act as amended from time to time (including amended Act of 28/84) and the contractor is responsible to file the Sales Tax return and pay the amount of tax as demanded by the Commercial Tax Department No request for payment of sales tax separately in addition to tendered rates due to any plea of subsequent or increase in tax will be entertained.

5. Withheld Amount:

The withheld amount at 5% be recovered from each bill based on the value of work done.

6. Claims of Contractors on account of losses due to unprecedentedfloods and other Acts of God:

The work executed by the contractor under this contract shall be maintained at the contractor's risk until the work is taken over by the divan. The Government shall not be liable to pay for, any loss of damages occasioned by or arising out of fire, flood, volcanic eruption, earth quakes, other convulsions of nature and all other natural calamities, risks arising out of acts of God during such period and that the option whether to take insurance coverage or not to cover such risks is left to the contractor.

7. StandardSpecifications:

For detailed description of various items of work to be executed in addition to the brief description given in the schedule and for the rights and obligations of the Contractors etc, the attention of the contractors is invited to Tamil Nadu Building practice which should be followed in all respects both in letter and spirit. The materials used, the workmanship, the mode of execution of the work etc., should conform to relevant specification of TNBP or **Indian Standard Specifications** as may be specified.

8. Safety Code:

The safety measures and all amenities for the labors shall be made by the Contractor at his cost as indicated in the safety code vide appendix to General Conditions to Contact and clause 34,35 and 42.1 to 42.6 of General Conditions to Contract.

9. Retention of 2½% for one year:

In case of contract for construction of building either permanent or semi Permanent buildings, a sum equivalent to $2\frac{1}{2}$ % of the value of work done will retained with the Government for a period of one year reckoned from the date of completion of the work in order to enable the departmental officers to watch the effect of all seasons on the work done by the contractor. The amount so retained with the Government will be refunded, only on expiry of one-year period referred to above and on execution of indemnity bond by the contractor orfurtherperiodof fouryears. The contractor shall be liable to setright all defect

arising out his faulty Execution of sub standard work notice during the above five years period at his cost (G.O.Ms.No.283/PW (G2) Dept. / Dt.21.05.99).

TENDER NOTICE

- 1. Tenders will be received by The Executive officer,ARULMIGU SOWMIYA DHAMODHARA PERUMAL TEMPLE,VILLIVAKKAM,CHENNAI DISTRICT,in the prescribed from obtainable from the office of The Estimate for Improvement of temple tank Arulmigu Sowmya Dhamodhara Perumal temple. The tenders will be opened by, The Executive officer,ARULMIGU SOWMIYA DHAMODHARA PERUMAL TEMPLE, VILLIVAKKAM, CHENNAI DISTRICT,at the place and on the date afore mentioned. 1.1 The tenders or their agents are expected to be present at the time of opening of tenders. The tender receiving officer will on opening each tender concerned and initial all corrections in the presence of the tenders. If any of the tenders or their agents finds it inconvenient to be present at the time, then in such a case, the tender receiving officer will, on opening the tender of the absentee tender, make out a statement of the unattested corrections and communicate it to him. The absentee tender shall then accept the statement of the corrections without any question what so ever.
- 1.2. Tue contractor's rate shall be inclusive of all taxes if any, has to pay to the Government.
- 1.3. The contractor should make own arrangements for all material for all tools and plants etc., required for theworks.
- 1.4. As soon as the contract is accepted the contractor should give a programmers of works which he proposes to adopt for execution. The programme of works should be in conformity with the rate of progressspecified.
- Tenders must be submitted in sealed covers, and should be addressed to. The
 Executive officer, ARULMIGU SOWMIYA DHAMODHARA PERUMAL TEMPLE,
 VILLIVAKKAM, CHENNAI DISTRICT, The name and address of the tender and the
 name of work being noted on the cover.
 - 2.1 If the tender is made by an, individual, it shall be signed with his full name and his address shall be given. If it is made by a firm, it shall be signed with the co-partnership name by a member of the firm who shall also sign his own name, and the name and address of each member of the firm shall be given. If the tender is made by a

- Corporation, it shall be signed by a duly authorized officer who shall produce with his tender, satisfactory evidence of his authorization such tendering corporation may be required before the contract is executed, to furnish evidence of its corporate existence.
- 3. Each tender must also send a certificate of Income Tax verification from the appropriate income tax authority in the form prescribed. The certificate will be valid for one year from the date of issue for all tenders submitted during the period.
- 3.1 In case of proprietary or partnership firm, it will be necessary to produce the certificate for aforementioned for the proprietors and for each of the partners as the case maybe.
- 3.2 If the tenderer is a registered Public Works Department contractor and if a certificate for the current year had already been produced by him during the calendar year in which the tender is made, it will be sufficient if particulars regarding the previous occasion on which the said certificate was produced aregiven.
- 3.3 All tenders received without a certificate as aforementioned will be summarily rejected.
- 4 Each tender must pay, as earnest money, a sum of Rs.20,700/- (Rupees Twenty
 - **Thousand and Seven Hundred only)**The earnest money deposit can also be paid in any other forms as may be approved by the State Government from time to time as per Para 155 of T.N.P.W.D. code. This earnest money will be refunded to the unsuccessful tender on application, after intimation is sent of rejection of the tender or at the expiration of 90 days from the date of tender, whichever isearlier.
- 5 This refund will be authorized by the Manager by suitable endorsement. The Earnest money will not be received in cash or currencynotes.
- 6 The Earnest money will be retained in the case of the successful tender and will not carry any interest. It will be dealt with as provided in thetender.
- 4. The tender will remain valid for a period of 4calendar months i.e.120 days from the last date for receipt of tender. The validity period can be extended further, if the contractor gives his consent in writing, specifying the period of extension.
- 5. The tender whose tender is under consideration shall attend the ARULMIGU SOWMIYA DHAMODHARA PERUMAL TEMPLE, VILLIVAKKAM, CHENNAI DISTRICT OFFICE, before the end of the period specified by written intimation to him. If the tender fails to attend the office before the end of the specified period, his tender will not be considered. He shall forthwith, upon and intimation being given to him of acceptanceof

his tender, by the officer duly authorized in his behalf under article 299(1) of the constitution, hereinafter called "the accepting authority" make security deposit 2% of the value of contract

in one of the forms prescribed in Tamil Nadu Public Works Account Code (i.e. by taking into account of the amount of earnest money deposit, already deposited with the tender, it would be sufficient to pay the balance amount to make up 2% of the value of contract for the purpose of security deposit).

- 5.2 The Security Deposit together with earnest money deposit and the amount with held according to clause 64-1 of General conditions to the contract, shall be retained as security for due fulfillment of contract.
- 5.3 On receipt of written communication of acceptance of tender if the tender fails to pay requisite security deposit within the period specified in the written communication or backs out from the tender or withdraws his tender, the earnest money deposit shall be forfeited to the Government.
- 5.4 If the contractor fails to carry out the contract, after paying the requisite deposit, then he will be liable for the excess expenditure if any incurred to complete the work as contemplated in the General Conditions to the Contract.
- 5.5 It shall be expressly understood by the tender that on receipt of written communication of acceptance of tender by the tender, there emerges a valid contract between the Manager of the aforesaid temple and the tender, for execution of the work without any separate written agreement. Hence, for this purpose, the tender documents, i.e. the tender notice, tender offered by the contractor, General conditions to the contract, special conditions to the contract, negotiation correspondences, written communication of acceptance of tender etc. shall constitute a valid contract and that will be the foundation of the rights of both the parties to the contract provided that it shall be open to the accepting authority to insist on execution of any written agreement by the tender, it administratively considered necessary or expedient.
- 6 The tender shall examine clearly the Tamil Nadu Building Practice and also the General conditions to contract contained therein, and sign the divisional office copy of the Tamil Nadu Building Practice and its addenda volume in token of such study before submitting his tender unit rate, which shall be for finished work in situ. He shall also carefully study the drawings and additional specifications and all the documents connected with the contract. The Tamil Nadu Building Practice and other connected documents with the contract such as specifications, plans, descriptive specifications sheet regarding materials etc. can be seen at any time between 10 A.M. and 5 P.M. on all officedays
- 7. The tenders attention is directed to the requirements for materials under the clause "Materials and Workmanship" in the General Conditions to contract materials conforming to the I.S.I. Standards shall be used on the work, and tender shall quote his ratesaccordingly.

- 8. Every tender is expected before quoting his rates, to inspect the site of the proposed work. He should also inspect the quarries and satisfy himself about the quality and availability of materials. The names of quarries and kilns etc. where from certain; material are to be Obtained will be given in the descriptive specifications sheet. The best class of materials to be obtained from the quarries or other source defined shall be used on the work. In every case the materials must comply with the relevant standard specifications. Samples of materials as called for in the standard specifications or in this tender notice or as required by The Manager in any case shall be submitted for the approval, before the supply to site of work isbegun. If the Contractor after examination of the source of materials defined in the Descriptive specification sheet is of the opinion that materials complying with the standard or other specifications of the contract cannot be obtained in quality or sufficient quantity, from the source defined in the descriptive specifications sheet, he shall so state in his tender and state where from he intends, to obtain materials, subject to theapproval.
- 9. The Manager will not, however after acceptance of contract rate, pay any extra charges for lead or for any other reason incase the contractor is found later on to have misjudged the materials available. Attention of contractor is directed to the "General Condition to the contract" regarding payment of seignior age, tolls etc.
- 10. The tenders particular attention is drawn to the sections and clause in the General conditions to the contract dealingwith
 - 1. Test, inspection and rejection of defective materials andwork.
 - Carriage.
 - 3. Constructionplant.
 - 4. Water and lighting
 - 5. Clearing up during progress and fordelivery
 - 6. Accidents
 - 7. Delays
 - 8. Particulars of Payment
- 9. The contractor should closely peruse all the specification clauses, which govern the rates for which he istendering.
- 10. Schedule of quantities accompanies this tender notice. It shall be definitely understood that the temple does not accept any responsibility for the correctness or completeness of this schedule and that this schedule is liable to alterations by omission, deductions or additions at the discretion of the EO, above mentionedTemple.

- 10.1 As set-forth in the conditions of contract. The tender will, however, base his lump sum tender on this schedule of quantities. He should quote specific rates for each item in the Schedule and the rates should be Rupees and in sums of five paisa. The rates should be written both in words and figures and the units inwords.
- 10.2 The tender should also show the totals of each item and the grant total of the whole contract and quote in the tender a lump sum for which he will undertake to do the whole work subject to the conditions of contract such lump sum agreeing with the total amount of schedule A. This schedule accompanying the lump sum tender shall be written legibly and free from erasures, over writing or conversion of figures, corrections where unavoidable should be made by crossing out, initialing, dating andrewriting.
- 11.Tenders offering a percentage deduction from or increase on the estimate amount (except in the case of tender for maintenance and repair work, called for specially under percentage rate tender system) and those not submitted in proper form or due time will be rejected.
- 12. The tender should worked out his own rates, without reference being made to the Public Works Department current schedule of rates or the Public Works Department estimate. However in case of tender called for in percentage rate tender system, the tender should worked out his own rate, but quote his percentage rate above or below the total estimated cost of work of the department indicated in the tenderschedule.
- 13. The price at which and the source from which the contractor shall obtain certain particular materials are given at the end of the schedule accompanying the tender from. Tenders must accept the materials at these prices and shall quote their price for finished work accordingly. Notwithstanding any subsequent change in the market value for these materials, the charge to the contractor will remain as originally entered in the written contract. No centage or incidental charges will be borne by Government in connection with thissupply.
- 14. The attention of the tenders is directed to the contract requirements as to the time of beginning work, the rates of progress and he dates for the completion of the whole and its several parts. The following rate of Progress and proportionate value of work done from time to time as will be indicated by the Assistant Executive Engineer's certificate of the value of work done will be required. I ate of commencement of this programme will be the date on which the site (or premises) is handed over to the contractor.

Period after date of Commencement	Percentage of work to be completed (Based on contract lump sum amount)
FirstMonth	30%
SecondMonth	60%
Third Month	80%
Fourth Month	100%

NOTE: The periods to be entered in column 1 for the purpose of defining the rates of progress may be fixed by the Executive Engineer or Assistant Executive Engineer to suit each case. 15. No part of the contract shall be sub-let without written permission of the Assistant Executive Engineer, nor shall transfer be made by power of attorney, authorizing others to receive payment on the contractor'sbehalf.

- 16. If further necessary information is required the Assistant Executive Engineer of the Division will furnish such but it must be clearly understood that tenders must be received in order and according to instruction.
- 17. The Executive Engineer \ Assistant Executive Engineer or other sanctioning authority reserves the right to reject any tender or all the tenders without assigning any reason therefore.
- 18. The tenders who are themselves not professionally qualified shall undertake to employ qualified technical men at their cost to look after the work. The tenders should state in clear terms whether they are professionally qualified or whether they undertake to employ technical men required by the department, specified in the schedule below for the work. In case the selected tender is professionally qualified or has undertaken to employ technical men under him, he should see that one of the technically qualified men is always at the site of the work during working hours, personally checking all items of works and paying extra attention to such works as may demand special attention (e.g.) reinforced concrete worketc., (In the format below; enter or incorporate the latest norms fixed by Government for the

employment of Technical Assistants from time to time and penalty for non employment of such Technical Assistantetc.,)

Value of Contract	Qualification and No. of Technical Assistant to be Employed.

- NOTE 1: A penalty of Rs. 2,000/- per month, for diploma holder and Rs. 5000/- per month for degree holder, be levied in case of default on the part of contractor in following the norms laid down above.
- NOTE 2: The employment of Technical Assistants could be based only on the value of contract.
- NOTE 3: Engineers with Mechanical Engineering qualifications and retired from Civil Engineering Department are also suitable to supervise the Civil Engineering works because of their experience in Civil Engineering field.
- NOTE 4: In case the contractor who is professionally qualified is not in a position to remain always at the site of work and to pay extra attention to such work as may demand special attention (e.g. RCC work etc.) he should employ technically qualified man as prescribed above.
- NOTE 5: It will not be incumbent on the part of the contractor to employ Technical Assistant / Assistant when the work is kept in abeyance due to valid reasons and if during such period in the opinion of the Executive Engineer, the employment of Technical Assistant / Assistants is not required for the due fulfillment of the contract.
- 20. A Tender submitting a quotation which the tender accepting authority considers excessive and / or indicative of the insufficient knowledge of current prices or definite attempt to profiteering will render himself liable to be debarred permanently from tendering or for such period as the tender accepting authority may decide. The tender rates should be based on the controlled price for materials price permissible for the tender to charge private purchaser, under the provision of clause 8 of boarding and profiteering prevention ordinance 1943 as amended from time to time and on similar principles in regard to labor and supervision in the construction.
- 21. The contractor should offer employment to ex-toddy tappers as far as possible. The number of ex-toddy tappers to whom he can so offer employment should be mentioned in the tender and he should undertake in the agreement to offer such employment to suchnumber.
- 22. The Contractor shall comply with the provisions of the Apprentices Act 1961 and the rules and orders issued there under from time to time. If he fails to do so, his failure will be breach of the contract and the competent authority, may at his discretion, cancel the contract or invokeanyofthepenaltiesforthebreachofcontrolprovided in the conditions of agreement.

The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provision of the Act, contractor shall, during the currency of the contract, ensure engagement of the apprentices in the categories mentioned below who may be assigned to him by the Director of Employment and Training/State Apprenticeship Adviser Tamil Nadu. The contractor shall train them as required under the Apprentices Act 1961, and the rules made there under and shall be responsible for all obligations of the employment under the said Act including the liability to make payment to the apprentices as required, under the said Act.

Value of contract	Category	No. to be appointed
Rs. 1.00 lakh and uptoRs. 3.00 lakhs	Building Constructor Brick layer	1
Above Rs. 3.00 lakhs and upto 10.00 lakhs	 Building Constructor Brick layer Diploma holder in Civil Engineering 	1
Above Rs. 10 lakhs and upto	Building Constructor Brick	1 1
50.00 lakhs	 layer B.E., (Civil) or equivalent degree holder 	1

"Unless the contractor has been exempted from engagement of apprentices by the Director of Employment and Training/State Apprenticeship Adviser, a certificate to the effect that "That contractor had discharged his obligation under the said Act, satisfactorily should be obtained from the Director of employment and Training/State Apprenticeship Adviser" and the same should be produced by the Contractor for final payment.

23. In the case of contracts for construction of buildings either permanent or semi permanent buildings, a sum equivalent to 2 1/2% of the value of work done will be retained with the temple. for a period of one year reckoned from the date of completion of the work in order to enable the departmental officers to watch the effect of all seasons on the work done by the contractor. The amount so retained with the temple. will be refunded only on the expiry of one year period referred to above and on execution of Indemnity bond by the contractor for a further period of four years. The contractor shall be liable to set right all the defects arising out of his faulty execution or sub standard work noticed during the above five years period at his cost

TENDER

To

THE **EXECUTIVE OFFICER ARULMIGU SOWMIYA DAMODHARA** PERUMAL TEMPLE, VILLIVAKKAM, CHENNAI DISTRICT,

Sir,									
I/W	/e do hei	eby tender	and if this	s tender be	e accepte	ed undert	ake to ex	ecute the	
following v	work via,	as shown	in the dra	awings and	d describ	oed in the	e specific	ation depo	osited in
the office	, .The	Executive	officer	,,Arulmigu	Sowmiy	ya Dhan	nodhara	perumal	temple,
Villivakkar	n, Cheni	nai District,	with such	n variations	s by way	y of alter	rations o	r additions	s to and
omission f	rom the	said works	and meth	od of paym	nent as a	are provid	ed for in	the "condi	tions of
	contrac	t"	for	the	5	sum	of		
Rupees									(Rupees
only) or su	uch othe	r sum as m	ay be ar	rived at un	der the	clause of	the Gen	eral Cond	litions of
Contract r	elating to	"Payment	on lump s	sum basis	or by fina	al measu	rements a	at unitprice	es"

- I/We have also completed the priced list or items in schedule "A" annexed (in words and 2. figures) for which I/We agree to execute the work and receive payment on measured quantities as per the General Conditions of Contract.
- I/We do hereby distinctly and expressly declare and acknowledge that before the 3. submission of my or our tender, I/We have carefully followed the instruction in the tender notice and have read the Tamil Nadu Building Practice and the General Conditions of Contract there-in and the Tamil Nadu Building Practice addenda volume, and that I/We have made such examination of the contract documents and of the plans, specifications, quantities and of the location, where the said work is to be done and such investigation of the work required to be done and in regard to the materials required to be furnished as to enable to thoroughly understand the intention of the same and requirement, covenants, stipulations and restrictions contained in the contract and in the said plans and specification, and distinctly agree that I/We will not hereafter make any claim or demand upon the Govt. based upon or arising out of any alleged misunderstanding or misconception or mistake on my/our part of the said requirements covenants stipulations restrictions and conditions.
- I/We enclose an income tax verification Certificate..... 4.

	I/We being a registered Public Works Department contractor
	I/We have already produced an Income Tax verification certificate during the current
	calendar year inrespectof (Here particulars of the previous occasions in
	which the certificate was produced should be given) The legal address of the
	contractors for service of all letters and notices will be as follows:
5(i)	I/We enclose herewith a Chelan for the payment of the sum ofRs
5. (ii)	I/ We have paid `Rs.20,700(Rupees Twenty Thousand Seven Hundred only)asagainst
5.(iii)	In lieu of each deposits, I/We have enclosed a
	bearing No Date issuedby
	for a value of Rs/- (Rupees
	only) drawn/enclosed /pledged in favour. ARULMIGU SOWMIYA DHAMODHARA
PERU	MAL TEMPLE, at VILLIVAKKAM, CHENNAI DISTRICT.

- 5. (iv) I am / We are and hence exempted from payment of E.M.D.
- 6. If my/our tender is not accepted this sum shall be returned to me/us on my/our applications when intimation is sent to me/us of rejection or at the expiration of three months from the date of this tender whichever is earlier. If tender is accepted, the Earnest Money shall be retained by the Temple. as security for the due fulfillment of contract. If upon intimations being given to me/us by the authority authorized by the Governor under article 299 (1) of the constitution (hereinafter called the accepting authority) of acceptance of tender (I/We) fail to make the additional security Deposit, then I/We agree to the forfeiture of Earnest Money Deposit. Any notice required to be served on me or us hereunder shall be sufficiently served on me or us if delivered to me or us personally or forwarded to me or us by post (Registered or ordinary) or left at my or our address given herein. Such notice shall, if sent by post be deemed to have been served on me or us at the time when in due course of post it would be delivered at the address to which it issent.
- 7. I/We fully understand that on receipt of communication of acceptance of tender from the acceptingauthority,thereemergesavalidcontractbetweenme/usandtheTempleandthe

tender documents ie. Tender notice tender with schedules General Conditions of Contract and special conditions of the tender negotiation letters, communications of acceptance of tenders, shall constitute a contract for this purpose and be the foundation of rights of both the parties provided that it shall be open to accepting authority to insist on execution of any written Agreement by the tenderer, if administratively considered necessary or expedient.

- 8. I/We have also signed the copy of Tamil Nadu Building practice and addenda volume, thereto maintained in the Division office in acknowledgement of being bound by all conditions of the clauses of the General Conditions of Contract and all specifications for item of works described by a specification number in ScheduleA.
- 9. In consideration of the payment of Rupees or such of the sum as may be arrived at under the clause of the General conditions of contract, relating to payment of lump sum basis or by final measurement at unit prices I/We agree subject to said conditions to execute and complete the works shown upon the said drawing serially from number I to inclusive (Schedule B) and described in the specifications (Schedule C) and to the extent of probable quantities shown in (Schedule A) with such variations by way of alterations additions to or deductions from the said work and method of payment there for as are provided for in the said conditions.
- 10.1 The term **THE EXECUTIVE OFFICER**" in the said condition shall mean the H.R & C.E officer in charge of the aforesaid Temple having jurisdiction for the time being over the work who shall be competent to exercise all the powers and privileges reserved herein in favour of the department / Temple with the previous sanction of or subject to ratification by the competent authorities in case where such sanction or ratification may be necessary and who has been duly authorized under articles 299 (1) of theconstitution.
- 10.2 I/We agree that the time shall be considered as the essence of the contract and I/We hereby agree to commence the work as soon as this contract is accepted by the competent authority as defined by The The Executive officer, Arulmigu Sowmiya Dhamodhara perumal temple, Villivakkam, Chennai District. and the site (or premises) is handed over to me/us as provided for in the said conditions and agree to complete the work within Four **months** (4 Months) from the date of such handing over of the site (or premises) and to show progress as defined in the tabular statement "rate of progress" subject nevertheless to the
- progress as defined in the tabular statement "rate of progress" subject nevertheless to the provisions for extension of time contained in clause 56 of the General Conditions of Contract appended to the Tamil Nadu BuildingPractice.

- 11. I/We agree that upon the terms and conditions of this contract being fulfilled and performed to the satisfaction of **TheEXECUTIVE OFFICER.**The security deposited by me/us as herein before recited or such portions thereof as I/We may be entitled to under the said conditions be paid back to me/us as provided in clause 64 of the General conditions ofContract.
- 12. I am / we are professionally qualified and my /our qualification are asfollows.

I/We in pursuance of clause 18 of tender notice undertake to employ the following technical staff for supervising the work and will see that one of them is always at site during working hours personally checking all items of works and paying extra attention to such works " as may require special attention (eq) reinforced cementconcrete.

	Name of technical staff proposed to be employed (1)	Qualification (2)	Experience (3)
1.			

13. I/we agree that the arbitrator for fulfilling the duties set forth in the arbitration clauseof the General Conditions of Contract shall be:

During the progress of work necessary instructions will be given by Assistant Divisional Engineer belongs to Hindu Religious Charitable Endowment Department and junior Engineer / Overseer of HRCE office or any other Engineer in charge as authorized by the then and there and the contractor should follow that instructions

ANNEXURE TO TENDER NOTICESCHEDULE -A (Schedule of Rates and Approximate Quantities)

- a. The quantities here given are those upon which the lump sum tender cost of the work is based but they are subject to alterations, omissions, deductions or additions as provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are those governing payment of extras or deductions for omissions according to the conditions of the contract as set forth in the General Conditions of Contract in Tamil Nadu Building Practice and other conditions specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (Not with standing any custom or practice to the contrary) according to the actual quantities when in place and finished according to the drawings or as may be ordered from time to time

by the Assistant Executive Engineer and the cost calculated by measurement or weight at the respective prices without any additional charge for any necessary and contingent works connected therewith. The rates quoted are for works in situ complete in every respect.

Item No	Probable Quantity		Probable Quantity Description of Work TNE		TNBP	Rate		UNIT Amount Words Figures	
item NO	Figures	Words		No.	Figures	Words	and Figures	Rs. P.	
1	2	3*	4	5	6	7	8	9	

VIDE SEPARATE SHEET ATTACHED

^{*} The Second Sub Division of this (i.e.) column 3 is for entering description of words such as numbers, cubic meter, Kg., etc.,

	SCHEDULE -B					
LIST OF DRAWINGS Note: All drawings to be signed by the contractors as well as the officer entering into the contract.			As referred	nditions of co	TAL LIST ification includ ntract in Tamil	
SI.No Drawing No Description		SI.No	Drawing No	Description	Date on which the drawing was supplied	

SCHEDULE -C

List of specifications for the various items of works supplementing those described in Schedule A by standard specification numbers.

 The contractor shall employ the following technical staff for supervising the work and shall see that one of them always at site during working hours personally checking all items of work and paying extra attention to such works as may demand special attentions eg. reinforced cement concrete works etc.

Qualification
2

Note: In case the contractor is, himself professionally qualified the above specification should be suitably altered and In case In which the contractor selected has not given In undertaking to employ qualified men it should be scored out.Note: Additional specifications if any, which have to be entered in Schedule C should be entered below item (1) above and numbered continuously.

ADDITIONAL

CONDITIONSEMPLOYMENT OF TECHNICAL ASSISTANTS

The tender who himself is not professionally qualified should undertake to employ qualified technical men at his cost to look after the work. The tender should state in clear terms whether he undertakes to employ technical men required by the Department specified in the Schedule below for the work. In case the selected tender is professionally qualified or has undertaken to employ. Technical men under him he should see that one of the technically qualified men is always at the site of work during working hours, personally checking all items of works and paying extra attention to such works as may demand special attention eg. Reinforced cement concrete works etc.

Employment of Technical Personnel

Value of Contract	Qualification and No. of Technical Assistant To be employed			
1. From Rs. 1.00 Lakh to Rs. 5.00	One Diploma Holder in Civil Engineering or			
Lakhs	Not less than one retired Junior Engineer			
2. From Rs. 5.00 Lakhs to 10.00	One B.E., (Civil) (or) Equivalent Degree holder (or)			
lakhs	Not less than one retired Sub Divisional Officer AEE			
	/ ADE (or) One Diploma Holder with three years			
	experience.			
3. From Rs. 10.00 Lakhs to 25.00	One B.E., (Civil) with 3 years experience plus ONE			
Lakhs	DIPLOMA Holder in Civil Engg or Equivalent			
	Degree holder with 3 years or experience plus one			
	Diploma holder in Civil Engg or Not less than one			
	retired Sub-Divisional or Officer plus one Diploma			
	holder in Civil Engg or Two diploma holder in Civil			
	Engg. With 3 and 5 years experience respectively.			
4. From Rs. 25 to 50 lakhs	One B.E., Civil with 3 years experience plus two			
	diploma holders in Civil Engg or One B.E., (Civil)			
	with 3 years experience plus two retired Junior			
	Engineers. (or) Equivalent degree holder with 3			
	years experience plus two Diploma holders in Civil			
	Engg. or Two retired Junior One retired Sub			
	Divisional Officer (AEE or ADE) Plus two diploma			
	holders in Civil Engg. or one retired SDO (AEE or			
	ADE) Plus two retired Junior Engineers			

- 6. A penalty of Rs. 2,000/- PM for diploma holder and Rs. 5,000/- PM for Degree Holder be levied in case of default on the part of contractors in the norms mentionedabove.
- 7. The employment of Technical Assistant should be based only on the value of contract. Engineers with Mechanical Engineering qualification and retired from Civil Engineering Departments are also suitable to supervise the Civil Engineering works because of their experience in Civil Engineeringfield.

- 8. It will not be incumbent on the part of the Contractor to employ Technical Assistants when the work is kept in abeyance due to valid reasons and during such period in the opinion of the Assistant Executive Engineer, the employment of Technical Assistant is not required for the due fulfillment of the Contract.
- 9. A movement register should be opened and maintained for Technical Assistants employed by the Contractor or for the technically qualified contractor. The Technical Assistant or Technically qualified Contractor should note the arrival and the departure timings every day along with their initials. Such Register should be produced during inspection of the InspectingOfficers.
- 10. Without prejudice to the generality of the above clause the contractor shall during the currency of the contract, when called upon by the Engineer-in-charge engage and also ensure engagement by the Sub Contractors and others employed by the contractor in connection with the work such number of apprentices in the category mentioned, below and for such period, as may be requited by the Engineer-in-charge. The Contractor shall train them as required under the Apprentices Act 1961 and the rules made there under and shall be responsible for all obligations of the employer under the said act including the liability to make payments to apprentice as required under that saidact.

Special Condition of Contract

1. Safety measures to be observed for the prevention of Children being trapped and falling into Bore well / tube wells or abandoned well.

General Guidelines issued by Supreme Court of India

- (i) The owner of the land/premises, before taking any steps for constructing borewell/tube well must inform in writing at least 15 days in advance to the concerned authorities in the area, i.e., District Collector/ District Magistrate/ Sarpanch of the Gram Panchayat/concerned officers of the Department of Ground Water/Public Health/ Municipal Corporation, as the case may be, about the construction of bore well/ tube well.
- (ii) Registration of all the drilling agencies, viz., Government / Semi Government / Privateetc., should be mandatory with the district administration.
- (iii) Erection of signboard at the time of construction near the well with the following details:-
- (a) Complete address of the drilling agency at the time of construction/rehabilitation ofwell.
- (b) Complete address of the user agency/ owner of thewell.
- (iv) Erection of barbed wire fencing or any other suitable barrier around the well duringconstruction.
- (v) Construction of cement/ concrete platform measuring $0.50 \times 0.50 \times 0.60$ meter (0.30 meter above ground level and 0.30 meter below ground level) around the wellcasing.

- (vi) Capping of well assembly by welding steel plate or by providing a strong cap to be fixed to the casing pipe with bolts &nuts.
- (vii) In case of pump repair, the tube well should not be leftuncovered.
- (viii) Filling of mud pits and channels after completion ofworks.
- (ix) Filling up abandoned bore wells by clay/sand/ boulders / pebbles /drill cuttings etc.,from bottom to groundlevel.
- (x) On completion of the drilling operations at a particular location, the ground conditions areto be restored as before the start ofdrilling.
- (xi) District Collector should be empowered to verify that the above guidelines are being followed and proper monitoring check about the status of boreholes / tube wells are being taken care through the concerned state / Central Governmentagencies.
- (xii) District / Block / Village wise status of bore wells/ tube wells drilled viz. No. of wells in use, No. of abandoned bore wells/ tube wells found open, No. of abandoned bore wells / tube wells properly filled up to ground level and balance number of abandoned bore wells/ tube wells to be filled up to ground level is to be maintained at District Level. In rural areas, the monitoring of the above is to be done through Village Sarpanch and the Executive from the Agriculture Department. In case of urban areas, the monitoring of the above is to be done through Junior Engineer and the Executive from the concerned Department of Ground Water / Public Health/ Municipal Corporationetc.,
- (xiii) If a bore well / tube well is 'Abandoned' at any stage, a certificate from the concerned department of Ground Water/ Public health / Municipal Corporation / Private contractor etc., must be obtained by the foresaid agencies that the 'Abandoned' bore wells/ tube well is properly filled upto the ground level. Random inspection of the abandoned wells is also to be done by the Executive of the concerned agency/ department. Information on all such data on the above is to be maintained in the District Collector/ Block Development Office of theState.

A statement giving particulars of equipment resources that will be put at the disposal of thework under the following classification should accompany thetender.

- a) Equipment (Transport of materials viz. Lorries and carts, concretemixers)
- b) Organization
- (i) Technical & (ii) Unskilled
- 11. The tender of the contractor who agrees to employ the maximum No. of Ex. service Men (No. to be specified in the tender) will receive preferential consideration. The tenders are requested to report on their covering letter.
- 12. The Superintending Engineer reserves to himself the right of allotting the different sub works to the different contractors or to one and the same contractor as he may decide after the receipt of tenders.

- 13. All rates quoted in the tender shall be inclusive of Sales Tax, payable under the sales tax act as amended from time to time (including amendment Act 38/34) and that the contractor is responsible to file the Sales Tax return and pay the amount of tax as amended by the Commercial Tax Department. No request for payment of Sales Tax separately in addition to the tendered rates due to any plea of subsequent levy or increase in tax will be entertained vide clause 38(2) of General conditions of contract.
- 14. No Seigniorage shall be charged where due for materials quarried from the PWD or other Govt. Quarries. Assistants as necessary shall be given to the contractor by the Department to obtain access to quarries approved by the Executive Engineer. No plot rent will be charged for materials stocked on Govt. land during the course of construction provided all such materials are removed within one month after the work is completed.
- 15. Seigniorage or charges due for the use of private quarries and private land shall be paid by the contractor.

SPECIAL CONDITION

- 1) On evaluation of Tender if it is found that if the overall quoted amount of the, Tender is less than 5 to 15% of the value put to Tender, the contractor shall pay an additional security at 2% of the estimated value. If the tender discount exceeds 15% to 20% the contractor shall pay an additional, Security deposit of 50% of the difference between the quoted amount and estimate amount Failure to furnish the Additional Security Deposit within 15 days from the date of receipt of Acceptance order and execute the Agreement shall entail cancellation of award of contract and forfeiture of E.M.D.furnished.
- 2) The successful tender should convert the E.M.D. already deposited and additional security deposit if any required for the fulfillment of contract into National Savings Certificates / Accounts pledged in favor of the Manager concerned Bank Guarantee for the Security deposit may be furnished vide G.O.No.283/PW(G2)Dept./dated21.05.1999.
- 3) Irrevocable Bank Guarantee shall be accepted towards security deposit Retention money only G.O.Ms.No.283/PW(G2)Dept./Dated 21.05.1999.Under Section 7F of T.N.G.S.T. Act 1999 and Notification dated 31.5.99, 2% of deduction will be made for Civil work and 4% will deducted in respect of all other works.

CONDITION AN ITEM NO.23 OF TENDER NOTICE ACCOMPANING THE TENDERSI.No.3:-

An irrevocable Bank Guarantee will be accepted towards Security Deposit in the prescribed form. An affidavit in prescribed form is to be taken up the contractor on a non-judicial stamp paper before a Judicial Magistrate.

SI.No.4:-

As per Section 7F of Tamil Nadu General Sales Tax Act 1959. The following condition is included.

Sales Tax will be deducted at source at the time of payment for the works contract as the following rates:

i) Theworkscontract :Two percent of the total amountpayable

ii) All otherworkscontract : Four percent of the totalamount

SI.No.5:-In the case of contracts for the Construction of buildings either permanent or semi permanent buildings, a sum equivalent to 2 1/2% (Two and half percent) of the value of work done will be retained with the temple for a period of one year reckoned from the date of completion of the work in order to enable the departmental officers the watch the effect of all seasons on the work done by the contractor. The amount so retained with the temple will be refunded only on expiry of one year period referred to above and on execution of Indemnity bond by the contractor for a further period of four years. Otherwise on irrevocable Bank Guarantee and affidavit in the prescribed form will be accepted in lieu of retentionmoney.

SPECIAL CONDITION

If the Tender of the successful tender is seriously unbalance in relation to the Engineers estimate of the real cost of work to be performed under the contract, the Temple may require that the amount of performance security be increased at the expense of the successful tender to a level sufficient to protect the Temple against financial loss in the event of subsequent default tender under the contract.

III. Execution of Work

- 1. The entire work should be carried out as per specifications in the National Buildings code and Tamil NaduBuildingPractice.
- 2. The contractor shall make his own arrangements for clean and fresh water and shall meet all charges therefore. The special attention of the contractor is drawn to clause 36 of General Conditions of Contract regarding water and lighting.
- 3. The rates specified in schedule for the different items of works are for the finishedwork.
- 4. The contractor's rates are inclusive of Sales Tax payable by the contractor to Govt. as per the Tamil Nadu General Sales Tax Act of 1939 as amended from time to time. No enhanced rates will be paid to the contractor for any upward revision of Sales Tax during the currency of the contract.
- 5. All minor baling and pumping incidental on the work shall be borne by the contractor, where heavy pumping is required the baling will be done departmentally. If the contractor is askedto

- do, the charges will be paid as per actual plus 10%. The Executive Engineer in charge of the work will be the final authority to decide whether pumping is minor or heavy.
- 6. The cement concrete for reinforced cement concrete works shall be machinemixed.
- 7. The lime mortar shall be ground in mortar mill as perT.N.B.P.
- 8. More than 90 cm height of concrete should not be laid in one day. At the place where the concrete is stopped, it should end in the form of steps so as to facilitate receiving of the next length of concrete. Once a height of 90 cm of concrete is laid, it should be cured for three days before further concrete islaid.
- 9. The teakwood or country wood (Karimarudhu or Pillaimarudu) shall be of best quality and shall be subject to inspection and approval by Executive Engineer before use on thework.
- 10. PAINTING: Paint used for the work shall be of approved brand and color.
- 11. Plastering: All external corners, "TEE" beam edges and doors and windows opening etc, shall be finished truly vertical or horizontal as the case may be. The rate for plastering shall include the cost of finishing. No separate extra for finishing the corners edges of beams etc. will bepaid.
- 12. The planks for form work and centering for reinforced cement concrete works shall be well seasonedtimberapprovedbytheExecutiveEngineeraccordingtoclause8ofT.N.B.P.No.
- 30. They must be made smooth and perfectly level at top so as to give smooth and even finish to the reinforced cement concrete ceilings. Alternatively, the contractor may use steel sheets over wooden frames provided the required finish to the underside of the slab is obtained. Mango Planks shall not be used under any circumstances. Centering form works shall be provided to the extent and area ordered by the Executive Engineer during the execution.
- 13. The arrangements of steel rods for reinforcement for reinforced concrete works shall be in accordance with the working drawingsupplied.
- 14. The Executive Engineer will be at liberty to carry out any portion of the work at any time either departmentally or through any other agency in the interest of Govt. without assigning any reasons therefore to the contractor who is actually doing the work. The contractor is not entitled for any comprehension on account of the same. The contract will be only subject to this condition.
- 16. In the event of the work being transferred to any of the Circle/Division/Sub-division the Superintending. Engineer, Executive Engineer, Asst Executive Engineer who is in charge of the Circle/Division/Sub-division having jurisdiction over the work shall be competent to exercise all the powers and privileges reserved in favor of theGovernment.

- 17. Earth work: Each and every borrow bit will be individually marked by the Section Officer and in urgent cases by the Masteries in charge of the work subject to the approval of the Section Officer. Earth should be removed only from the places marked and to the depth ordered by the aboveofficer.
- 18. The contractor should not enter any private lands for removal of earth there from without the prior written consent of the landowners. If he does unauthorized the contractor alone will be held fully responsible for consequences arising therefrom.

IV. SUPPLY OFMATERIALS

- 1. The contractor's rate for the different items of work involving the use of cement are inclusive of the cost of Cement.
- 2. The cement required for the work will be supplied by the contractorhimself.
- 3. The contractor should make his own arrangement at his own cost to take delivery of the cement from the dealer and to convey the same to his store shed at site of work. The stock of cement with contractors should be accessible to the Departmental Officers for verification at anytime.
- 4. To be procured from authorized stockiest and dealers with details of printing in the Cement bag as approved by ISI (Pozzolona Cement printed in red color and other Cement bags including OPC in black color)
- 5. All Cement quantity should be supplied in paper bags only at site owork.
- 6. Test certificate to be obtained from Government institutions and Quasi Government institutions only by mentioning the name of work & period of contract and should not befrom private institutions.
- 7. The minimum content of cement is to be ensured in use for works as specified in IS: 450-1978 Table-

Sl.no	Characteristics	Requirements		
		33 Grade IS: 269- 1989	43 Grade IS:8112-1989	53 Grade IS: 12269-1989
1	Minimum compressive strength in N/ sq.mm			
а	3 Days	16	23	27

b	7 Days	22	33	37
С	28 Days	33	43	53
2	Fineness (minimum) (Sq. m/Kg)	225	225	225
3	Setting Time (minutes			
а	Initial - (minimum)	30	30	30
b	Final - (maximum)	600	600	600
4	Soundness, Expansion			
а	Le Chatleier - (maximum) mm	10	10	10
b	Autoclave Test (maximum) %	0.80	0.80	0.80

Steel required for the work will be supplied by the Contractor himself

- 10. No separate charges will be paid to the contractor for straightening of mild steel rods. The contractor shall make his own arrangements for cutting to sizes, bindings and tying grills etc. Mild steel rods, should be cut and placed as reinforcements with proper care according to the available rods at site so as to ensure minimum possiblewastage.
- 11. To be procured from authorized dealers and test certificate for strength as well as for unit weight to be produced before use in order to ascertain the size of rod and quantum of Steel actually used in thework.
- 12. Excessively rusted Steel rods should berejected.
- 13. To be delivered at site of work and to be under the custody of contractoronly.
- 14. Use of Steel rods shall confirm to the structural designs approved for thework.
- 15. Steel supplied shall confirm to standard specifications specified in Table : 16 of IS :456-1978 as detailed below:
- a) Mild Steel Grade I of IS: 432/Part 1/1966.'
- b) HYSD bars IS: 1786 -1985/
- c) Cold worked IS: 786-1979 (Grade Fe415)
- 16. Steel manufactured from the waste Steel through the process of re-rolling shall be rejected since guarantee for the strength and quality is not certified by the authorized dealer or by the

manufacturers.

CENTERING WORKS

- 17. Payments for centering works for all R.C.C. items shall be made only after concrete is laid, even though separate rate is called for, for centering work in the Schedule.
- 18. The contractor will be held responsible for the proper safe custody of all the Departmental materials which are handed over to the contractor until they are finally used on the work or taken over by the Department.
- 19. The shed for storing materials should be put up by the contractor at his own cost. V. Special Conditions for Earthwork Excavation in Hard Rock Requiring Blasting In the case of earthwork excavation in hard rock requiring blasting the tender should observe the following conditions.
- a. The blasted rock shall be compactly stacked for measurement. The net quantity of blasted rock shall be arrived at by allowing a deduction of 40% for voids and compared with the premeasured quantity and only the lesser of the Two shall be paid. Where the rock other than hard rock and hard rock are mixed upon ground, the Two kinds of rocks shall be stacked separately for measurement. The net measurement of two kinds of rock shall be compared with the pre-measured quantity and only the lesser of the Two shall be paid for. If the total of net measurement of the two kinds of rock exceeds (or) falls short of the measurements of mixture, the volume of mixture proposed to be paid shall be apportioned in the proportion of the net actual measurements of stacks of the two kinds of rocks.

Note:

- i) 40% deduction for voids shall be adopted for compact and proper stacking but such percentage of deduction shall be increased for loose (or) improperstacks.
- ii) The blasted rock material, stacked, measured and paid for shall become the property of the department.
- iii) I.S. Code No. 1200 (Part I) 1969. Method of measurement of buildings and Civil Engineering works. Part I "Earthwork" may be referred as and whennecessary.

VI MOSAIC FLOORING

- 1. Cement concrete flooring tiles shall be manufactured from a mixed cement natural aggregates and coloring materials where required by pressure process. During manufacture the tiles shall be subjected to a pressure of not less than 140 kg. per.sqm.
- (or) 2000 lbs. sq.inc)
- 2. Proportion of cement to aggregate in backing of the tiles shall be not less than 1:5by weight.

- 3. On removal from mould, the tile shall be kept in moist condition continuously for at least 7 days and subsequently if necessary kept in moist for such a longer period that would ensure their conformity, to the requirements of Traverse strength, Resistance to wear and tear absorption and would minimize shrinkage and cracking. Tiles shall be stored undercover.
- 4. TOLERANCE: Tolerance on length and breadth shall be plus or minus onemillimeter.

Sl.no	Class of tiles	Minimum thickness of wearing layer
1	Plain cement and plain colored tiles for general duty	3
2	Plain cement and plain colored tiles for heavy duty	6
3	Mosaic) terrace tiles with chips of size varying from the smallest up to 6mm (1/4")	5
4	(Mosaic) terrace tiles with chips of size varying from the smallest upto 12 mm (1/2")	5

Colors and Appearance: The color and texture of the wearing layer shall be uniform throughout its thickness.

5. When specifying the tiles, the contractor should specifically indicate whether the chips to be used are from the smallest units 6mm from smallest upto 12mm or from the smallest upto 200mm size. The officers of the department shall also specify size of chips by referring the approximate photograph given in figure 4 to figures 6 in Indian Standard1237/1959.

Engineer-In-chief, W.R.O and Chief Engineer (General), Chepauk, Chennai - 5.

Circular Memo No.AEE / TI / A. E. I /40322/96,dt. 28.05.2002

8.b. Cement Conditions:

The Procurement of cement of required specifications for the works subject to the followings

MATERIALS

CEMENT:

A. The contractor shall procure cement required for the works only from reputed cement factories main producer of their authorized agents, manufacturing cement to ISI standard) acceptable to the Officer-in-charge. The contractor shall be required to furnish to the Officer-in- charge bills of payment and cost certificates issued by the manufactures or their authorized agents to authenticate procurement of quality cement from the approved cement factory. The contractor shall make his own arrangements for safe haulage and adequate storage ofcement.

- B. The contractor shall procure cement is standard packing of 50Kg. per bag from the authorized manufacturers. The contractor shall make necessary arrangements at his own cost to the Satisfaction of Officer for actual weighment of random sample from the available stock and shall conform with the specification laid down by the Indian Standard Institution or other standard foreign institutions as the case may be cement shall be got tested for all the tests as directed by the Officer at least one Quarter in advance before the use of cement bags brought and kept on siteGodown.
- C. The contractor should store the cement of 80 days requirement at least one Quarter in advance to ensure the quality of cement so brought to site and shall not remove the same without the written permission of the Officer.
- D. The cement shall forthwith remove from the works area any cement that the Officer may disallow for use on account of failure to meet with required qualitystandard.
- E. The contractor will have to construct sheds for storing cement having capacity not less than cement required for 90 days use at approved locations. The Officer or the representative shall have free excess to such stores at alltimes.
- F. The contractor shall further at all times satisfy the Manager on demand by production of records and books or by submission of returns and other proofs as directed the cement is being used an tested and approved by Executive Officer for the purpose and the contractor shall at all times, keep his records upto date to enable the Manager, to apply such checks as bemaydesire.
- G. Cement which has been unduly long is storage with the contractor and has deteriorated due to inadequate storage and thus become unfit for use on the works will be rejected by the Officer and no claim will be entertained. The Contractor shall forthwith remove from the work area any cement the Officer may disallow for use on work and replace by cement complying with the relevant Indian Standards. The employer will furnish air recreating agents and admixtures required to the Contractor free of cost at the employer stores. The use of such admixtures and agents shall be made as per the instructions of the Engineer-in-charge. The cost of Cartage / Storage, handling, batching mixing shall be borne by the Contractor and shall be included by him to unit officers tendered for concrete. D. The cement shall be brought at site in bulk of approximately 50 tones or as decided by the Engineers-in-charge for large worksE.TheCementGodownofthecapacitytostoreaminimumof1000bagsof

- cement shall be constructed by the Contractor at site of work, for which no extra payment shall be made.
- H. The Contractor shall facilitate inspection of the Cement Go down by the Engineer-incharge at anytime.
 - I. The Contractor shall further at all times satisfy the Engineer-in-charge on demand by production or records and test book or by submission of returns and other proofs as directed that the cement is being used as tested and approved by the Engineer-in-charge for the purpose and the Contractor shall at all times, keeps his record up to date and enable the Engineers-in-charge to apply such checks as he maydesire.
 - J. Cement which has been unduly long in storage with the Contractor or alternatively has deteriorated due to inadequate storage and thus become unfit for use on the works will be rejected by the Department and no claim will be entertained. The Contractor shall forth with remove from the work area any cement the Engineer-incharge may disallow for use of work and replace it by cement complying with the relevant Indian Standards

STEEL:

The contractor shall provide mild steel Ribbed Tor Steel Rods and Structural Steel etc., required for the works only from the main and secondary producers manufacturing steel or their authorized agents to the prescribed specifications Bureau or Indian Standards requirements and licensed to affix ISI or other equivalent certificates are to be produced to the Officer before use of works.

The diameter and weight of steel should be as follows:-

SI.No.	Diameter of Rod	Sectional weight in kilogram per running meter both for plain and HYSD STEEL
1)	6 Millie metres	0.222
2)	8 Millie metres	0.395
3)	10 Millie metres	0.617
4)	12 Millie metres	0.888
5)	14 Millie metres	1.208
6)	16 Millie metres	1.578
7)	20 Millie metres	2.466
8)	25 Millie metres	3.853

Test inspection and rejection of defective materials and works

- 1) The contractor shall provide proper facilities at all for the testing of materials and inspection of the work by the EO and Administrative Secretary, and shall accordingly also have access at all times to the places of storage of manufacture where materials are being made for use under the contract to determine that manufacture is proceeding in accordance with the drawings and specifications.
- 2) The contractor shall, upon demand, also forward for the EO and Administrative Secretary inspection test certificate supplied by the vendors, when he is purchasing consignments of cement, steel and other materials in respect of which certificates are usually available.
- 3) The Diwan and Administrative Secretary shall have power to reject at any stage, any work which be considered to be defective in quality of material or workmanship and be shall not be debarred from rejecting wrought materials by reasons of his having previously passed them in an un worked conditions. Any portion of the work or materials rejected or pronounced to be inferior to or not in accordance with the drawings and specifications, shall be taken down and removed from the work site at the contractor's expense, within 24 hours after written instruction to that effect have been given by the Diwan. Replacement shall at once be made in accordance with the specifications and drawings at the contractor'expense.
- 4) In case of default on the part of the contractor to carry out such orders the Manager shall have power to employ and pay other reasons to carry out the orders at the contractor's risk and all expenses consequent thereon and incidental there to shall be borne by the contractor.
- 5) In lieu of rejecting work **not** done in accordance with the contractor, the Manager may allow such work to remain and in that case shall make such allowance for the difference in value, as in his opinion may be reasonable.

6) Works opened forinspection:

The contractor shall, at the request of the Manager, within such time as the Manager shall name, open for inspection any work covered up and should the contractor refuse or neglect to comply with such a request the Manager may employ other workmen to open up the same. If the said work has been covered up in contravention of the Manager 's instructions or if on being opened up, it be found not in accordance with drawings and specifications or the written instructions of the Manager the expenses of opening it and covering it up again whetherdonebyorrecoveredfromthecontractor. If the workhas not been covered up in

contravention of such instructions or if on being opened up it be found to be in accordance with the drawings and specifications or the written instructions of the Manager, the expenses aforesaid shall be borne by Government and shall be added to the contract sum, provided always that in the case of foundations, or any other urgent works so opened up and requiring immediate attention the Manager shall, within reasonable time after the receipt of a notice from the contractor that the work has been opened, make or cause the inspection there of to be made, and at the expiration of such time if such inspection shall not have been made, the contractor may cover up the same, and shall hot be required to open it up again for inspection except at the expense of Government.

II) Defects, shrinkages, etc. after completion

- 1) Any defects, shrinkage or other faults which may appear within six Quarters from the completion of the works arising, in the opinion of the Manager from faulty materials or workmanship not in accordance with the drawings and specification or the instructions of the Manager shall, upon the directions in writing of the Manager and within such reasonable time as shall be specified them, be amended and made good by the contractor at his own cost, unless the Manager shall decide that the contractor ought to be paid for the same at the rates agreed on such reduced or other rates, as the Manager may fix and incase of default, the Manager may employ and pay other Officers to amend and make good such defects, shrinkage or other faults or damage, and all expenses consequent thereon and incidental thereto shall be borne by the contractor.
- 2) The shrinkage period of six Quarters referred to in main clause 26.1 above, will be five years in respect of all contracts for construction of original buildings either semi permanent or permanent to ensure structural stability of the building. (G.O.Ms. No. 181 H.R.C.E28.1.86)
- 3) Provided that in the event of Government taking over portions of the works as and when they are completed the liability of the contractor under this clause shall extend to a period of six Quarters (or five years as the case may be) from the date of final taking over the of the work irrespective of the actual dates on which portion of the works wereover.

SPECIAL CONDITION FOR WOOD WORK

1. Well seasoned superior class teak wood such as Balharsha, Malabar and Dan deli shall be used for the wood works, and it shall be got approve before use on work. the teak wood used satisfy all prescribed in IS 4970, IS 12806, IS 12896. IS 1141 and other relevant Indian standard.

- 2.IS 4970 on "key for identification of commercial Timbers" gives ready guidance to the purchasing organizations to determine whether the Timber supplied is actually of the species stipulated. IS 4970 contains diagnostic features of 60 species of timber both softwood and hardwood. IS 4970 covers a simply operated punched card key for the field identification of the commercial timber based on their general properties and anatomical characteristics visible under a handlens.
- 3. IS 12806 on" Indian timbers for door and windows Shutters and Frames classification "covers 109 species recommended for shutters and 69 for frames and gives guidance for selection of appropriate Timbers species for the purpose envisaged. The classification of species in IS 12806 is based on strength co-efficient, appearance and texture, durability and refractoriness to seasoning, ease of working etc. of Timber. IS 12896 also lays down the general requirements of quality, seasoning, moisture content and preservative treatment for timber. If does not however cover the species suitable for flushdoor.
- 4. The timber shall be free from decay, fungal growth, boxed heart, pitch pockets or streaks on the exposed edges, splits andcracks.

Teak Wood (Tectonic granolas)

- 5. It is of outstanding merit in retention of shape and durability. The heart wood is one of the most naturally durable woods of the world. It usually remains immune to white ant attack and insect attack for very long periods. It is, however, not always immune from fungus attack (rot). Taken as a whole, good quality teak is very durable. It is relatively easy to saw and work. It can be finished to a fair surface and takes polish well. It is generally used for making furniture and all important timber constructions. Superior Class Teak Wood such as Balharsha, Malabar and Dandeli:
- 6. Individual hard and sound knot shall not be more than 12mm in diameter and the aggregate area of all the knots shall not exceed half percent of the area of the piece. It shall be close grained.
- 7. The average moisture content of the approved timber shall be 3% to 5% and the timber shall be seasoned as per IS:1141"
- 8. Payment shall be made after completion of each item of work. No part payment shall be made for any item ofwork.

Test inspection and rejection of defective materials and works

- 1) The contractor shall provide proper facilities at all for the testing of materials and inspection of the work by the Assistant Executive Engineer, and the Assistant Executive Engineer shall accordingly also have access at all times to the places of storage of manufacture where materials are being made for use under the contract to determine that manufacture is proceeding in accordance with the drawings and specifications.
- 2) The contractor shall, upon demand, also forward for the Assistant Executive Engineer's inspection test certificate supplied by the vendors, when he is purchasing consignments of cement, steel and other materials in respect of which certificates are usually available.
- 3) The Assistant Executive Engineer and the Manager shall have power to reject at any stage, any work which be considered to be defective in quality of material or workmanship and be shall not be debarred from rejecting wrought materials by reasons of his having previously passed them in an un worked conditions. Any portion of the work or materials rejected or pronounced to be inferior to or not in accordance with the drawings and specifications, shall be taken down and removed from the work site at the contractor's expense, within 24 hours after written instruction to that effect have been given by the Assistant Executive Engineer. Replacement shall at once be made in accordance with the specifications and drawings at the contractor's expense.
- 4) In case of default on the part of the contractor to carry out such orders the Assistant Executive Engineer shall have power to employ and pay other reasons to carry out the orders at the contractor's risk and all expenses consequent thereon and incidental there to shall be borne by the contractor.
- 5) In lieu of rejecting work **not** done in accordance with the contractor, the Assistant Executive Engineer may allow such work to remain and in that case shall make such allowance for the difference in value, as in his opinion may be reasonable.

6) Works opened forinspection.

The contractor shall, at the request of the Manager within such time as the Manager shall name, open for inspection any work covered up and should the contractor refuse or neglect to comply with such a request the Manager may employ other workmen to open up the same. If the said work has been covered up in contravention of the Executive Officer's instructions or if on being opened up, it be found not in accordance with drawings and specifications or the written instructions of the Manager the expenses of opening it and covering it up again whetherdonebyorrecoveredfromthecontractor.Iftheworkhasnotbeencoveredupin

contravention of such instructions or if on being opened up it be found to be in accordance with the drawings and specifications or the written instructions of the Executive Officer, the expenses aforesaid shall be borne by Temple and shall be added to the contract sum, provided always that in the case of foundations, or any otherurgent

works so opened up and requiring immediate attention the Manager shall, within reasonable time after the receipt of a notice from the contractor that the work has been opened, make or cause the inspection there of to be made, and at the expiration of such time if such inspection shall not have been made, the contractor may cover up the same, and shall not be required to open it up again for inspection except at the expense of temple.

II) Defects, shrinkages, etc, after completion

- 1) Any defects, shrinkage or other faults which may appear within six months from the completion of the works arising, in the opinion of the Assistant Executive Engineer from faulty materials or workmanship not in accordance with the drawings and specification or the instructions of the Assistant Executive Engineer shall, upon the directions in writing of the Assistant Executive Engineer and within such reasonable time as shall be specified by them, be amended and made good by the contractor at his own cost, unless the Assistant Executive Engineer shall decide that the contractor ought to be paid for the same at the rates agreed on such reduced or other rates, as the Assistant Executive Engineer may fix and incase of default, the Assistant Executive Engineer may employ and pay other persons to amend and make good such defects, shrinkage or other faults or damage, and all expenses consequent thereon and incidental thereto shall be borne by the contractor.
- 2. The shrinkage period of six months referred to in main clause 26.1 above, will be five years in respect of all contracts for construction of original buildings either semi permanent or permanent to ensure structural stability of the building. (G.O.Ms. No. 181 PWD28.1.86)
- 3) Provided that in the event of Government taking over portions of the works as and when they are completed the liability of the contractor under this clause shall extend to a period of six months (or five years as the case may be) from the date of final taking over the of the work irrespective of the actual dates on which portion of the works were over.

3. TheEO Decision

To prevent disputes and litigation, it shall be accepted as an inseparable part of the contract that in matters regarding materials workmanship, removal of improper work, interpretation of the contact drawings and contract specifications, mode of procedure and the carrying out of the work, the decision of the EO shall be final and binding on the contractor and in any

technical question which may arise touching the contract, the Executive Engineer's and HRCE shall be final and conclusive.

4. Dismissal ofworkmen

The contractor shall employ in and about the execution of the works only such persons as are careful, skilled and experienced in their several trades and callings and the Managershall be at liberty to object to and request the contractor to remove from the works any person employed by the contractor in or about the execution of the works who in the opinion of the Manager misconducts himself or incompetent or negligent in the proper performance of his duties and such persons shall not be again employed upon the works without the permission of the ExecutiveOfficer

ADDITIONAL SPECIAL CONDITION

If the bid of the successful bidder is seriously unbalanced in relation to the departmental value put to tender of the cost of work to be performed under the contract the Manager may require the bidder to produce detailed price analysis for any or all items of the bill of quantities to demonstrate the internal consistence of these prices with the construction methods and schedule proposed. After evaluation of the price analysis, the Executive Engineer may require that any amount of the performance of additional security be increased of the expense of the successful bidder to a level sufficient to protect the Temple against financial loss in the event of default of the successful bidder under the contract.

SPECIAL CONDITIONS FOR SUDAI WORKS

- 1. The tender should be an approved sthapathy of H.R. & C.E. (Admn.) Dept.
- 2. The tender should examine the plan in detail and satisfy himself in respect of the ornamental work involved and then quote the rates. Claim for enhanced rate for ornamental works will not be entertained later. The ornamental works should be done replica of the original architecturefigure.
- 3. A neat plan showing the ornamental features of SudaiVigraham to be provided should be drawn by the sthapahty and got approved before proceeding with such work. Also the existing dimension of the Garbagraham, Arthamandapam etc., should be maintained and not changed on any account and the dimensions etc., should be as per sastras and the original dimensions should not bechanged.
 - 4. The Sthapathy should be present always at site during the progress ofwork.
 - 5. The ornamental work should be strictly as persilpasastras.

- 6. Scaffolding is shown as a separate item in respect of vimanam. Sthapahty's rate should include the procurement of all materials required, such as coconut keeth, coir, casurina posts, planks etc.; required for the same and maintaining the same during the period of execution, providing ladder arrangements with Country wood planks for easy inspection by inspecting officers etc. complete and removing the same after completion of the work. The scaffolding should be removed only after obtaining the approval of the temple authorities and the contractor should provide such scaffolding till Kumbabishekam or upto the date of final checks measurements whichever is later.
- 7. Each and every component of specification such as ornamental Sudai work, mattapoochu in C.M. 1:3 nayamtheervai etc., should be carried out fully and certificate to the effect obtained from the inspecting officer. Then only the next component should be commenced.
- 8. The adjoining structures or sudai work, if any, should not be damaged during the process of execution and shall be rectified or reconstructed at the contractor's cost.
- 9. The contractor should adhere to the relevant clauses of H.R. & C.E. Act., in respect of work and all circular instructions issued shall also be adhered to.
- 10. The copper reinforcement to be provided in SudaiVigraham should be got verified by the Supervisory officer before proceeding with thework.
 - 11. For theervai, only well ground Good River sand should beused.

TENDER SHEDULE

Name of the work: TEMPLE TANK AT ARULMIGU SOWMYA DHAMODHARA PERUMAL TEMPLE, VILLIVAKKAM, CHENNAI DISTRICT

Value of Contract: Rs.21,34,837/- (excl GST) Contractor Name: Period of Completion: 4 months E.M.D: Rs.20700/-

Cost of Schedule: Rs. 6000 + GST 18%

Schedule A

Sl. No.	Quantity	Description	Unit in Figures and in words	RATE IN FIG	RATE IN WORDS	Amount in rupees
1			1 cu.m (One cubic			
	11.41cum (Dismantling the disturbed cutstones bottom of tank in	metre)			
	eleven point	cement mortor and clearing away the rubbish				
	fourty one cubic	etc,complete and as directed by the departmental				
	meter)	officers				
2			1 cu.m (One			
	53.25 cum (fifty	Dismantling the disturbed dry laterite stone steps	cubic			
	three point	carefully stacking materials for reuse for any thickness	metre)			
	twenty five cubic					
	meter)	directed by the departmental officers.				
3			1 cu.m (One cubic			
		Earth work excavation in all classes of soils such as hard	metre)			
		stiff clay, stiff black cotton, hard red earth, shales,				
	68 cum (sixty	murram, ordinary earth, earth mix with 50% fair sized				
	eight cubic	boulders etc., with initial lead and lifts including laying,				
	meter)	spreading, leveling, sectioning breaking clods etc.,				
		including all incidental charges etc., complete as per				
		standard specification . For Foundations SS 20A and SS				
		20B- alround				
4			1 cu.m (One cubic			
		than 15 cm thick including watering with all layers and	metre)			
		consolidation complying with standard specification				
	19 cum (including cost and conveyence of sand to Site and all				
	nineteen cubic	labour charges and all other incidential charges etc,.				
	meter)	complete as per Standard Specification				

5	7 cum (seven cubic meter)	Cement Concrete 1:5:10 (One Cement, Five sand and Ten hard broken stone jelly) using 40 mm gauge hard broken granite stone jelly for foundation including dewatering wherever necessary and laid in layers of not more than 15 cm thick well rammed, consolidated and curing etc. complete complying with standard specification .	1 cu.m (One cubic metre)		
6	40 cum (fourty	RCC 1:1½:3 (One cement one point five sand and three aggregates) mix using 20mm gauge hard granite broken stone jelly in all RCC works connected to the work excluding shuttering, Centering and cost of Reinforcement grills but including curing, finishing etc complete with standard specification and as directed by Engineer incharge.	1 cu.m (One cubic metre)		
7	95.1 cum (ninety five point one cubic meter)	Supplying & Erecting of steel centering for sides & soffits including necessary supports & strutting upto 3.29m height for plane surfaces in all floors with all cross bracings using mild steel sheets of size 90 x 60cm & 10 gauge stiffened, welded with steel angle of size 25 x 25 x 3mm for boarding laid over silver oak joists(Country wood) of size 10 x 6.5cm spaced @ about 90cm c/c and supported by casurina props of 10 - 13cm dia. spaced @ 75cm c/c etc., complete complying with standard specifications and as directed by the departmental officers. Rate for 10m2.for the following items.(RCC floor slab, roof slab, Rectangular/ square, Tee/ Ell beams, Lintels, staircase waist slabs, Landing slabs, Landing beam, Portico beam etc.,) for vertical slab	1 cu.m (One cubic metre)		

8	30 qtl (thirty quintol)	Supplying, fabricating and placing in position MS/RTS grills for reinforcement for all R.C.C.works including cost of steel, labour for straightening, bending, cranking, tying grills with 18 gauge galvanized binding wire and placing grills in position complete complying with standard specification and as directed.			
9	1950 cum (one thousand nine hundred fifty cubic meter)	conveyance of excavated earth including cost, conveyance charges for forming and sectioning of bund	1 cum (One cubic metre)		
10		Forming and sectioning of bund with earth including watering, consloidation etc,complete.	1 cum (One cubic metre)		
11	seven point	Supply and fixing cut stones with CM 1:3 including cost of materials, conveyance charges, labour charges and all other incidental charges etc complete new stone	1 cum (One cubic metre)	_	
12	fourty one	Supply and fixing old cut stones with CM 1:3 including pointing, labour charges for all other incidental charges etc complete existing old stone	1 cum (One cubic metre)		
13	eight clibic	Random rubble masonry in CM 1:4 using rough stones and bond stones including cost of materials, conveyance charges, labour charges and all other incidental charges etc complete- new	1 cum (One cubic metre)		
14	22.88 cum (twenty two point eighty eight cubic meter)	Random rubble masonry in CM 1:4 using old rough stones, conveyance charges, labour charges and all other incidental charges etc complete- old stones	1 cum (One cubic metre)		

15	hundred sixty one squre meter)	Flush pointing for random rubble masonry in CM 1:3 using 20 mm deep including cost of materials, conveyance charges, labour charges and all other incidental charges etc complete	1 sq.m. (One square metre)		
	sixty point sixty	Supply and filling with gravel at the slope portion of bund to provide rough stone packing for revetments etc complete.Coloumn sqaure,Rectangular or round	1 cum (One cubic metre)		
17	398 sqm (three hundred ninety eight squre meter)	Painting two coats of old plastered wall surface with ready mixed plastic emulsion paint of first class approved quality and colour over a priming coat including thorough scrapping, clean removal of dirt, and including necessary plaster of paris putty, wherever required etc., complete complying with standard specification and as directed.	1 sq.m. (One square metre)		
18	66 sqm (sixty six squre meter)	Painting the old iron works with two coats of best synthetic enamel paint of approved quality, colour including applying priming coat including cost of of all materials, labour charges and other incidential	1 sqm (One square metre)		
19	eight four point one five squre	Paving the floor with prepolished paver block required shape and design of standard including laying, compacting with power roller transportatio and colour pigments of paver block, cost of materials conveyance charges, labour charges and all other incidental charges etc, complete	1 sqm (One square metre)		
		SUB TOTAL			
		GST 12 %			
		TOTAL			