#### TAMIL NADU LIVESTOCK DEVELOPMENT AGENCY

Tender No. TNLDA/2022/07

#### Tender Reference No. 84/E/AIIRLIVAS/TNLDA/2022

TENDER DOCUMENT FOR THE ESTABLISHING AND COMMISSIONING OF PIG SLAUGHTER LINE OF 10 PIGS PER HOUR CAPACITY AT THE ADVANCED INSTITUTE FOR INTEGRATED RESEARCH ON LIVESTOCK AND ANIMAL SCIENCES AT THALAIVASAL KOOT ROAD IN SALEM DISTRICT with Automatic Conveyor pig slaughter Line including, processing, Steel Structure, PUF panels, Refrigeration, Internal electrical and plumbing work inside the building Related to Slaughter machinery.

Period of availability of tender forms	:	10.05.22 to 9.06.22 upto 5 pm
(to be downloaded from website)		
Pre-bid meeting	:	18.05.22 at 11.30 am
Last date of availability of tender form	:	09.06.22,upto 5.00 pm
Last date for submission of tender	:	10.06.22 upto 11.00 am
Date and time of opening of tender	:	10.06.22 at 11.30 am

#### Address:

Tamil Nadu Livestock Development Agency,
4th Floor, Integrated Office Complex for Animal Husbandry

and Fisheries Department,

571. Anna Salai, Saidapet Veterinary Polyclinic Campus,

Nandanam P.O., Chennai-35.

Phone: 044 -24310412, 044-24345362

Fax: 044 -24345361

e-mail: tnlda2016@gmail.com,

#### **CHECKLIST**

#### COVER – A

1	Check List	Page No.	Yes	No
2	Signed copy of important instructions for submission of the tender	Page No.	Yes	No
3	Letter offering tender	Page No.	Yes	No
4	Earnest Money Deposit	Page No.	Yes	No
5	Duly attested photocopy of Registration Certificate of the company	Page No.	Yes	No
6	Documentary evidence for constitution of the firm	Page No.	Yes	No
7	Copy of manufacturing license of manufacturer (if manufacturer)	Page No.	Yes	No
8	Duly attested photo copy of valid Import License, for the imported items quoted	Page No.	Yes	No
9	Authorization like Power of Attorney, resolution of board, for the Senior Officer of the company who has signed the tender documents.	Page No.	Yes	No
10	Balance Sheet & Profit and Loss Account for last three years (2018-19 to 2020-21)	Page No.	Yes	No
11	Copy of tender conditions and schedules, duly signed by the Tenderer. Page No.(1to 18)	Page No.	Yes	No
12	GST remittance statement for last three years from 2018-19 to 2020-21 (Annexure -I) along with copy of GST Registration Certificate	Page No.	Yes	No
13	Declaration (Annexure - II)	Page No.	Yes	No

14	Performance statement (sales/execution of projects) for last three years (2018-19 to 2020-21) (Annexure - III)	Page No.	Yes	No
15	Annual Turnover Statement for last three years (2018-19 to 2020-21) (Annexure - IV)	Page No.	Yes	No
16	Specification (Annexure - V)	Page No.	Yes	No
17	Authorization letter nominating a Senior Responsible Officer of the company with authority to participate in the tender and transact business. (Annexure - VI)	Page No.	Yes	No
18	Details of Manufacturing Unit (Annexure - VII)	Page No.	Yes	No
19	Duly attested photocopy of valid ISO certificate	Page No.	Yes	No
	COVER – B			
20	ANNEXURE – VIII	Page No.	Yes	No

**Note:** At the time of opening of tender, the authorized representatives who choose to be present should submit a copy of authorization letter to the competent authority, before entry. (Annexure VI).

#### IMPORTANT INSTRUCTIONS FOR THE SUBMISSION OF TENDERS

- 1. The tender document is downloadable free of cost from www.tenders.tn.gov.in
- 2. The document would be downloadable upto 5.00 p.m. on 09.06.2022
- 3. A Pre-bid meeting is scheduled at the office of the Chief Executive Officer, Tamil Nadu Livestock Development Agency, 4th Floor, Integrated Office Complex for Animal Husbandry and Fisheries Department, 571. Anna Salai, Saidapet Veterinary Polyclinic Campus, Nandanam P.O., Chennai-35, on **18.05.22**, **11.30** am to clarify the doubts about the terms and conditions in the tender document.
- 4. Read the tender documents completely before submission of the tenders.
- 5. Follow the instructions given in the tender document scrupulously.
- 6. All the pages should be serially numbered.
- 7. The check list should be completely filled along with page numbers.
- 8. A copy of the tender conditions and the schedules should be signed by the tenderer at the right-hand bottom of each page with the office seal duly affixed and returned along with the tender.
- 9. Arrange the documents neatly and as in the order stipulated in the tender document, give continuous page numbers and secure it tightly without any loose paper.
- 10. Enclose only relevant and specific documents as called for in the tender document.
- 11. Give the Specifications of the item offered completely with trade name if any, Model No. /Name if any and the detailed specification **in a separate sheet** in addition to the attachment of catalogues, if any.
- 12. All the documents/copies of documents must have been attested not earlier than six months before the submission of tender.
- 13. All the documents/copies of documents must be neat, clear and legible without any ambiguity and labeled appropriately.
- 14. A covering letter signed by the competent authority has to be enclosed with the tender document.
- 15. Documents/copies of documents submitted in languages other than English or Tamil must be accompanied by an English or Tamil translation of the same duly attested.
- 16. Tamil Nadu Livestock Development Agency will not be responsible for any postal delay.
- 17. All the representatives who choose to be present at the time of opening of bids have to submit a Letter of Authorization from the competent authority in advance, before entry.
- 18. The tenderer shall ensure that no person acting for them or on their behalf will try to influence or engage in bribery.

Tenders not fully complying with the instruction for submission of tenders are liable to be rejected summarily

3

#### Letter offering tender

(The tenderer must prepare the Letter of on stationery with its letterhead clearly showing the tenderer's complete name and address and this should be placed as the first paper of the tender)

Our Reference: No Dated Dated
-------------------------------

To:

The Chief Executive Officer,

Tamil Nadu Livestock Development Agency.

IV Floor. Integrated office complex of Animal Husbandry and Fisheries Department, 571 Anna Salai, Saidapet Veterinary Polyclinic campus,

Nandanam PO, Chennai-600035.

Sir,

Subject: Tender for the establishing and commissioning of pig

slaughter line of 10 pigs per hour capacity at the Advanced Institute for Integrated Research on Livestock and Animal

Sciences at Thalaivasal Koot Road in Salem district -

submission of-reg.

Ref : Tender Reference No. 84/E/AIIRLIVAS/TNLDA/ 2022

Tender No. TNLDA/2022/07

We, the undersigned, hereby submit our tender for the establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at the Advanced Institute for Integrated Research on Livestock and Animal Sciences at Thalaivasal Koot Road in Salem district including, processing, Steel Structure, PUF panels, Refrigeration, Internal electrical and plumbing work inside the building Related to Slaughter machinery (electrical & plumbing)),

In submitting our tender, we make the following declarations:

- a. We have examined and offer to supply in conformity with the tender Document and in accordance with the Delivery Schedules specified in the tender document.
- b. We meet the eligibility requirements and have no conflict of interest, and we have not been temporarily suspended or debarred by the State Government/Central Government
- c. We have enclosed the Checklist and the tenderers profile, fully filled and signed
- d. We have enclosed a copy of the tender documents duly sealed and signed.
- e. We have enclosed the following documents/copies of the document

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
(as per enclosure enclosed)
We hereby certify that we have taken steps to ensure that no person acting for us or on our
behalf will engage in any type of corrupt, fraudulent, collusive, coercive, or obstructive
behalf will engage in any type of corrupt, fraudulent, collusive, coercive, or obstructive practices.
practices.
practices.  Yours faithfully,
practices.  Yours faithfully,  Signature of Authorized Signatory
practices.  Yours faithfully,
practices.  Yours faithfully,  Signature of Authorized Signatory
yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory
practices.  Yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory  In the capacity of
practices.  Yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory  In the capacity of  [insert legal capacity of person signing the Letter of Quotation]  Name of Bidder
practices.  Yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory  In the capacity of  [insert legal capacity of person signing the Letter of Quotation]  Name of Bidder  Address
practices.  Yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory  In the capacity of  [insert legal capacity of person signing the Letter of Quotation]  Name of Bidder
practices.  Yours faithfully,  Signature of Authorized Signatory  Name & Title of Signatory  In the capacity of  [insert legal capacity of person signing the Letter of Quotation]  Name of Bidder  Address

#### PROFILE OF THE TENDERER/COMPANY

#### IMPORTANT: Please fill all the columns without any omissions

All the items should be filled with details and numbers and not filled as enclosed etc.

1	Name of the company (tenderer).	:	
2	Contact details.		
	Full postal address.	:	
	Pincode.	:	
	Telephone No. with STD code	:	
	Mobile No.	:	
	Email id.	:	
	Name of the Contact person.	:	
	Designation of the contact person.	:	
3	Address of the manufacturing unit /facility	:	
4	Manufacturing license for the product for		
	which tender is offered.	:	
5	Registration No. of the company with year of		
	registration.	:	
6	No. of units manufactured in the past three		
	years in case of manufacturer.		
	2020-21	:	
	2019-20	:	
	2018-19	:	
7	Annual turnover of the company during the		
	past three years.		
	2020-21	:	
	2019-20	:	
	2018-19	:	
8	Whether the company has ISO certification, if	:	
	yes valid upto.		
9	Does the product offered have Indian		
	Standard (BIS) certification?		
10	GST remitted and returns filed during the past		
	three years (Rs.)		
	2020-21	:	
	2019-20	:	

	2018-19	:	
11	Goods and services taxes (GST)		
	registration No.	:	
12	Details of Earnest Money Deposit		
	Amount (Rs)	:	
	DD/Bank Guarantee No. and date	:	
	Issuing Bank	:	
	If exempted details	:	
13	No. of units of item offered sold during the last		
	three years.		
	2020-21	:	
	2019-20	:	
	2018-19	:	
14	Name of the Authorized Signatory		
15	Designation of the authorized signatory.		

CONDITIONS OF TENDER DOCUMENT FOR THE ESTABLISHING AND COMMISSIONING OF PIG SLAUGHTER LINE OF 10 PIGS PER HOUR CAPACITY AT THE ADVANCED INSTITUTE FOR INTEGRATED RESEARCH ON LIVESTOCK AND ANIMAL SCIENCES AT THALAIVASAL KOOT ROAD IN SALEM DISTRICT with Automatic Conveyor pig slaughter Line including, processing, Steel Structure, PUF panels, Refrigeration, Internal electrical and plumbing work inside the building Related to Slaughter machinery.

- 1. Sealed Tenders under two cover system will be received till 11.00 am on 10.06.2022 by the Chief Executive Officer, Tamil Nadu Livestock Development Agency, 4<sup>th</sup> Floor, and Integrated Office Complex for Animal Husbandry and Fisheries Department, 571. Anna Salai, Saidapet Veterinary Polyclinic Campus, Nandanam P.O., Chennai-35 for establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at the Advanced Institute for Integrated Research on Livestock and Animal Sciences at Thalaivasal Koot Road in Salem district including, processing, Steel Structure, PUF Panels, Refrigeration, Internal Electrical and Plumbing work inside the building Related to Slaughter Machinery except civil work.
- 2. Manufacturers and/ or service providers having valid license whose average annual turnover for 3 years i.e.2018-19 to 2020-21 is more than Rs.1.00 Crore and the annual turnover for the year 2020-2021 is also more than Rs.1.00 Crore and those who are in the market during the past 3 years in India and have supplied, installed and commissioned at least 2 projects similar to the project in this document during the last 3 years i.e. 2018-19 to 2020-21 in India are eligible to participate in the tender.
- 3. The tender should consist of cover 'A' containing the technical bid and Cover 'B' the price bid both sealed separately and placed in another cover and sealed.
- 3.1. The tenderer should send the following documents for the items tendered, arranged serially as per the checklist, in a cover hereafter-called "Cover A" addressed to the Chief Executive Officer, Tamil Nadu Livestock Development Agency, 4th Floor, Integrated Office Complex for Animal Husbandry and Fisheries Department, 571, Anna Salai, Saidapet Veterinary Polyclinic Campus, Nandanam P.O., Chennai-35 and super scribed as "COVER 'A' "TENDER DOCUMENT FOR THE ESTABLISHING AND COMMISSIONING OF PIG SLAUGHTER LINE OF 10 PIGS PER HOUR CAPACITY AT THE ADVANCED INSTITUTE FOR

# INTEGRATED RESEARCH ON LIVESTOCK AND ANIMAL SCIENCES AT THALAIVASAL KOOT ROAD IN SALEM DISTRICT DUE ON 10.06.22, AT 11.00 am".

#### List of documents to be enclosed in Cover 'A'

- a. Check list
- b. Signed copy of important instructions for submission of the tender
- c. Earnest Money Deposit
- d. Duly attested photocopy of Registration Certificate of the company
- e. Documentary evidence for constitution of the firm
- f. Copy of manufacturing license.(The tendered item to be marked with the marker pen)
- g. Duly attested photo copy of valid import license, for the imported items quoted
- h. Authorization like Power of Attorney, resolution of board, for the Senior Officer of the company who has signed the tender documents.
- i. Balance Sheet & Profit and Loss Account for last three years 2018-19 to 2020-21
- j. Copy of Tender conditions and schedules, duly signed by the Tenderer (Page No.1 to 14).
- k. GST Clearance Certificate for last three years 2018-19 to 2020-21 along with a copy of the GST Registration Certificate (Annexure I)
- 1. Declaration (Annexure II)
- m. Sales/project implementation Performance for the last three years **2018-19 to 2020-21** (Annexure III) with proof. (Copy of orders received and invoices raised).
- n. Annual Turnover Statement for last three years 2018-19 to 2020-21 (Annexure IV) signed by Chartered Accountant
- o. Specification (Annexure V)
- p. Authorization letter nominating a Senior Responsible Officer of the company with authority to participate in the tender and transact the business. (Annexure VI)
- q. Details of Manufacturing Unit. (Annexure VII)
- r. Duly attested photocopy of valid ISO certificate
- s. The flow diagram, the design and the pictures of machinery offered as per specifications.
- t. Photographs of previously completed projects
- 3.2 The following document should be submitted in "Cover B", addressed to the Chief Executive Officer, Tamil Nadu Livestock Development Agency, 4<sup>th</sup> Floor, Integrated Office Complex for Animal Husbandry and Fisheries Department, 571. Anna Salai,

9

Saidapet Veterinary Polyclinic Campus, Nandanam P.O., Chennai-35 and super scribed as "COVER 'B' "TENDER DOCUMENT FOR THE ESTABLISHING AND COMMISSIONING OF PIG SLAUGHTER LINE OF 10 PIGS PER HOUR CAPACITY AT THE ADVANCED INSTITUTE FOR INTEGRATED RESEARCH ON LIVESTOCK AND ANIMAL SCIENCES AT THALAIVASAL KOOT ROAD IN SALEM DISTRICT DUE ON 10.06.22, 11.00 am.

The filled in Annexure – VIII containing the rates quoted and duly signed by the tenderer should be sent in a separate sealed cover hereafter called Cover "B".

- i. The **rate quoted per unit should be in Indian Rupees**. The rate quoted per unit landed price shall be inclusive of basic price, freight, insurance, packing, customs duty, incidental charges etc., and GST [GST to be shown separately].
- ii. The rate per unit FOR destination Total Landed Price (inclusive of GST) will be the criteria for determining the L1 rate as per Tender Transparency Act and Rules.
- iii. The rate quoted in Annexure-VIII should be for the unit and specification given. The tenderer is strictly prohibited to change or alter specification or unit size given in Annexure -VIII
- iv. The Unit Rate quoted should not vary with the quantum of the order or the destination.
- v. The rate offered should be valid for a period of one year from the date of opening of Price Bid.
- 3.3 The Cover "A" and Cover "B" should be separately sealed and both the sealed covers shall be kept in an outer envelope Superscribed as "TENDER DOCUMENT FOR THE ESTABLISHING AND COMMISSIONING OF PIG SLAUGHTER LINE OF 10 PIGS PER HOUR CAPACITY AT THE ADVANCED INSTITUTE FOR INTEGRATED RESEARCH ON LIVESTOCK AND ANIMAL SCIENCES AT THALAIVASAL KOOT ROAD IN SALEM DISTRICT DUE ON 10.06.22, 11.00 am" and this should reach the Chief Executive Officer, Tamil Nadu Livestock Development Agency, 4th Floor, Integrated Office Complex for Animal Husbandry and Fisheries Department, 571, Anna Salai, Saidapet Veterinary Polyclinic Campus, Nandanam P.O., Chennai-35 on or before 11.00 am on 10.06.2022.
- 4. Tenders will be opened at the office premises of TNLDA at the above address at 11.30 am on 10.06.2022 in the presence of the tenderers/ Senior Responsible Officers of the company who choose to be present. Cover "B" of only those companies which satisfy the standard criteria laid down by the TNLDA and those found eligible on the basis of the details furnished by the tenderer in Cover "A" will be opened.

#### EARNEST MONEY DEPOSIT

- 5. Earnest Money Deposit for a sum of Rs.3,25,000/- (Rupees three lakh and twenty five thousand only) shall be remitted in the form of Demand Draft favoring Chief Executive Officer, Tamil Nadu Livestock Development Agency, payable at Chennai/Irrevocable Bank Guarantee from a Nationalized Bank / Scheduled Bank in favor of "The Chief Executive Officer, Tamil Nadu Livestock Development Agency", payable at "Chennai". This should be sent with the tender in Cover-A. Earnest Money Deposit in the form of cheque / cash / postal order will not be accepted.
- 6. Firms located within the State, registered with Tamil Nadu Small Industries Development Corporation or the National Small Industries Corporation or holding permanent Registration Certificate from the District Industries Centers of Directorate of Industries and Commerce will be granted exemption from payment of Earnest Money Deposit, in respect of those items manufactured by them for which the Registration Certificate has been obtained and tenders called for. In respect of SSI Units located outside the State, such units registered with NSIC in respect of items manufactured by them for which tenders have been invited.
- 7. The Earnest Money Deposit shall be returned after payment of security deposit and execution of agreement by the successful tenderer.
- 8. In the case of successful tenderers, the Earnest Money Deposit shall be returned after payment of security deposit and execution of agreement or at the discretion of Chief Executive Officer, Tamil Nadu Livestock Development Agency, Chennai adjusted towards the Security Deposit payable by him.

#### SECURITY DEPOSIT

- 9. The Successful tenderer shall be required to remit a security deposit @ 5% the total value of the works for which he is L1, calculated for the tender quantity (Security Deposit = L1 Rate X Tender Quantity X 5%). The Security Deposit should be paid in respect of each contract on or before the due date fixed, in the form of Demand Draft / Irrevocable Bank Guarantee from a Nationalised Bank / Scheduled Bank in favour of "The Chief Executive Officer, Tamil Nadu Livestock Development Agency", payable at "Chennai".
- 10. The Security Deposit furnished by such tenderer in respect of his tender will be returned to him upon complete fulfillment of the tender period or the extended period, if any, to the satisfaction of the Chief Executive Officer, Tamil Nadu Livestock Development Agency.

#### **EVALUATION**

- 11. The cover 'A' of the tenderers will be opened and the documents will be scrutinized and the Cover 'B' of only those tenderers who have submitted the required documents, and are found to fulfill the eligibility conditions and comply with the tender conditions will be opened.
- 12. Price negotiations will be held as per the Transparency in Tenders Act and rules with the eligible tenderer who has offered the least price.

#### **AGREEMENT**

13. The tenderer whose tender is accepted shall execute an agreement on a non-judicial stamp paper for a value of Rs.100/- (stamp duty to be paid by the tenderer) with the Chief Executive Officer, Tamil Nadu Livestock Development Agency, Chennai, within 10 days from the date of receipt of the intimation by him that his tender has been accepted.

#### PRICES AND OTHER CONDITIONS

- 14. The details of items and works required are shown in Annexure-V.
- 15. A copy of the tender conditions and the Schedules should be signed by the tenderer at the bottom of each page with the office seal duly affixed and returned along with the tender. An index with page number for the certificates, Earnest Money Deposit etc. should be enclosed with the Tender Document.
- 16. Tenders should be typewritten and every correction in the tender should be attested with full signature by the tenderer with date before submission of the tenders to the authorities concerned, failing which the tender will be ineligible for further consideration. Corrections done with correction fluid should also be duly attested.
- 17. The tenderers should quote the rates in Annexure VIII for the item and works described as per the specification in Annexure V. Any omission will result in the rejection of the tender.
- 18. Rates quoted should be inclusive of basic price, packing forwarding, freight and insurance, import duty and GST. The GST suffered shall be shown separately.
- 19. Each tender must contain not only the rate but also the total value of the item quoted for supply in the respective columns. The aggregate value of the item quoted in the tender shall also be furnished [Annexure VIII].
- 20. The price quoted by the tenderers shall not in any case, exceed the controlled price, if any, fixed by the Central / State Government and the Maximum Retail Price (MRP). The purchaser at his discretion will in such case exercise, the right to revising the price at any stage so as to conform to the controlled price or MRP as the case may be. This discretion

- will be exercised without prejudice to any other action that may be taken against the tenderer.
- 21. The rates quoted and accepted will be binding on the tenderers for the stipulated period and on no account will any increase in the price be entertained till the completion of this tender period.
  - **NOTE:** No tenderer shall be allowed at any time on any ground whatsoever to claim revision of or modification in the rates quoted by him. Clerical error, typographical error etc., committed by the tenderers in the tender forms shall not be considered after opening the tenders. Conditions such as "SUBJECT TO AVAILABILITY" "SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED" etc., will not be considered under any circumstances and the tenders of those who have given such conditions shall be treated as incomplete and for that reason, shall be summarily rejected.
- 22. If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or Act of the Central or State Government or by the tenderer himself, the tenderer shall be bound to inform the Chief Executive Officer, Tamil Nadu Livestock Development Agency, Chennai immediately about such reduction in the contracted prices. The Chief Executive Officer, Tamil Nadu Livestock Development Agency, Chennai is empowered to unilaterally effect such reduction, as is necessary, in rates, in case, the tenderer fails to notify or fails to agree for such reduction of rates. Tenderers are requested to indicate the percentage of the GST to be charged for the item quoted with proof. In case of any enhancement in GST / reduction in GST due to Statutory Act of the Government after the date of submission of tenders and during the tender period, the clearance of additional GST so levied will be allowed to be charged extra as separate item without any change in price structure for the establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at The Advanced Institute For Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot road, Salem District approved under the tender. For claiming the additional cost on account of the increase in GST, the tenderer should produce a letter from the concerned authorities indicating the increase in GST for the supply made to TNLDA. Similarly, the reduction of GST to be brought to the notice of TNLDA with the letter from GST authorities.
- 23. The tenderer has to establish and commission a pig slaughter line of 10 pigs per hour capacity at The Advanced Institute For Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot road, Salem District as specified in the tender. In case of any deviation, the tender is liable for rejection.

- 24. The supplies/works will be deemed to be completed only upon receipt of the quality certificates from the institution(s) who receives the items tendered. Supplies, which do not meet quality requirements and statutory standards, shall render the relevant items to be rejected. The tenderer shall also not be eligible to participate in TNLDA tenders for the establishing and commissioning of chicken slaughter line of 500 birds per hour capacity at The Advanced Institute for Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot road, Salem District during the subsequent year.
- 25. The decision of the Chief Executive Officer, Tamil Nadu Livestock Development Agency, Chennai, or any Officer authorized by him as to the quality of the tendered item shall be final and binding.

#### ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS

- 26. The Chief Executive Officer, Tamil Nadu Livestock Development Agency reserves to himself the right to reject the tenders or to accept the tenders for the supply of the item tendered and execution of the works as in the tender without assigning any reason.
- 27. The Chief Executive Officer, Tamil Nadu Livestock Development Agency will be at liberty to terminate without assigning any reasons thereof, the contract either wholly or in part, on one month notice. The tenderers will not be entitled for any compensation whatsoever in respect of such termination.
- 28. The acceptance of the tenders shall be communicated to the tenderers in writing.
- 29. The Purchase Order shall be placed by Tamil Nadu Livestock Development Agency on execution of the agreement and remittance of the security deposit.
- 30. The establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at The Advanced Institute for Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot Road, Salem District should be completed within **120 days** from the date of receipt of firm order. If it is not completed within **120 days** from the date of receipt of firm order, penalty shall also be levied on the tenderer as per this tender document. He shall also suffer forfeiture of Security Deposit. However, the Chief Executive Officer, TNLDA at his discretion can accept delayed supply with appropriate liquidated damages, which will be a sum equivalent to 0.5% of the delivered price of the delayed goods for each day of delay until actual delivery, upto a maximum deduction of 10% of the total contract price.
- 31. If the tenderer fails to execute the project within the stipulated time, TNLDA is empowered to make alternative arrangements and claim the difference in total cost from the tenderer in addition to other penal clauses.

32. The Chief Executive Officer, TNLDA or his authorized representative(s) has the right to inspect the factories of those companies who have quoted for the tender, before, accepting the rate quoted by them or before releasing any order(s) or at any point of time during the continuance of tender and has also the right to reject the tender or terminate / cancel the orders issued or not to re-order based on facts brought out during such inspections.

#### PAYMENT PROVISIONS

- 33. No advance payments towards the cost of the establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at The Advanced Institute for Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot Road, Salem District will be made to the tenderer.
- 34. Payments for the establishing and commissioning of pig slaughter line of 10 pigs per hour capacity at The Advanced Institute For Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot road, Salem District will be considered only on the basis of reports (Certified Stock Entry Invoice) received from the Consignee Officers of the Department of Animal Husbandry / to whom the consignment is addressed, regarding the quantity received and quality of the received goods and works executed against the purchase orders.
- 35. If the successful tenderer fails to execute the agreement and or deposit the required security within the time specified or withdraw his tender after the intimation of the acceptance of his tender has been sent to him owing to any other reasons, he is unable to undertake the contract, his contract will be cancelled and the Earnest Money deposited by him along with the tender will be forfeited. He will also be liable for all damages sustained by the TNLDA or its participating agencies due to his failure; including the liability to pay any difference between the prices accepted by him and those ultimately paid by the indenting authority for the procurement of the articles concerned. Such damages shall be assessed by the Chief Executive Officer of Tamil Nadu Livestock Development Agency whose decision will be final and the amount so assessed will be recoverable by proceeding under the Tamil Nadu Revenue Recovery Act 1864 (Madras Act. II of 1864 as an arrear of Land Revenue).
- 36. If any of the articles which the tenderer has failed to supply is not available in the local market or if it is not possible for the Chief Executive Officer, Tamil Nadu Livestock Development Agency to purchase it in time, for the requirements of the institution, it will be open to the CEO, or to any persons authorized by him on his behalf to purchase a

- substitute for the said article/item and to recover the difference in cost from the tenderer, if any, between the price or prices of the substituted articles which may be purchased or the money which may have been paid for the same.
- 37. The opinion of the Chief Executive Officer, Tamil Nadu Livestock Development Agency as to the availability of the articles in the local market and as to whether it is not possible to purchase it in time for institution requirement and as to the nature and quality of the substitute to be purchased is final and binding on the tenderer.
- 38. No claims shall lie against the Tamil Nadu Livestock Development Agency, Chennai in respect of interest on Earnest Money Deposit or on Security Deposit.

#### **PENALTIES**

- 39. If any of the items supplied by the tenderer which have been put to use are subsequently found to be defective, unsound, and inferior in quality or description or are otherwise faulty or unfit for use, then the contract price or prices of such articles/items or things will be recovered from the tenderer. The tenderer will not be entitled to any payment whatsoever for such article/item.
- 40. For infringement of the stipulations of the contract or for other justifiable reasons, the contract may be terminated by the Chief Executive Officer, Tamil Nadu Livestock Development Agency and the tenderer shall be liable for all losses sustained by the Tamil Nadu Livestock Development Agency, in consequence to the termination which shall be recovered from the tenderer by way of adjusting the amount from the bills payable to him. In the event of such amounts being insufficient the balance shall be recovered personally from the tenderer as per law.
- 41. Non-performance of contract provisions such as delayed supplying, non-supplying, supply of substandard goods etc., will result in cancellation of the tender and will lead to disqualification of the firm from participating in the tender during the subsequent year.
- 42. The decision of the Chief Executive Officer, Tamil Nadu Livestock Development Agency, shall be final and binding.
- 43. In the event of any dispute arising out of the tender such dispute would be subject to the jurisdiction of the Civil Court within the city of Chennai.

#### **WARRANTY**

44. The supplier warrants that the Goods supplied under this contract are new, unused, of the most recent or current models and incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The supplier, further warrants that the

Goods supplied under this contract shall have no defect arising from design, materials or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in conditions prevailing at final destination.

- 45. Warranty shall be as stated in the Annexure V from the date of commissioning of pig slaughter line of 10 pigs per hour capacity and on acceptance by the concerned officers at the final destination indicated in the contract.
- 46. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 47. Upon receipt of such notice, the supplier shall, with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Purchaser.
- 48. If the supplier, having been notified, fails to remedy the defect(s) within the period specified /within a reasonable period, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

#### SPECIAL CONTRACT CONDITIONS

#### 49. Validity of Tender

This rate offered shall be valid for a period of **one year** from the date of opening of price bid.

#### 50. Period

The establishing and commissioning of pig slaughter line of 10 pigs per hour capacity should be completed in 120 days and will be deemed to be completed only on receipt and acceptance by the concerned officers at the final destination indicated in the contract.

#### 51. Warranty

Warranty shall be as specified in the specification from the date of commissioning of pig slaughter line of 10 pigs per hour capacity and acceptance by the concerned officers at the final destination indicated in the Contract.

#### 52. Terms of payments

Payment shall be made only after the completion of the establishing and commissioning of pig slaughter line of 10 pigs per hour capacity and on receipt of such satisfactory reports and certified invoices from the officer in-charge of the institution to which the supply has been made.

#### 53. Security Deposit

The Security Deposit will be returned to the successful tenderer after the completion of warranty period.

#### 54. Goods and Services Tax

Tenderers are requested to quote and indicate taxes (GST) suffered.

#### 55. Language of the Tender

The tender and all correspondences and documents related to the tender exchanged by the tenderer and the purchaser shall be written either in English or in Tamil language. Supporting documents and printed literature furnished by the tenderer may be in other language provided they are accompanied by an accurate translation of the relevant passages in either English or Tamil language, in which case, for purpose of interpretation of the tender, the translation shall prevail.

#### 56. General

The tenderer shall meet and would be bound by all the statutory requirements (eg. the labour welfare, and the safety requirements etc.,) for the execution of the works stated as well as not stated in this document, and would be fully responsible for ensuring the adherence and the consequences of any deficiencies.

#### **GST REMITTANCE STATEMENT**

(To be filled up by the tenderer)

- 01. Name or style in which the applicant is assessed or assessable to GST.
- 02. a. Name and address of all companies, firms or associations or persons in which the applicant is interested in his individual or fiduciary capacity.
  - b. All Centres of business of the applicant (All Centres of business should be mentioned).
- 03. The districts, taluks and divisions in which the applicant is assessed to GST (All the Centres of business should be furnished).
- 04. Total contract amount or value of patronage received in the preceding three years.

2018 - 2019

2019 - 2020

2020 - 2021

05. Particulars of GST for the following three years.

Year	Total Turn Over assessed Rs.	Total Tax assessed Rs.	Total Tax paid Rs.	Balance due Rs.	Reasons for balance
2018 - 2019					
2019 - 2020					
2020 - 2021					

- 06. If there has been no assessment in any year, whether returns were submitted any, if there were, the division in which the returns were sent.
- 07. Whether any penal action or proceeding for the recovery of GST is pending.
- 08. The name and address of Branches if any:

I have enclosed the copies of the GST returns filed for the above period and I declare that the above information is correct and complete to the best of my knowledge and belief.

nformation is correct and complete to the best of my knowledge and belief.	
Signature of Tenderer:	
Address:	
Date	

#### **DECLARATION FORM**

I / We	having our	
		do declare that I /
We have carefully read all the co	nditions laid down in the te	ender document (including Annexure,
corrigenda, errata) issued by the	Chief Executive Officer,	Tamil Nadu Livestock Development
Agency Chennai, for the tender	floated by him for the esta	ablishing and commissioning of pig
slaughter line of 10 pigs per hou	ar capacity at The Advance	ced Institute for Integrated Research
on Livestock and Animal Scien	nces, Thalaivasal Koot ro	oad, Salem District and abide by all
conditions set forth therein.		
I / We also declare that v	we have taken steps to ensu	ure that no person acting for us or on
our behalf will engage in any	type of corrupt, fraudulen	t, collusive, coercive, or obstructive
practices.		
	S	ignature:
		Date:
	Name of	the firm:
		Address:

ATTESTED BY NOTARY PUBLIC

# SALES/PROJECTS EXECUTED -PERFORMANCE STATEMENT (DURING THE LAST THREE YEARS)

#### Name of Tenderer:

Name of the product	Year	Quantity Produced (in nos.)	Quantity Supplied (in nos.)	Name and full address of the purchaser (Proof to be enclosed)*
	2018 – 2019			
	2019 – 2020			
	2020 - 2021			

#### **Projects Executed**

Year	Name of the project	No. of projects	Value in Rs.	Name and full address of the purchaser (Proof to be enclosed)*
2018 – 2019				
2019 – 2020				
2020 - 2021				

#### \* Proof:

- 1. Copies of Purchase Orders/work orders in the name of the tenderers
- 2. Copies of invoices raised by the tenderers

#### ANNEXURE-IV

#### ANNUAL TURN OVER STATEMENT

The An	nual Turnover of M/.s		for the past three years
are give	n below and certified	that the statement is true and correct	t.
S.No	Year	Turnover in lakh (Rs)	
1	2018 – 2019		
2	2019 – 2020		
3	2020 - 2021		
	Total -	Rs1a	akh
	<u> </u>	I	
Average	e turnover per annum -	- Rslakh.	
			Signature of Auditor/ Chartered Accountant
Date:			
Seal.			(Name in capital)

#### **SPECIFICATION**

ESTABLISHMENT AND COMMISSIONING OF PIG SLAUGHTER LINE, CAPACITY 10 PIGS PER HOUR

Tender for Pig Slaughter line with Automatic Conveyor slaughter line 10 pigs per hour capacity including, processing, Steel Structure, PUF Panels, Refrigeration, Internal Electrical and Plumbing work inside the building Related to Slaughter Machinery except civil work.

#### Scope

Supply, delivery, installation of the equipment and machinery as per specification, quality and quantity, internal Electrical and Plumbing work inside the building Related to Slaughter Machinery, establishment of facility and commissioning of the plant and demonstration of the unit.

#### Site

The Advanced Institute for Integrated Research on Livestock and Animal Sciences, Thalaivasal Koot road, Salem District

#### **Process Flow**

#### Pig Slaughter line, capacity 10 Pigs/hour

Pigs are rested in pens, then animals are weighed and moved to the stunning box through raceway, the animals are stunned by electrical stunner. After stunning, with the help of electric hoist, the stunned animals are suspended upside down and the animals are stuck to bleed and blood is collected in blood tank. Then the bled carcass is moved to scalding tank with the help of electric hoist. The water in the scalding tank maintained around 70°C to 80°C. The scalded carcasses are transferred to de-hairing machine by electric hoist. The hair scraper / rotator in the de-hairing machine remove the hairs from the skin and then the de-haired carcasses is moved to unloading table for singeing by hand held torch. Then carcasses are hung in the dressing conveyor. The carcasses are opened for removal of offal. The offal are placed in the respective place for veterinary inspection. The fit carcasses are moved to the next station for splitting into two halves by electric splitting saw and then the carcasses are washed.

#### Pig slaughter line control

- 1. The restrainer/stunning box must have independent pneumatic control to maintain the speed of the line 10 per hour.
- 2. The killing is a manual operation and run independent from the slaughter line.

- 3. The bleeding conveyor speed must be controlled by variable frequency drive to make sure the correct speed to attain the speed of the dressing line.
- 4. The de-hairing machine speed must be controlled by variable frequency drive to attain the speed of 10 animals per hour in the operation
- 5. The dressing conveyor speed must be controlled by variable frequency drive to make sure the correct speed output to attain the 10 animals per hour speed.
- 6. All conveyors must be equipped with emergency stop button, which are always in run on mode and stops only when the emergency stop button is pressed

S.No	Description					
1.	Pork Slaughter Line 10 per hour					
2.	Chiller Line for 80 Pigs including Suspension structure - inside PUF panel.					
3.	Processing Area - 2 Deboning Tables.					
4.	Staff Lockers, gum boot stand, foot wash - All items in Stainless Steel					
5.	All offal and slaughter gates - non PUF - in Stainless Steel - approx. 500 kg - 10					
	gates					
6.	Two PUF insulated Sliding Doors for chillers and cold store					
7.	Lairage inside partitions of pens - approx. 2 tons - 4 feet height in Side and 6 feet on					
	outer side. 60 mm outer dia. of 3mm thickness and 30mm outer dia. of 2mm					
	thickness - facilities to hold one day through put – 8 number of pens					
8.	Insulated PUF - for cutting room, cold storage, processing unit covering –					
	All 4 side walls of 50 mm, roof insulation of 50 mm for cutting and processing room,					
	All 4 side walls of 100 mm, roofing of 100 mm and floor of 80 mm for chiller,					
	All 4 side walls of 150 mm, roofing of 150 mm and floor of 100 mm for Cold					
	storage,					
	All wall height 4.5 meter total PUF panel approx. including flushing and installation					
	(40  kg)					
9.	Refrigeration plant Unit piping indoors and outdoors' with Ammonia unit -					
	Condensers, Compressors, all indoors, insulation, installing, panel, piping					
10.	Blood coagulator with dryer					
11.	Electrical Panel with transformer & cabling inside the compound 140 kVA					
12.	Electrical wiring and lighting inside the building for slaughter machinery					
13.	Plumbing and water fitting for slaughter machinery inside the plant					
14.	Generator 200 kVA					
15.	Miscellaneous Items					
16.	Installation & Erection Charges					

#### Pig Slaughter Line 10 per hour

S.No	MACHINERY AND EQUIPMENT			
1.	Live pig weighing scale with stainless steel - larger display to ensure the	1		
	easy readability - compatibility with computer integration			

S.No	MACHINERY AND EQUIPMENT				
	• Platform in hot dip galvanized steel, non-slippery and display in stainless steel 304.				
	• The platform top - stainless steel 304 with dimples every inch providing				
	grip to pig, ensuring it is non-slippery, compliant with the humane				
	practice of slaughtering guidelines.				
	• 1 SS water resistant load cell with moisture protection - 2 inch size				
	display.  The platform should be hig enough to make sure one nig can stand				
	• The platform should be big enough to make sure one pig can stand comfortably.				
2.	Race way made with 304 stainless steel	1			
	Non slippery floor for both animal and man.				
	• The race way - galvanised steel with base of pipe size 50mm x 50mm x 3mm and covered with 6 mm MS galvanised chequered plate and the angles welded on the top in compliance with the humane practice of slaughtering guidelines.				
	• Side supports - MS galvanised pipe of 32 mm round pipe X 3mm thickness frame with 25 mm round pipe of 2 mm parallel pipes of 6 inch gap between each pipe.				
	• The raceway with no sharp corners or edges, made with 304 stainless steel				
	• Pipe structure with sufficient space for pig to move forward in one line and also a separate space to move a man along with them or stand to move forward the Pig entering.				
3.	<b>Restrainer stunning box with electric stunner</b> 3 foot long to ensure that	1			
	1 Pig can be fitted in line to enter the slaughter hall for stunning purpose Stunning box with two sides capable of squeezing the pig, with force applied by manually operated pneumatic cylinders.				
	Low voltage electrical stunner (less than 150 volts optimally 90 volts,				
	1.0A) Tackwicel data				
	Technical data  • Programatic avlinders : 2 inch diameter 12 inch stroke (4 pieces)				
	<ul> <li>Pneumatic cylinders : 3 inch diameter 12 inch stroke (4 pieces)</li> <li>Stunning box dimensions:</li> </ul>				
	• Length - 1100 mm, Width - 800 mm, Height -1200 mm				
	Body, Floor and Support : Stainless Steel 304				
4.	Bleeding Conveyor With Hoist (electric)	1			
	• Equipped with 2 electric hoist one for loading and another for unloading				
	• Bleeding time: 5-6 minute bleeding time				
	Made with stainless steel pipe structure in bi rail design for				
	smooth movement				
	Hanging on galvanised support structure				

S.No	MACHINERY AND EQUIPMENT	Qty.			
	Sprocket and base of the gearbox motor - Made of Stainless				
	steel 304				
	• Chain - Made of stainless steel 304				
	Non-bearing chain and supported with nylon supports.				
	Pneumatic cylinder to push the shackle from hoist to bleeding rail				
	Technical Description				
	<ul> <li>Supporting structure - Twin pipe of size - 100 X 50 mm x 5 mm, 50mm x 50 mm x 5 mm</li> <li>Conveyor chain - Stainless steel 304</li> </ul>				
	• Pusher - SS 304				
	• Twin Pipe conveying the hook - Stainless steel 304 pipe - size 60 mm x 40 mm x 2mm				
	Speed Reduction gearbox with 2 HP motor				
	• Chain type : Double hinged with carrier hooks				
	Conveyor type : Horizontal				
	Type of rail track : Twin Rail				
	Material of chain rollers : Nylon				
	Distance between push fingers: 700 mm				
	• Speed Controlled by : Variable frequency drive				
	• Emergency Stop : IP65 Grade				
	• Electric Hoist capacity : 250 kg				
	Drive Gear Box and Motor : Mentioned in items manufacturing				
	principle				
5.	Killing Station	1			
	Pig bled while hanging upside down - blood collected in bleeding trough				
	Bleeding trough with blood spill protection guard for minimum blood spill				
	Technical description				
	• Frame pipe size - 60mm X 60mm X 2 mm SS 304 pipe				
	Removable top Grill Pipe Size - 25mm X 12mm X 1.2mm in SS 304				
	Pipe				
	Blood spill protection sheet - 2mm thickness SS 316 of dimension 1100				
	mm X 800 mm X 800 mm				
6.	Blood Trough with Blood Tank of 500 liters	1			
	Blood trough - SS 304 3 foot wide with curved edges for easy cleaning				
	narrow blood flow area for better blood flow.				
	Blood trough to collect all the dripping and spilled blood from the				
	animal while it was moving on the bleeding conveyor.				
	Blood trough connected to blood tank via a 6 inch diameter pipe				
	Blood trough & tank - stainless steel 316				

S.No	MACHINERY AND EQUIPMENT		
	Blood tank provided with an agitator		
	Technical description		
	Capacity of blood tank - 500 Litres		
	• Pipe size of frame of blood trough - 50mm X 50mm X 2 mm of SS 304		
	• Sheet thickness of blood trough - 2 mm of Stainless steel 316		
	• Sheet thickness of blood tank - 2 mm of Stainless steel 316		
	Agitator of blood tank fitted with the speed reduction gearbox with		
	0.5 HP motor		
7.	Scalding Tank with Steam line in bottom	1	
	<ul> <li>Insulated double jacketed scalding tank with steam pipes for water</li> </ul>		
	heating and manual lifter to transfer the pig from scalding tank to		
	Dehairing machine		
	Capacity of the scalding - one pig at a time		
	Technical description		
	Capacity of scalding tank – 1 pig.		
	Pipe size of frame of scalding tank - 50mm X 50mm X 2 mm of SS		
	304		
	• Sheet thickness of scalding tank inside - 2 mm of SS 304		
	• Sheet thickness of scalding tank outside 1.5 mm of stainless steel 304		
	Insulation : Ceramic Blanket with rock wool		
	• Steam Pipe: 50 mm main steam - Header pipe line in SS 304.		
8.	Rotatory Dehairing Machine with unloading	1	
	Dehairing machine with bottom rotator - Scrappers with hair		
	collection pit and pneumatic unloading mechanism for transferring		
	dehaired pig from machine to table - All Body and Stand SS 304		
	• Pipe size of frame of Dehairing machine - 50mm X 50mm X 2 mm of		
	SS 304		
	• Sheet thickness of Dehairing machine - inside 2 mm of Stainless steel		
	304		
	Technical data		
	Motor : One Motor of 5HP, One Motor of 3 HP		
9.	Unloading table & Burning Station	1	
	The hand held burner is used to burn leftover hairs on the skin of the pig.		
	The pig is turned and revolved manually or can be rotated after lifting it		
	with hoist.		
	Technical data		
	Torch burner size : 2 inch		

S.No					
10.	Dressing Conveyor with Loading Hoist (electric)				
	• The carcass is lifted from burning station by electric hoist and				
	transferred to dressing conveyor by Pneumatic cylinder.				
	• Pig carcass - hanging on the dressing conveyor - for entire operation				
	till the end of the slaughtering, until Veterinary Inspection, washing and				
	cleaning the carcass and thereafter to chillier rail or condemned carcass				
	rail				
	• Supporting structure pipe size - 100 X 50 mm x 5 mm, 50mm x 50				
	mm x 5 mm				
	• The conveyor chain - stainless steel 304				
	• The sprocket and the base of the gearbox motor is also of Stainless				
	steel 304.				
	• Pusher - SS 304				
	• Twin Pipe conveying the hook - Stainless steel 304 of pipe size 60				
	mm x 40 mm x 2mm				
	• Speed reduction gearbox with 3 HP motor				
	o Chain type: double hinged with carrier hooks				
	o Conveyor type : Horizontal				
	o Type of rail track: Twin Rail				
	<ul><li>Material of chain rollers : nylon</li></ul>				
	O Distance between push fingers: 1000 mm				
	<ul> <li>Speed Controlled by : Variable frequency drive</li> </ul>				
	• Emergency Stop : IP65 Grade				
	• Electric Hoist capacity : 250 kg				
	Drive Gear Box and Motor : Mentioned in items manufacturing				
1.1	principle	1			
11.	Splitting Station with sterilizer	1			
	Electric powered splitting saw				
	<ul> <li>Splitting tool is used to split the carcass and the steriliser is to sterilized the saw</li> </ul>				
	<ul> <li>Pipe size of frame of Sterilizers 32mm X 32mm X 2 mm of SS 304</li> <li>Sheet thickness of Sterilizer inside 2 mm of Stainless steel 304</li> </ul>				
	Sheet thickness of Sterilizer inside 2 mm of Stainless steel 304 <b>Technical data</b>				
	Motor : One Motor of 2HP				
	<b>Dimensions:</b> Length -1600 mm, Width -1200 mm, Height - 1000 mm				
12.	Platforms for workers with Hand Wash Basin				
12.	All Stainless steel 304 body with non-slippery grill on top with water	4			
	collection tray.				
	<ul> <li>Working platform for workers to provide required height to work</li> </ul>				
	on each operation of work such as killing, splitting, skin punching,				
	offal removal, washing				

S.No	MACHINERY AND EQUIPMENT			
	All platforms to be equipped with hand wash unit with foot			
	operated valve to open and close the water flow for washing the			
	hands			
	All platforms and hand washbasin - Stainless steel 304			
	Hand wash unit - Free standing construction for washing hands.			
	Technical description			
	o The unit of stainless steel 304 and fitted onto a column. Supply and			
	discharge connections to be integrated in this column.			
	The unit should contain - a hand washing section with a splash guard,			
	foot operated shut-off valve with discharge pipe and a funnel-shaped			
12	collection tank .The drain fitted with a stench trap to be provided.	1		
13.	Offal Chute	1		
	• Stainless steel 304 chute for the transport of by-products to			
	processing room.			
	• The corner bends of the chute - not sharp but curved			
	• Stainless Steel 304 Sheet thickness of 2 mm			
	<b>Dimensions:</b> Length - 1600 mm, Width - 400 mm, Height -300 mm			
14.	Offal inspection table	1		
	All stainless steel 304 body - Design - with slopes slide connected to offal			
	chutes.			
	<ul> <li>Inspection table for the veterinary Inspection of the offals along with the carcass</li> </ul>			
	• The table with separate section for white offals and red offals and can			
	accommodate offal's of 2 animals for inspection.			
	• Stainless steel 304 pipes for frame of 50mm X 50 mm X 2mm			
	Stainless Steel 304 sheet of 2 mm on top			
	• Stainless Steel 304 - 5 mm strip for making partitions on the table			
	<b>Dimensions:</b> Length - 1400 mm, Width - 800 mm, Height - 1000 mm			
15.	Trolleys for Offals	5		
	All Stainless steel 304 body.			
	<ul> <li>Single joint trolley with all 4 sides bend in curves</li> </ul>			
	<ul> <li>Base also with curved bottom. Piped support on top. Capacity 200</li> </ul>			
	litre			
	<b>Dimensions:</b> Length - 600 mm, Width - 600 mm, Height - 620 mm			
16.	Online static weighing scale - compatibility with computer integration	1		
	<ul> <li>Structure in galvanized steel with capacity of 250 kg.</li> </ul>			
	<ul> <li>1 SS Load Cell with moisture protection and water resistance.</li> </ul>			
	o The display of the load cell - 2 inch size.			
17.	Knife Sterilizers, knife Set with Sharpener	5		
	All Stainless steel 304 body. With electric auto cut to maintain the required			
	temperature (82°C) for better hygiene and cleanliness maintenance. Easy			
	to clean and use. All stainless steel knives with plastic molded handle.			

S.No	MACHINERY AND EQUIPMENT				
	Stainless Steel 304 construction with digital temperature controller				
	and display				
	o 500 watt heating element, with 2 knife and 1 sharpener holder.				
	○ IP 65 protection digital display.				
	o Insulated to maintain the Hot water temperature 82°C				
	<b>Dimensions:</b> Length - 300 mm, Width - 150 mm, Height - 300 mm				
18.	Washing Station with Sanitizer spray	1			
	All SS body with nylon screen on back for better cleaning and low noise				
	fixed shower and shower for easy and proper cleaning purpose also with				
	hand help sanitizer spray				
	Stainless Steel 304 Frame with PC Splash Screen for low noise and				
	better protection of spillage of water when washing the carcass				
	manually.				
	• Frame in Stainless steel pipe size 50mm X 25 mm X 2mm				
	PC sheet of 10 mm thickness				
	<b>Dimensions:</b> Length - 1600mm, Height - 1800 mm, Width - 1250 mm				
19.	Shackles & Hooks	1 set			
	Bleeding shackle - 10, dressing hooks - 15, half carcass Chiller Hooks -				
	200.				
	Bleeding Shackle for Pig				
	o Middle pipe : Stainless Steel 304				
	o Hook Rod - 16mm : Stainless Steel 316				
	o Roller wheels : Nylon (2)				
	<u>Dressing hooks for Pig</u>				
	o Middle pipe : Stainless Steel 304				
	o Hook Rod - 16 mm : Stainless Steel 316				
	o Roller wheels : Nylon (2)				
	Chiller hooks for Pig				
	o Middle pipe : Stainless Steel 304				
	o Hook Rod - 12 mm : Stainless Steel 316				
	o Roller wheels : Nylon (2)				
20.	<b>Chiller :</b> Temperature range : 0 to 4°C ; Capacity : hanging 80 carcasses	1			
21.	Freezer: Temperature range: -18 to -20°C; Capacity: 1 ton	1			
22.	Air conditioner	7			
	Office 1No. x 1.5 ton commercial air conditioner	(Total)			
	Laboratory 2 Nos. x 1.5 ton commercial air conditioner				
	Processing area 4 Nos. x 1.5 ton industrial air conditioner				
23.	Cold storage	1			
	Temperature range: -20 to -25°C; Capacity: 5 ton				
24.	Commercial Deep Freezer :	3			
	Capacity : 400 Litres				

S.No	MACI	HINERY AND EQUIPMENT	Qty.
	Number of Doors	: Single	
	Body Material	: Metal Powder coated	
	Defrost Type	: Auto-Defrost	
	Type	: Top Open	
	Capacity (in Litres)	: 400 ltr	
	Temperature Range	: -18 to -24	
	Door type	: Swing Door	
	Refrigerant	: R 134 a	
	Material	: Aluminium	

#### **Items Manufacturing Principle:**

- All items of the machine part must be in stainless steel 304.
- All Machine suspension Items must be of Galvanize Steel.
- All Nut Bolts used in Machines must be of Stainless Steel 304.
- All Nut Bolts fasteners used in hanging and supporting system must be of coated MS.
- Water over flow protection water spill protection, guards, safety for human protection items, temperature gauges, valves, hose pipes, must be of reputed brands.
- All motors must be of brands such as ABB, Crompton Greaves, Siemens, Toshiba,
   Nidec, Rockwell, AMETEK, Regal Beloit, Johnson Electric
- All gear boxes must be of brands such as Bauer, SEW, Flender, Nord, Rexroth, Zollern, Rossi, Bonfiglioli, Sumitomo, Rotork, Curtis Machine SIPCO-MLS, Danko Arlington, Logan Clutch Corporation, Multi Products Company, Excel Gear, Torque Transmission, Astro Flight, Houston Gear
- All electrical controls must of brands such as L&T, Havells, ABB, Siemens, GE.
- Equipment must comply with the standards and guidelines prescribed by International and National quality and safety bodies viz ISO, APEDA, SPS, Codex Alimentarius, BIS, FSS

#### **Guarantee and Warrantees:**

- 1. Guarantee of 2 years for all the metal moving parts / products manufactured against any manufacturing defect.
- 2. Guarantee of 5 years for all the Static parts / products manufactured, if parts get the welding damages if any must be repaired onsite without any extra charge.
- 3. All electrical parts / products, must have the standard guarantee given by the manufactures like electric motors, gear boxes, plastic parts, etc.,

#### Annexure - VI

### Manufacturer's Authorization letter for attending the tender and etc. No.\_\_\_\_\_ Dated.\_\_\_\_\_ To Dear Sir, Tender Ref. No. 84/E/AIIRLIVAS/TNLDA/2022 We \_\_\_\_\_ who are established and reputable manufacturers of \_\_\_\_\_ \_\_\_\_\_ having factories \_\_\_\_\_\_/providing.....services at \_\_\_\_\_ possessing Registered office at \_\_\_\_\_ with License No.\_\_\_\_\_,dated\_\_\_\_\_,Valid Upto\_\_\_\_\_ (Copy enclosed) do hereby authorize M/s.\_\_\_\_\_ (Name and Address of Representative) to submit a tender, and subsequently negotiate and sign the contract with you against the above mentioned tender. No company or Firm or individual other than M/s.\_\_\_\_\_\_ are authorized to tender, negotiate and conclude the contract in regard to this business against this specific tender. We hereby extend our full warranty for a period as per specification (Annexure V) from the date of supply delivery, installation, establishing and commissioning of pig slaughter line of 10 pigs per hour capacity and on acceptance by the concerned officers at the final destination indicated in the Contract as per the tender conditions for the goods and services offered against this invitation for tender by the above Firm Yours faithfully, (Name) for and on behalf of M/s.\_\_\_\_\_

Note: This letter of authority should be on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer.

(Name of Manufacturers)

#### DETAILS OF MANUFACTURING UNIT OF MANUFACTURER

1. Name of the Manufacturer & Full Address of the manufacturing	unit :
2. Phone Nos.:	
3. Fax:	
4. E-mail:	
5. Date of Inception :	
6. License No. &Date:	
7. Issued by:	
8. Valid up to :	
9. Details of manufacturing activity:	
10. Annual manufacturing capacity:	
11. Name of the authorized signatory:	
12. Specimen signature of the authorized Signatory:	
* The details of manufacturing unit shall be for the premises where item manufactured.	s quoted are actually

#### TAMIL NADU LIVESTOCK DEVELOPMENT AGENCY, CHENNAI-35

## TENDER No. TNLDA/2022/10 TENDER FOR THE OF ESTABLISHING AND COMMISSIONING OF THE PIG SLAUGHTER LINE OF 10 PIGS PER HOUR

S. No	Name of the item &specification tendered	Basic price (Rs.)	Packing and forwarding charges (Rs.)	Freight & Insurance charges (Rs.)	Others (if any) (Rs.)	Total (Rs.)	GST (Rs.)	Total landed price (inclusive of all tax) (Rs.)
1	2	3	4	5	6	7	8	9
	Establishing and Commissioning of Pig slaughter Line of 10 pigs Per Hour at The Advanced Institute for Integrated Research on Livestock and Animal Sciences at Thalaivasal Koot Road in Salem District, Tamil Nadu (with Automatic Conveyor slaughter line of 10 pigs per hour capacity including, processing, Steel Structure, PUF Panels, Refrigeration, supply installation and commissioning of machineries, Internal Electrical and Plumbing work inside the building Related to Slaughter Machinery) (Specification as per Annexure V)							

Total landed price (inclusive of all taxes) (Rs.) (in words): Rupees .....

Place:	Signature
	Name of the authorised signatory
Date:	Designation
	Seal