

SCHEDULE – A
ANAIMALAI TOWN PANCHAYAT

Est. No.:
Estimate Amount: **Rs.11,75,000/-**
EMD.Amount :
Tender Date & Time:

Sold to : Thiru.
Challan No. Date.

Schedule of rates and approximate quantities to accompany the tender for the work of

Construction of Culvert and drain at ward no:14 ramu street , thattar street in Anaimalai Town Panchayat.

- a) The quantities have given are those upon which the lump-sum tender cost at the work is caused but they are subject to alterations, omissions, deductions or additions as provided for in the conditions of the contract and do not necessarily show the actual quantities of the work to be done. The unit of rates noted below are those governing payment for extras or deductions for omission according to the conditions of the contract as set forth in the conditions and specification for the contract.

- b) It is to be expressively understood that the measured work it is to be taken out (Not withstanding any customarily practice to the contrary according to the actual quantities when the place and finished accordingly to the Drawings or as may be ordered time to time by the Town Panchayat Engineer and the cost calculated by works connected there with. The rate quoted is for the works in site and complete in every respect.

- c) The material required for the works must be supplied by the contractor and of the approved quality

Signature of Contractor

TENDER SCHEDULE

Name of work : Construction of Culvert and drain at ward no:14 Ramu street, Thattar street in Anaimalai Town Panchayat.

Estimate amount: Rs.11,75,000/-

Name of Scheme: MLACD 2021-22

Sl. No.	Probable Quantity		Description of Work	TNDSS & MORTH Specification No.	Rate		Unit	Amount
					In Figures	In Words		
1	177.00	M3	Earth work excavation for foundation and depositing on bank with in the initial lead of 10m and a lift of 2m in hard stiff clay, stiff block cotton, hard red earth, shales, murrum, gravel, stoney earth and earth mixed with small size boulders etc. complete. complying with std. specifications.SS 20 B				1 m3 (One Cubic Metre)	
2	26.00	M3	Plain Cement Concrete 1:4:8 Mix (one part cement, Four part sand and Eight part of aggrigate) using 40mm size ISS HBG metal machine crushed from approved quarry including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications.				1 m3 (One Cubic Metre)	

Signature of Contractor

Sl. No.	Probable Quantity		Description of Work	TNDSS & MORTH Specification No.	Rate		Unit	Amount
					In Figures	In Words		
3			Centering for sides and soffits of R.C.C Slab surfaces such as beams, lintels roof slabs and sunshades including cost and conveyance of all materials to site and labour charges for centering and structing upto 3.00 m height etc. complete. Complying with std specifications					
a	432.00	M2	Side Centering				1 m2 (One Square Metre)	
b	28.00	M2	Deck slab				1 m2 (One Square Metre)	
4	93.00	M3	Plain Cement Concrete 1:2:4 Mix (one part cement, Two part Msand and four part of aggregate) using 20 mm size ISS HBG metal from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing. Laying and curing etc. complete. Complying with std. specifications.				1 m3 (One Cubic Metre)	
5	75.00	M2	Finishing the top of flooring with granoletic floor finish in cement concrete 1:2:4 mix using 10-12mm ISS metal to 25mm thick including cost and conveyance of all materials to site and all labour charges for mixing, laying, curing etc complete				1 m2 (One Square Metre)	

Signature of Contractor

Sl. No.	Probable Quantity		Description of Work	TNDSS & MORTH Specification No.	Rate		Unit	Amount
					In Figures	In Words		
6	800.00	KG	Supplying fabricating and placing in position of steel rods using TMT or Ribbed Tor Steel including cost of binding wire, cost of labour charges for fabrication and placing in position etc. Complete. Complying with std. specifications.				1 kg (One Kilogramme)	
7	8.00	M3	Vibrated Reinforced Cement Concrete 1:1½:3 Mix (One part cement, one and half part sand and three part of aggregate)using 20mm size ISS HBG metal machine crushed from approved quarry including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing but excluding cost of reinforcement etc. Complete with std. Specifications.				1 m3 (One Cubic Metre)	
8	2.00	Nos	Supply and fixing of Manhole cover of size 60 x 60cm Heavy Duty with frame including all charges etc complete.				1 No (One Number)	

Signature of Contractor