Item Rate BoQ

Tender Inviting Authority: President Devanurpudur Panchayat.

Construction of 100000 lits OHT at Erisinampatti. H/O Erisinampatti.

Contract no : Bidder Name : **PRICE SCHEDULE** (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) NUMBER TEXT # NUMBER # TEXT # NUMBER # TEXT # NUMBER # SI. BASIC RATE In Words To be entered by **BASIC RATE In** TOTAL Item Description Quantity Units No. Figures To be the **Bidder** AMOUNT entered by the Rs. Ρ In Words Bidder Rs. P 1 2 3 5 6 7 4 Earth work excavation for foundation and depositing on bank within an initial lead of 10m and an initial lift of 2m for 1.00 the following classification of soil 0.00 including shoring, strutting, bailing out water wherever necessary and all other incidental charge In hard stiff clay, stiff black cotton, hard red earth, shales, murams, gravely Cubic 2.00 stoney earth and earth mixed with 20.88 Meter small sized boulders and hard gravelly soil

| 3.00 | In soft disintegrated rock,laterite,kankar etc. (not requiring blasting) | 20.88 | Cubic Meter | | |
|------|---|-------|----------------|--|--|
| 4.00 | In MDR rock,laterite,kankar etc. (not requiring blasting) | 34.80 | Cubic Meter | | |
| 5.00 | Collection and supply of sand and filling in to the basement including cost and conveyance to the siteand all labour charges for filling as per standard speecifications. | 6.96 | Cubic Meter | | |
| 6.00 | Cement concrete 1:4:8 (One cement, four sand and eight course aggregate of 40mm size hard blue granite broken stone) for levelling course beyond 1.50m depth below G.L. including the cost of mixing, placing the concrete in position, consolidating finishing the | 3.48 | Cubic Meter | | |
| 7.00 | Supplying and errecting centering for soffits of RCC members or plane surfaces including shuttering, strutting to centering and providing supports etc complete for the following members using MS sheets of size 90 cm x 60 cm BG 10 gauge stiffened with welded | 0.00 | | | |

| 8.00 | Square Column: | 0.00 | | | |
|-------|--------------------------------------|-------|----------------|--|--|
| 9.00 | 0 to 3.3m ht. above G.L and below GL | 30.48 | Squre Meter | | |
| 10.00 | Colum above 3.30m to 4.3 ht from GL | 15.72 | Squre Meter | | |
| 11.00 | Column above 4.30 m upto 5.30 m | 8.40 | Squre Meter | | |
| 12.00 | Column above 5.30 m upto 6.30 m | 8.40 | Squre Meter | | |

| 13.00 | Column above 6.30 m upto 7.30 m | 3.95 | Squre Meter | | |
|-------|--|------|----------------|--|--|
| 14.00 | Central circular column: | 0.00 | | | |
| 15.00 | 0-3.30m above GL | 4.15 | Squre Meter | | |
| 16.00 | Circular portition 0m to 3.00m ht from GL | 1.51 | Squre Meter | | |
| 17.00 | Central Column above 4.30 m upto 5.30 m | 1.26 | Squre Meter | | |

| 18.00 | Column above 5.30 m upto 6.30 m | 1.27 | Squre Meter | | |
|-------|---|-------|----------------|--|--|
| 19.00 | Column above 6.30 m upto 7.30 m | 0.60 | Squre Meter | | |
| 20.00 | Plain Surface | 0.00 | | | |
| 21.00 | Upto 3.30m height above and below GL | 63.22 | Squre Meter | | |
| 22.00 | 3.30 to 4.30 above G/L | 32.70 | Squre Meter | | |

| 23.00 | 6.30m to 7.30m ht | 45.97 | Squre Meter | | |
|-------|--------------------------------------|-------|----------------|--|--|
| 24.00 | 6.31m to 10.30m | 44.96 | Squre Meter | | |
| 25.00 | Curved Surface | 0.00 | | | |
| 26.00 | Upto 3.30m to 4.30m height above GL | 5.03 | Squre Meter | | |
| 27.00 | Up to 6.30m to 7.30m height above GL | 26.11 | Squre Meter | | |

| 28.00 | Up to 7.31m to 8.30m | 46.65 | Squre Meter | | |
|-------|--|-------|-----------------|--|--|
| 29.00 | Up to 8.31m to 9.30m | 46.65 | Squre Meter | | |
| 30.00 | Up to 9.31 to 10.30m | 47.82 | Squre Meter | | |
| 31.00 | Supplying, fabricating and placing in position of RTS rods for reinforcement for various members including cost of steel for all RCC works as directed by departmental Officers. The rate to include the cost of binding wire also. | 5.25 | Metric Tonne | | |
| 32.00 | R.C.C. using M 30 design mix using 20mm HBG stone) for column footing excluding the cost of reinforcement, centering and shuttering but including the cost of mixing, placing, vibrating of concrete curing and finishing etc., complete | 0.00 | | | |

| 33.00 | Coloumn below GL upto 1.50 m to 4.50m | 8.15 | Cubic Meter | | |
|-------|--|-------|----------------|--|--|
| 34.00 | Coloumn below GL upto 1.50 m | 5.87 | Cubic Meter | | |
| 35.00 | Column above GL upto 4.50 m | 8.36 | Cubic Meter | | |
| 36.00 | Column above 4.50 m upto 7.32 m | 3.60 | Cubic Meter | | |
| 37.00 | Above 7.32 m upto 10.98 m | 28.32 | Cubic Meter | | |

| 38.00 | Plastering with cement mortar 1:3 mix to 20mm thick including cost and conveyance of all materials to site and all labour charges etc | 107.45 | Squre Meter | | |
|-------|---|--------|----------------|--|--|
| 39.00 | Plastering with cement mortar 1:3 mix to 10mm thick including cost and conveyance of all materials to site and all labour charges etc | 113.11 | Squre Meter | | |
| 40.00 | Painting two coats with approved cement paint best quality over the plastered surface including cleaning, preparing the surface, curing etc., complet. The quality, shade/ colour of paint shall be got approved by the Executive Engineer. | 310.42 | Squre Meter | | |
| 41.00 | Supply, delivery and fixing in position of RCC man hole cover and frame of size 60 x 60 cm on roof slab and as directed by the TWAD Board Officers. | 2.00 | Each | | |
| 42.00 | Towards supply of the following PVC/GI pipes and specials including all cost and conveyance of all materials etc. | 0.00 | | | |

| 43.00 | 80mm dia GI pipe | 38.00 | Running Meter | | |
|-------|-----------------------|-------|------------------|--|--|
| 44.00 | Flange set | 3.00 | Each | | |
| 45.00 | 80mm dia GM gatevalve | 1.00 | Each | | |
| 46.00 | 80mm dia Elbow | 6.00 | Each | | |