GRAND SCHEDULE – A

POOLUVAPATTI TOWN PANCHAYAT

Est. No.: Estimate Amount: EMD.Amount : Tender Date & Time:

5,000,000 500000 Sold to : Thiru. Challan No.

Date. Date.

Schedule of rates and approximate quantities to accompany the tender for the work of

Deepening and Strengthening of bund, Providing Rivetment workProviding babypond,Inlet and Outlet arrangements,Tree plantation,Providing fencing of Vadivelamapalayam kulam kuttai

- a) The quantities have given are those upon which the lump-sum tender cost at the work is caused but they are subject to alterations, omissions, deductions or additions as provided for in the conditions of the contract and do not necessarily show the actual quantities of the work to be done. The unit of rates noted below are those governing payment for extras or deductions for omission according to the conditions of the contract as set forth in the conditions and specification for the contract.
- b) It is to be expressively understood that the measured work it is to be taken out (Not withstanding any customarily practice to the contrary according to the actual quantities when the place and finished accordingly to the Drawings or as may be ordered time to time by the Town Panchayat Engineer and the cost calculated by works connected there with. The rate quoted is for the works in site and complete in every respect.
- c) The material required for the works must be supplied by the contractor and of the approved quality

GRAND TENDER SCHEDULE

Name of work : Deepening and Strengthening of bund, Providing Rivetment workProviding babypond,Inlet and Outlet arrangements,Tree plantation,Providing fencing of Vadivelamapalayam kulam kuttai

Estimate amount:

5,000,000

SI.	Probable	Quantity	Description of Work	MORTHNo.	Rate		Unit	Amountin rupees
No.			-		In Figures	In Words		
11			Supplying and erecting centering to sides and soffits including supports and strutting with necessary cross bracing for plain surface such as RCC slabs rectangular beams all beams lintels etc., centering for soffits upto 3 meter height using mild steel sheet of size 90 cm x 60 cm x 10 mm gauge with MS angles of size 25mm x 25mm x 3mm laid over silver oak (CW) joists of size 10cm x 6cm spaced upto 90cm c/c and casurina props					
			or 10 cm to 13 cm dia spaced at 0.750 cm c/c complying with standard specifications as per TNDSS NO : 30 & 86.					
	69.00	m2	below 1.00m				1 m ² (One Square Metre)	
	880.00	m2	Above 1.00m				1 m ² (One Square Metre)	

Sl. No.	Probable Quantity		Description of Work	MORTHNo.	Rate		Unit	Amountin rupees
					In Figures	In Words		inountin rupees
12	221.50	m3	Plain Cement Concrete 1:3:6 Mix (one part cement, three part Msand and six part of aggrigate) using 20 mm size ISS HBG metal from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing. Laying and curing etc., complete as per TNDSS NO: 28 & VI (S2) VI (S5A) VII standard specifications as directed by Engineer incharge.				1 m ³ (One Cubic Metre)	
13	30.00	m4	Supply and Fixing of 15mm thick Bitumen Pad including cost and conveyance of all materials to site and all labour charges etc., complete as per stand specification.				2 m ³ (One Cubic Metre)	
14		m2					1 m (One sQUARE Metre)	

CONDITION : Bitumen will not be supplied by department. Contractors should make their own arrangements.

Assistant Engineer Perur group Coimbatore zone Assistant Excutive Engineer Coimbatore zone Excutive Engineer Coimbatore zone