## DEVARSHOLA TOWN PANCHAYAT SCHEDULE – A

Name of the Scheme : General Fund (2020-2021)

Name of the work : Providing C.C.Road at Anjukunnu, Ward No.6 of Devarshola Town Panchayat

Est. Amount : Rs. 100000.00

Tender Date 14.06.2022

Schedule of rates and approximate quantities to accompany the tender for the work of

(a) The quantities have given are those upon which the lump sum tender cost of the work is based, but they are subject to alternations, omissions deductions of additions a provided for in the conditions of the contract and do not necessarily show the actual quantities of work to be done.
The unit of rates noted below are those governing payment for extras of deduction for omission according to the conditions of the contract in the conditions and specifications for the contract.

(b) It is to be expressively undertook that the measured work it is to be taken out (not with standing any outstemerly practice to the contrary) according to the actual quantities who the place and finished according to the drawing or as may be ordered from time to time. The rates quoted are for works in site and complete in every respect.

| S. No | Quantity |    | Description of Work  | Units                         | Rate in<br>Figures | Rate in Words |
|-------|----------|----|--|-------------------------------|--------------------|---------------|
| 1     | 53.00    | m3 | Earth work open excavation and depositing on bank with in the initial lead of 10m and a lift of 2m in hard stiff clay, stiff block cotton, hard red earth, shales, murram, gravel, stoney earth and earth mixed with small size boulders etc. complete. complying with std. specifications   | 1m3<br>One<br>Cubic<br>Metre  |                    |               |
| 2     | 53.00    | m3 | Plain Cement Concrete 1:4:8 Mix (one part cement, four part sand<br>and Eight part of aggregate) using 40 mm size ISS HBG metal from<br>approved quarry including cost and conveyance of all materials to<br>site. loading and unloading charges and labour charges for mixing.<br>Laying and curing etc. complete. Complying with std. specifications.  | 1m3<br>One<br>Cubic<br>Metre  |                    |               |
| 3     | 35.00    | m2 | Supplying and erecting centering for sides and soffits including<br>supports and strutting upto 3.00m height for plane surface such as<br>RCC Slab, Rectangular Beams, Tee (or) ELL Beams, Lintel Bed<br>Block, Slabs, Landing Slabs, Beams Canopy, Side Slab (or) Square<br>(or) Round columns etc., as detailed below with all cross branching<br>using M.S. Sheets of size 80cm x 60cm and B.G. 10 stiffended with<br>welded M.S. Angles of size 25 x 25 x 3mm for boarding laid over<br>silver oak or country wood joints of 10cm to 30cm to dia spaced at<br>75cm c/c etc., complete complying with standard specifications as<br>directed by departmental officers etc., complete. | 1m2<br>One<br>Square<br>Metre |                    |               |

| 4 | 53.00 | m3 | Plain Cement Concrete 1:2:4 Mix (one part cement, two part sand<br>and four part of aggrigate) using 20mm size ISS HBG metal<br>machine crushed from approved quarry including cost and<br>conveyance of all materials to site, loading and unloading charges<br>and labour charges for mixing, laying and curing etc. complete.<br>Complying with std. specifications. | 1m3<br>One<br>Cubic<br>Metre |  |
|---|-------|----|---|------------------------------|--|
| 5 | 9.00  | m2 | Supplying and fixing of Bitumen pad 12mm thick and the rate<br>including cost and conveyence of all materials to work site and all<br>other labour charges etc, complete as per standard specification  | 1m3<br>One<br>Cubic<br>Metre |  |