VELLIMALAI TOWN PANCHAYAT KANNIYAKUMARI DISTRICT - KANNIYAKUMARI ZONE

_ TENDER SCHEDULE _

Name of Work : Supply and delivery of three wheeler Sealed Lead Acid Battery Operated Vehicle (6 Nos) for Vellimalai Town Panchayat.

Scheme Name : KNMT 21 - 22

Estimate amount : `9,30,000/-

| Tender Date | : | Schedule issued to M/s: | |
|----------------|---|---------------------------|--|
| Closing Time | : | Schedule cost `: | |
| Opening Time | : | Remitted vide chellan No: | |
| EMD Rupees (`) | : | Date: | THE EXECUTIVE OFFICER Vellimalai town panchayat |

| SI. | Qty | Description | ption of work | Unit | TNDSS & | — – - Rate in – – — | | |
|-----|-----|---|--|---|---------|---------------------|---------|-------|
| No. | Qty | | | | Oint | MORTH No. | Figures | Words |
| 01. | | Supply and delivery of three wheeler Sealed Lead Acid Battery Operated Vehicle with following Specifications | | | | | | |
| | | SI.No | Parameters | Specification | | | | |
| | | 1. | Battery operated Vehicles having 3 wheels Design Chassis Construction | Vehicles having 3 should be Robust in construction for and carrying of collected Municipal Solid Waste wheels. Ladder type welded construction consisting of two symmetrical beams / rails / channels running the length of the cart with transverse cross - members connecting them fabricated using CRC MS | | | | |
| | | 3. | Dimensions of cart | square pipes of suitable size with Anti Rust Proof powder coating Overall Length: 2760 mm + 5KNMT Tolerance Overall width1000 mm 5KNMT Tolerance | | | | |

| SI. | Qty | Description of work | | | Unit | TNDSS & | — – - Rate in – – — | |
|-----|-----|---------------------|-------------------------------------|--|------|-----------|---------------------|-------|
| No. | •• | | | - | | MORTH No. | Figures | Words |
| | | 4. | Motor | Brushless DC Motor 1500W / 60V Original | | | | |
| | | 5. | Transmission | Single central axis differential drive with | | | | |
| | | | | Both forward and reverse direction | | | | |
| | | 6. | Ground Clearance | 160 mm To 170 mm . | | | | |
| | | 7. | Pay Load | Not less than 375 Kgs | | | | |
| | | 8. | Range per Charge | 80 -100 Km per Charge | | | | |
| | | 9. | Speed of Vehicle | Maximum 25 Kms per Hour | | | | |
| | | 10. | Rear Cargo Box Size (LxBxH) | a) Dimension: Not less than 1400 mm x 1000 mm x 450 mm (LxBxH). b) Should be fabricated using MS Sheet, MS Square pipes of suitable thickness and size). c) Rear Door: Foldable single door arrangement. d) Side door foldable single door arrangement. e) Both side doors should be made of MS Sheet of thickness not less than 0.6 mm f) Flooring should be made of MS Sheet of thickness not less than 1.6 mm | | | | |
| | | 11. | Grade ability {Climbing ability} | 7 degree (Minimum). | | | | |
| | | 12. | Brake System | Double Rear drum Pedal Type | | | | |
| | | 13. | Wheels & Tyres | Front: 3.75 - 12 (6PR) - 1 No. Rear: 3.75 – 12 (6PR) - 2 Nos. Spare tyre assy 1 No. | | | | |
| | | 14. | Seating Capacity | Cushioned seat to accommodate 2 Person | | | | |
| | | 15. | Cabin | Weather proof complete metal enclosed cabin with Windscreen glass (Toughened) for driver protection with necessary frame structure for protection from heat and rain | | | | |
| | | 16. | Suspension | Front: Heavy duty Hydraulic shocker. Rear: Leaf spring with hydraulic shocker | | | | |

| SI. | Qty | Description of work | | Unit | TNDSS & | — – - Rate in – – — | | |
|-----|--------|--|--|--|-------------------|---------------------|---------|-------|
| No. | 44 | | | | oint | MORTH No. | Figures | Words |
| | | 17. | Charger | 15 Amp SMPS Charger | | | | |
| | | 18. | Accessories: | Accessories: 1) Head lamp, Speedo Meter, front & rear indicators should be provided. 2) Fire Extinguishers. 3) Functional safety by providing circuit breaker (MCB) 4) Public Addressing System 5) GPS tracking | | | | |
| | | 19. | Battery Capacity | 100 AH - 48 V. SEALED LEAD ACID ION battery | | | | |
| | | 20. | Charging Duration | Not more than 3 Hours | | | | |
| | | 21. | warranty for vehicles | The successful bidder should provide one year warranty for vehicles including repair and replacement | | | | |
| | | 22. | Warranty for Sealed Lead Acid Battery | The successful bidder should provide three years warranty for Sealed Lead Acid Battery | | | | |
| | | ** For the first one year the operation and Maintenance cost per BOV shall be the responsibility of the supplier. | | | | | | |
| | 6 Nos. | Three wheeler Sealed Lead Acid Battery Operated Vehicle | | | 1No. (one number) | | | |

(Approved in Item No. 01 to 01 only)

JUNIOR ENGINEER TOWN PANCHAYATS MANAVALAKURICHI (H.Q)

ASSISTANT EXECUTIVE ENGINEER TOWN PANCHAYATS KANNIYAKUMARI ZONE