Item Rate BoQ

Tender Inviting Authority: Commissioner, Thoothukudi City Municipal Corporation

Name of Work :Repair and Maintanence of Public Toilet at VOC Market

File No: 41/22-23/AEE(E)

Name of						
the Bidder/						
Bidding						
Firm /						
	DDIOS COLUEDIUS					

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT#	NUMBER	NUMBER#	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder Rs. P		TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	Chipping and removing of Exisiting damaged plastering coat including the cost all materials etc.,complete, in all floors.		1M2 (One square metre)			0.00	INR Zero Only
	Removing Flooring and Wall tiles coat including the cost all materials etc.,complete, in all floors.	108.00	1M2 (One square metre)			0.00	INR Zero Only

3	Supplying and fixing in position Cement based hydrualically pressed Anti-Skid tiles (Eurocon pattern design) 20 mmthick in cement mortar 1:3 - 20mm thick & pointed with same colour of cement etc., complete as per standard specification	4.80	1M2 (One square metre)	0.00 INR Zero Only
4	Paving the floor with design Antiskirt ceramic tiles (colour and shade as directed) of size 305 mm x 305mm x 6 mm in all floors over a base layer of cement mortar 1:3 (one cement and three sand) 20mm thick laid in-situ and pointed with same coloured cement	22.00	1M2 (One square metre)	0.00 INR Zero Only
5	Brick work in CM 1:5 (one cement & five sand) using II Class Country bricks of size 8 3/4"X43/8"X 2 3/4" including finishing, curing, etc., complete complying with standard specification - 100CFT	0.30	1M3 (One Cubic metre)	0.00 INR Zero Only
6	R.C.C.Jolly by a new of following size in R.C.C. 1:1.5:3 using 20mm gauge hard broken granite stone jelly and river sand excluding cost of reinforcement but includingcharges, fabrication charges curing neat finishing and labour charges for fixing the jolly in position with standard spefication	2.30	1M2 (One square metre)	
7	Dadooing walls with Glazed tiles of sizes 305mm X200mm X 6mm size of approved make and quality and colour I Set in cement mortar 1:2 (one cement ,two sand) over 10 mm base layer plastering and pointing with white cement neatly as directed.	81.00	1M2 (One square metre)	0.00 INR Zero Only

		1	
Plastering with cement mortar (1:5) 12mm ,thick in all floors including cost and conveyance of all materilas to site and labour charges etc,complete as per standard specifications (S.I.306)	147.00	1M2 (One square metre)	0.00 INR Zero Only
Painting two coats with ready mixed Plastic Emulsion Paint approved quality and colour over a priming coat, including thorough scrapping, clean removal of dirt, etc complete and including necessary plaster of paris, putty, wherever required etc, complete as per standard specification 10 sq.m	126.00	1M2 (One square metre)	0.00 INR Zero Only
Painting Two Coat with Ready Mixed Enamel Paint over the Old Iron works of approved quality and colour without priming coat including the cost all materials etc.,complete, in all floors.	13.50	1M2 (One square metre)	0.00 INR Zero Only
Supplying and fixing in position best quality approved make white glazed earthenware wash hand basin of size 550 X 400 mm with a pair of cast iron brackets, including cost of 15mm diametre brass chromium plated piller tape,32 mm diametre C.P. Waste union, 32 mm diametre P.V.C. waste pipe with rubber plug and chain, 15mm diametre G.M.wheel valve, 15mm dia brass nipple, 15mm dia nylon connections etc., including fixing the wash hand basin in the wall in position with a pair of C.I. brackets with teak wood plugs and screws and giving necessary water supply connection and paintiung the brackets with two coats of paint over a primimg coat of anticorrosive paint including testing for leackage etc., complete complying with standard specifications	2.00	1M2 (One square metre)	0.00 INR Zero Only
Supplying and fixing best approved quality Bison door coat including the cost all materials etc.,complete, in all floors.	7.60	1M2 (One square metre)	0.00 INR Zero Only
	materilas to site and labour charges etc,complete as per standard specifications (S.I.306) Painting two coats with ready mixed Plastic Emulsion Paint approved quality and colour over a priming coat, including thorough scrapping, clean removal of dirt, etc complete and including necessary plaster of paris, putty, wherever required etc, complete as per standard specification 10 sq.m Painting Two Coat with Ready Mixed Enamel Paint over the Old Iron works of approved quality and colour without priming coat including the cost all materials etc.,complete, in all floors. Supplying and fixing in position best quality approved make white glazed earthenware wash hand basin of size 550 X 400 mm with a pair of cast iron brackets, including cost of 15mm diametre brass chromium plated piller tape,32 mm diametre C.P. Waste union, 32 mm diametre P.V.C. waste pipe with rubber plug and chain, 15mm diametre G.M.wheel valve, 15mm dia brass nipple, 15mm dia nylon connections etc., including fixing the wash hand basin in the wall in position with a pair of C.I. brackets with teak wood plugs and screws and giving necessary water supply connection and paintiung the brackets with two coats of paint over a primimg coat of anticorrosive paint including testing for leackage etc., complete complying with standard specifications Supplying and fixing best approved quality Bison door coat including the cost all materials	in all floors including cost and conveyance of all materilas to site and labour charges etc,complete as per standard specifications (S.I.306) Painting two coats with ready mixed Plastic Emulsion Paint approved quality and colour over a priming coat, including thorough scrapping, clean removal of dirt, etc complete and including necessary plaster of paris, putty, wherever required etc, complete as per standard specification 10 sq.m Painting Two Coat with Ready Mixed Enamel Paint over the Old Iron works of approved quality and colour without priming coat including the cost all materials etc.,complete, in all floors. Supplying and fixing in position best quality approved make white glazed earthenware wash hand basin of size 550 X 400 mm with a pair of cast iron brackets, including cost of 15mm diametre brass chromium plated piller tape,32 mm diametre C.P. Waste union, 32 mm diametre P.V.C. waste pipe with rubber plug and chain, 15mm diametre G.M.wheel valve, 15mm dia brass nipple, 15mm dia nylon connections etc., including fixing the wash hand basin in the wall in position with a pair of C.I. brackets with teak wood plugs and screws and giving necessary water supply connection and paintiung the brackets with two coats of paint over a primimg coat of anticorrosive paint including testing for leackage etc., complete complying with standard specifications Supplying and fixing best approved quality Bison door coat including the cost all materials	in all floors including cost and conveyance of all materilas to site and labour charges etc,complete as per standard specifications (S.I.306) Painting two coats with ready mixed Plastic Emulsion Paint approved quality and colour over a priming coat, including thorough scrapping, clean removal of dirt, etc complete and including necessary plaster of paris, putty, wherever required etc, complete as per standard specification 10 sq.m Painting Two Coat with Ready Mixed Enamel Paint over the Old Iron works of approved quality and colour without priming coat including the cost all materials etc.,complete, in all floors. Supplying and fixing in position best quality approved make white glazed earthenware wash hand basin of size 550 X 400 mm with a pair of cast iron brackets, including cost of 15mm diametre brass chromium plated piller tape,32 mm diametre C.P. Waste union, 32 mm diametre P.V.C. waste pipe with rubber plug and chain, 15mm diametre G.M.wheel valve, 15mm dia brass nipple, 15mm dia nylon connections etc., including fixing the wash hand basin in the wall in position with a pair of C.I. brackets with teak wood plugs and screws and giving necessary water supply connection and paintiung the brackets with two coats of paint over a priming coat of anticorrosive paint including testing for leackage etc., complete complying with standard specifications Supplying and fixing best approved quality Bison door coat including the cost all materials

13	Supplying and fixing in position Indian water closet	1.00	1No(One	0.00 NID	Zero Only
13	of size 580 X 440mm, white glazed earthen ware	1.00	number)	0.00 INIX A	Zero Only
	of approved quality with 'P' trap or 'S' trap		ilullibei)		
	confirming to IS:2556 - Part XII with sand cushion				
	and forming flooring alround the closet using				
	40mm broken brick jelly in lime concrete 1:2:5 (
	one part of lime, two parts of sand and five parts				
	of brick jelly) 100mm thick and finishing the top to				
	required slope and including giving necessary				
	connection to cast iron soil pipes/ PVC pipes by				
	dismandling brick masonry, reinforced cement				
	concrete roof/floor slab and making good the				
	disturbed portion to original condition without				
	leakage etc., complete complying with standard				
	specifications and as directed by the departmental				
	officers.				
14	Supplying and fixing in position White Glazed	1.00	1No(One	0.00 INR	Zero Only
	European Water Closet of best quality and		number)		
	approved make with 100mm 'P' os 'S" trap with				
	Double flapped rigit P.V.C. seat cover with C.P.				
	brass hinges with 12.5 litres PVC Low Level				
	Flushing Tank with all internal fittings etc.,				
	complete complying with standard				
	spoecifications,labor inclusive of fixing lowlevel				
	flushing tank.		l		
15	Supply and fixing of WT bulk head fitting with	10.00	1No(One	0.00 INR	Zero Only
	guard (Philips / Bajaj / Crompton / K. Lite) suitable		number)		
	for11W CFL lamp with CFL. (SD - 83)				
40	Complies and fining in societies 45				Zana Only
16	Suppling and fixing in position 15mm.diameter			0.00 INR	Zero Only
	brass / C.P screw down tap / pillar tap / swan				
	neck tap (heavy duty) of approved make				
	conforming to I.S.specifications and quality				
	including cost of shellac, thread etc.complying				
	with standard specifications and including cutting				
	and threading wherever necessary				

16.01	Piller Tap	2.00	1No(One number)		0.00	INR Zero Only
16.02	SD tap	2.00	1No(One number)		0.00	INR Zero Only
17	Supply and fixing of PVC. Nahini / Floor Trap with stainless Steel Gratings - 100 mm x 75 mm including all charges etc, complete as per standard specification.	2.00	1No(One number)		0.00	INR Zero Only
18	Weathering Course with Concrete Broken Brick 54.Jelly 20mm gauge in pure slaked lime (no sand to be added) over roof slab, the proportion of brick jelly to lime being '32 to 12.5 well beated with wooden beaters for giving required slope and thickness as directed by the departmental officers etc., complete.		1M2 (One square metre)		0.00	INR Zero Only
19	Finishing the top of roof with one course of machine pressed tiles of size 200 mm x 200 mm x 200 mm of approved quality in Cement Mortar 1:3 (One Cement add three sand) 12 mm thick mixed with water proofing compound conforming to ISS at 2% by weight of cement used and the joints pointed neatly to full depth of tiles with the same cement mortar mixed with red oxide and water proofing compound including curing etc., complete	8.00	1M2 (One square metre)		0.00	INR Zero Only

20	Internal Water Supply - P.V.C. Pipes (6Kg/SqCm) Supplying laying and jointing P.V.C pipes (6Kg/SqCm) of approved quality and best variety conforming to I.S.S & with I.S.I mark, of the following sizes including cutting, Fixing to PVC specials using Adhesive but excluding cost of such specials and fixing to wall with necessary teak - Wood Plugs,PVC Clamps and screws,making holes on the wall or drilling holes in roof and making good the dismantled portions to original condition with necessary brick work and plastering wherever necessary with necessary scaffolding charges.			0.00	INR Zero Only
20.01	110 mm	6.00	1 Mtr(One Metre)	0.00	INR Zero Only
20.02	90 mm	12.00	1 Mtr(One Metre)	0.00	INR Zero Only
20.03	63 mm	12.00	1 Mtr(One Metre)	0.00	INR Zero Only
20.04	25 mm	18.00	1 Mtr(One Metre)	0.00	INR Zero Only
20.05	20 mm	18.00	1 Mtr(One Metre)	0.00	INR Zero Only
Total in Figures			•	0.00	INR Zero Only
Quoted Rate in Words				INR Zero Only	