

**" TENDER SCHEDULE "**  
**PAPPIREDDIPATTI TOWN PANCHAYAT**  
**SCHEDULE - A**  
**Schedule of rates and approximate quantities**

a) The quantities here given are those upon which the estimate cost of the work is based but they are subject to alterations, commissions, deduction or additional as provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates notes below are those government payment for extra or deductions read with the Town Panchayat councils adaptation form and other conditions or specification of this contract and subject to the accepted tender percentage either below, above or at estimate rates as defined in the tender and as shown at the end of Schedule "A"

b) It is expressly understood that measured work is to be taken net-not withstanding any custom to practice to the contrary according to actual quantities when in place and finished according to the drawing or as may be ordered from time by the Assistant Executive Engineer at the cost calculated by measurement or weight at the respective prices with out any additional charge for any necessary or contingent works connected here with. The rates quoted are for works In-SITE and completed in every respect.

**15th Finance Commission 2021-22(UNTIED 1st Phase)**

**Name of Work: Construction of Compound wall at ward No.9 Alamelupuram Arunthathiyar Burial Ground in Pappireddipatti Town Panchayat**

**Estimate Amount Rs. 7,50,000/-**

Issued Thiru :

Chalan no. Dt.

**Executive Officer**  
Pappireddipatti Town Panchayat  
Dharmapuri District

Sl. No	Qty	Description of item	M.D.S.S No	Per	Rate in		Remarks
					Figure	Words	

Sl. No	Qty		Description of item	M.D.S.S No	Per	Rate in		Remarks
						Figure	Words	
1	48.00	<b>M3</b>	Earth work excavation for foundation and depositing on bank with in the initial lead of 10m and a lift of 2m in hard stiff clay, stiff block cotton, hard red earth, shales, murram, gravel, stoney earth and earth mixed with small size boulders etc. complete. complying with std. specifications.SS 20 B		M3			
2	5.70	<b>M3</b>	Plain Cement Concrete 1:4:8 mix (One Cement, Four Fine Aggregate and Eight Coarse Aggregate) Using 40mm ISS HBG metal for foundation and basement including dewatering if found necessary and laid in layer of not more than 15cm thick and consolidated including all cost conveyance of materials and labour charges etc. complete as per standard specifications and as directed by departmental Engineers(TNBP No.28).		M3			
3	30.00	<b>M3</b>	Brick Work in Cement Mortar 1:5 Mix (one cement, five sand) using best Country III Class Bricks of size 8¾"x4¼"x2¾" from approved quarry including cost and conveyance of all materials to site. Loading and unloading charges and labour charges for mixing, laying and curing etc. complete. Complying with std. specifications		M3			
4	0.00	<b>0</b>	Supplying and erecting centering to sides and soffits including supports and strutting with necessary cross bracing for plain surface such as RCC slabs rectangular beams all beams lintels etc., centering for soffits upto 3 meter height using mild steel sheet of size 90 cm x 60 cm x 10 mm gauge with MS angles of size 25mm x 25mm x 3mm laid over silver oak (CW) joists of size 10cm x 6cm spaced upto 90cm c/c and casurina props or 10 cm to 13 cm dia spaced at 0.750 cm c/c complying with standard specifications as per TNDSS NO : 30 & 86.		0.00			
0	61.00	<b>M2</b>	For Grade Beam		M2			
0	54.00	<b>M2</b>	For Roof and Column		M2			

Sl. No	Qty		Description of item	M.D.S.S No	Per	Rate in		Remarks
						Figure	Words	
5	19.30	<b>M3</b>	Reinforced Cement Concrete 1:1½:3 Mix (One part cement, one and half part sand and three part of aggregate)using 20mm size ISS HBG metal machine crushed from approved quarry including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing but excluding cost of reinforcement etc. Complete with std. Specifications. TNDSS NO: 30 V, VI (S3), VII-3.		M3			
6	2200.00	<b>Kg</b>	Supplying and fabrication of steel and placing in position of TMT steel rods for RCC works as per design given including cost of steel and GI binding wire in all floors etc., complete complying with standard specification in TNDSS NO:97 V,VI (S6) VII (S6), VII-3.		Kg			
7	24.00	<b>M2</b>	Plastering in Cement Mortar 1:3 Mix (one Cement, Three sand ) 20mm thick including cost and conveyance of all materials to site, loading and unloading charges and labour charges for mixing, laying and curing etc. complete . complying with std. specifications		M2			
8	200.00	<b>Kg</b>	Supplying and fixing of M.S grill of approved design for doors, windows and ventilators using necessary mild steel flats for inner and outer memebbers which should be fixed to window frames inclusive of priming coat of best approved quality red oxide primer etc., complete complying with standard specifications.		Kg			
9	290.00	<b>M2</b>	Supplying and Painting the walls with two coats of Emulsion paint over one of cement primer with good quality of approved cement paint including preparation of surface ,cost of all materials to site and all labour charges for mixing applying and proper curring etc., Complete as per Standard Specifications		M2			

Sl. No	Qty		Description of item	M.D.S.S No	Per	Rate in		Remarks
						Figure	Words	
10	15.00	<b>M2</b>	Painting with two coats of Approved colour of best quality of synthetic enamel ready mixed paint over one coat of primer for new wood work including cost and conveyance of all materials and all labour charges etc., complete as per Standard Specification and as directed by the departmental officers. (New Wood Surface).TNBP No:66&66-A		M2			

( Schedule item 1 to 10 Only)

Signature of the Contractor