TENDER NOTICE.

ARULMIGU ARUNACHALEESWARAR THIRUKOIL, VILANTHAI, THIRUKOVILUR TK, KALLAKURICHI DT

Sealed Tenders in prescribed form from the HR&CE Department registered Sthapathys / Sirpis of Tamilnadu Government with money limit not less than the estimate amount noted below (copy of Registration of contract to be enclosed) will be received for the work of **Re-Construction of Thirumadhil wall East and South east corner And renovation of Entrance to Arulmigu Arunachaleeswarar Thirukoil at Vilanthai, Thirukovilur TK, Kallakurichi DT**.by the Executive Officer on 02.08.2022 upto 01.00 Noon.

Estimate Cost Rs :- 13,70,000/-

Contract Value Rs :- 13,41,557/-

- 1. The tender will be opened at 2.30 PM on 02.08.2022by the Executive Officer in the presence of such tenders their authorized Agents who may be present at that time.
- 2. Earnest money Deposit of Rs 13,500.00 (Rupees Thirteen Thousand Five Hundred Only) Should be paid in the temple office itself and its receipt should be enclosed along with the tender and the tender received without the receipt for payment of EMD shell be rejected.
- 3. Tender document can be had from the Executive Officer, **Arulmigu Veeratteeswarar Thirukoil at Keezhaiyur, Thirukovilur TK, Kallakurichi DT**.office upto 01.08.2022 at 5:45 PM on payment of Rs 6,000-00 (Rupees Six Thousand Only) + GST 18% of Schedule cost on requisition along with copy of the registration of contract and money limit.
- 4. The temple authorities have right to reject or accept any or all. Tender without assigning reasons therefor E.M.D will be refunded to unsuccessful bidders only after the tender for the work is settled and agreement executed.
- 5. If and when considered necessary by the Department, Additional Security deposit will be collected from the approved tenderer at the specified time.
- 6. The period of completion of work will be **Nine** months from the date of handing over the site.
- 7. Delay in execution on the part of the contractor will be dealt with by penalizing him with a fine if proper reasons are not assigned for the delay.
- 8. E.M.D and Additional Security Deposit (ASD) will not be returned with any interest.
- 9. E.M.D and A.S.D will be returned to the successful tenders normally after Satisfactory completion of works and after audit for this work. Further information required may be obtained from the Executive Officer of the above temple during officer hours.

Date: 12/07/2022

Place: Vilanthai

Signature of Contractor No of Correction Executive officer

No of Overwriting

SCHEDULE-A

SCHEDULE OF RATES AND APPROXIMATE QUANTITIES

- a) The quantities given are those upon which the lump sum tender cost of the work is based, but they are subject to alterations, omissions or additions which are provided for in the condition of the Contract and do not necessarily show the actual quantities of work to be done, The unit rates noted below are these governing payment for extras of deductions or omissions according preliminary Specifications of the Standard Specifications as per approved government tender conditions and other conditions of specifications of this contract.
- b) It is to be especially understood the measured work is to be taken not (not withstanding any caution or practice to the contrary) according to the actual quantities when in place and finished according to the drawing as may be ordered from time to time by the Officer In charge and that the caused calculated by measurement or weight at the respectively prices without any additional carriages for any necessary of contingent works connected therewith, the rates quoted are for works in site and complete in every respect.

TENDER NOTICE

NAME OF THE WORK: RE-CONSTRUCTION OF THIRUMADHIL WALL EAST AND SOUTH

EAST CORNER AND RENOVATION OF ENTRANCE TO ARULMIGU

ARUNACHALEESWARAR THIRUKOIL AT VILANTHAI,

THIRUKOILUR TK, KALLAKURICHI DT.

To,

Executive Officer,
Arulmigu Arunachaleeswarar Thirukoil
Vilanthai, Thirukoilur TK,
Kallakurichi DT

Sir,

I / We do hereby tender and, if this tender be accepted under take to execute the following works (viz) and more fully described in he schedule hereto as shown in the drawing and described in the specification deposited in the office of the institution with much variations by way of alterations of additions to and omission from the said works and method of payment as are provided for in the condition of contract for the sum of **Rupees 13.42 lakhs** (Mentioned in the Schedule) or such other sum as may be a arrived at under the clause of the standard preliminary specifications relating to "Payment on lump sum basis" or by final measurement at unit prices.

I/We have also completed the priced list of items in the schedule 'A' annexure (in words and figures) for which I/We agree to execute the work when the lump sum payment under the terms of the agreements is varied by payment on measured quantities. I/We hereby distinctly and expressly declare and acknowledge, before the submission of my/our tenders, we have carefully followed the instructions in the Tender

Notice and have read the TNBP and the preliminary specifications therein, and that I/We have such examination of the contract documents specification and quantities and of the location where the said work is to be done and in regard to the materials required to be furnished as to enable me/us to thoroughly understand the intentions of the same and the requirements, covenants, agreements Stipulations and restriction contained in the sum of **Rupees 13,500.00**(to be entered in words and figures) as earnest money not be bear

interest. If /our tender is not accepted the sum shall be returned to me as on my/our application when intimation is sent me/us of rejection or at the expiration of four months from the date of this tender whichever is earlier.

If my/our tender is accepted the earnest money shall be retained by the institutions as security for the due fulfillment of the contract If upon written intimation to me/us by the office of the Trustee/board of Trustees or if upon intimation is being given to me us by the Trustee Board of Trustees of the institutions or acceptance by the Trustee/Board of Trustee or competent authority etc., of my our tender I / We fail to make an additional security deposit or to enter in to the required agreement as defined in paragraphs of the tender notice then I / We agree to the forfeiture of the earnest money. Any notice required to be served on me/us hereunder shall be sufficiently served on my us if delivered to me / us personally or forwarded to me / us by post (Registered or ordinary) or left at my /our address given herein such notice shall if sent by post be deemed to have been served on me / us at the address to which it is sent. I / We fully understand that the written agreement to be entered into between me/us and institution shall be the foundation of the rights of both the parties and the contractor shall not be deemed to be complete until the agreement is first singed be me us and then by the Executive Officer of the temple.

I am/ We are professionally qualified and my our qualification are given below

Name

Qualification

I / We employ the following technical staff for supervision of the work and will see the one of them is always at the site during working hours personally checking all items of work and paying extra attention to such works as required special attention (cg) reinforced concrete work.

Qualification

Name of the members of technical staff Proposed to be employed

Note:- (a) the Last to clause as should be scored out if the cost of the work involved is less than Rs. 10,000/-.

Signature of Contractor

No of Correction No of Overwriting Executive officer

- (b) The tenderer should be scored out the last clause or the penultimate according as they are themselves professionally qualified or undertake to employ technical staff under them.
- 1. Tenders will be received by the Executive Officer, Arulmigu Arunachaleeswarar Thirukoil at Vilanthai, Thirukovilur TK, Kallakurichi DT.

Tender should be in the prescribed form obtainable from the office of the Executive Officer, Arulmigu Veeratteeswarar Thirukoil at Keezhaiyur, Thirukoilur TK, Kallakurichi DT.on all working day during the office hours upto 01.08.2022.

This tender will be opened at the Executive Officer office, Arulmigu Veeratteeswarar Thirukoil at Keezhaiyur, Thirukoilur TK, Kallakurichi DT.

The tender of their authorized agent are expected to be present at the time of opening tenders. The tender receiving officer will, on opening each tender prepare a statement of attested and unattested corrections therein and hand it ever to the tenderers concerned and initial of all such corrections in the presence of the tenderers. If any of the tenderer of their agents finds I inconvenient to be present the time when in such a case if inconvenient to be the tender receiving officer will, on opening the tender of the obsentee tenderer make out a statement of the unattested corrections and communicate of the corrections without any question whatsoever.tender must be submitted in a sealed cover and should be addressed to the Executive Officer of the temple.

The tenderer and the name of the work being noted on the cover.

- 1. If the tender is made be an individual if shall be signed and his full name of and his address shall be given. If it is made by firm shall be signed with the firm name by a member of the firm shall be given. If the tender is made by a corporation it shall be signed by dully authorized officers who shall produce with his tender, satisfactory evidence of his authorization. Such tendering corporation may be required before the contract is executed to furnish evidence of its corporate existence.
- 2. Each tendered must also send a certificate of Income Tax verification from the appropriate Income tax authority in the form prescribed therefore. This certificate will be valid for one year from the date of issue for all the tenders submitted during period.

In the case of proprietary of partnership firm it will be necessary to produce the certificate before mentioned for the properties and for each of the partners and the case may be.

If the tendered is registered contractor and if a certificate for the current year has already been produced during the calendar year in which tender is made it will be sufficient if particulars regarding the previous occasion on which the said Certificate was produced are given.

3. Each Tenderer must pay as earnest money as sum prescribed in cash in the above said office and attach the receipt with the tender. The earnest money will be retained in the case of successful tenderer and will not carry any interest. It will be dealt with as provided for in the conditions attach to the tender.

4. when the tender is to be accepted the tenderer whose tender is under considerations all attend the Inspector office on the date fixed in the written intimation sent to him. He shall forthwith upon intimation being given to him by the Executive Officer of acceptance of his tender make a security deposit. **Rs 13,500.00** or such other sum as will be intimated to his on acceptance in one of the forms prescribed by the HR&CE code and sign and agreement in the proper department form for due fulfillment of the contrast. This security deposit together with EMD and the amount with-held according to clause 68 to TNBP shall be retained as security for the fulfillment of the contract. If upon written intimation to the successful tendered by the Executive Officer, the tenderer fails to attend the said office before specified date on such intimation to tentered the tender will not be considered upon, intimation being given to the successful tenderer by the Executive Officer of the Temple.

Acceptance by his tenders or the tenderer fails to make the additional Security deposit to enter in the referred agreement in clause. II of the tender notice the earnest money shall be forfeited. The written agreement to be entered into between the contractor and the temple shell be foundation of the rights of both parties and the contract shall not be seeded to be complete until the agreements has first been signed by the contractor and then by the proper officer authorized to enter into contracts on behalf of the temple.

For items of works in buildings and structures not covered by the specifications relevant items for TNBP an amended from time to time shall apply.

A copy of these contract document can also be had on payment of Rs. 6,000 + 18% of GST on schedule cost per set (including surcharges).

5. The tenders shall examine closely the TNBP and also standard preliminary specification contained therein before submitting his tender for unit rate which shall be for finished work in site. He shall be also carefully study he drawings and descriptive specifications supplementing schedule. and all documents which form part of the agreement to be entered into by accepted tenderer.

The TNBP and other documents connected with the contract as specifications, plans descriptive specifications sheets regarding materials etc., can be seen at office hours and office day in the office of Executive Officer Office, **Arulmigu Veeratteeswarar Thirukoil at Keezhaiyur**, **Thirukoilur TK**. **Kallakurichi DT**.

The tenderer attention is directed to the requirement for materials under the class materials and workmanship for the preliminary specification. Materials conforming to the British standard specification of the Indian Standard specification and Indian Road congress shall be used on the work and the tenderer shall quote his rate accordingly.

7. Every tenderer is expected before quoting his rate to in aspect the sit of the proposed work. He should also inspect the quarries, and satisfy himself about the quality and availability of materials, the names of quarries, kilns etc., wherefrom certain materials are to be obtained will be given in the load particulars.

The Best class of materials to be obtained from the quarries or other source defined shall be used on the work in every case. The materials must comply with the relevant standard specification samples and materials as called for the standard specification samples and materials as called for the standard specifications or in their tender notice or as required by the Executive Officer approval before the supply to the site work is begun.

If the contractor after examination of the source of materials defined in the schedule "C" is of opinion that materials complying with standard or other specification of the contract cannot be obtained in quality of sufficient quantity from the source defined in the descriptive specification sheet. He shall so state clearly in his tender and state where from he intends to obtain materials subject to the approval of the Executive Officer of the temple.

The Executive Officer, will not however, after acceptance of contract rates, pay any extra charge for lead or for any other reason in case the contractor is found later on to have misjudged the quality or quantity of materials available. Attention of the contractor is directed to the standard preliminary specification regarding payment of seinorage tools etc.,

8. The tenders particulars attention is drawn to the seating and clauses in the standard preliminary specification dealing with

1. Delays.

2. Particulars of payments

The tenders should closely peruse all the specification clauses which govern the rates for which he is tendering

9. A Schedule of quantities accompanies this tender notice, I shall definitely be under stood that the Thirukoil concern does not accept any responsibility for the correctness or completeness of the schedule and that this schedule is liable to alternation or omission deductions or additions at the discretion of the Executive Officer or as set forth in the condition of contract. The tenderer will however base his lump sum tender on his schedule of quantities. He should quote specification rates for each item in the schedule and the rate should be in rupees and paise and should be written

both in works and in figures and the units in words. The tenderer should also show the total of each item and the grand total of the whole contract and quote in the tender a lump sum for which he will undertake to do the whole work subject to the condition of contract such lumpsum agreement agreeing with the total of schedule. This tender schedule accompanying the lump sum tender shall be written legibly and free from erasure or overwriting of conversions of figurer's corrections where unavailable should be made by crossing out initialing dating and rewritings.

TENDERS NOT ADMITTED IN PROPER FORM OR IN DUE TIME WILL BE REJECTED

10. Tender offering a percentage deduction form or increase on the estimate mount and those not submitted in proper from or in due time will be rejected; Rates and lump sum amounts for items not called for shall not be included in the tender. No alteration which is made by the tenderer in the contract from, the condition of contract, the drawings, specifications or quantities accompanying the same will be recognized and if any such alteration are made, the tender will be void.

11. Tenderer should work out his own rates without reference being made to the public works Department current schedule of rates or Highways department Schedule of rates which are not open for inspection by tenders.

The lease at which and the source from which certain particulars materials shall be obtained by the contractor are given at the schedule accompanying the tender forms. Tenderer must accept the materials at these leads and shall quote their price for finished work accordingly.

Not with standing any subsequent charge in the market value for these materials, the rate quote by the contractor will remain as originally entered in the written contract. No cartage or incidental charges will be borne by Thirukoil concern in connection with this supply.

12. The attention of the tenderer is directed to the contract requirement as to the time of beginning the work, the rate of progress and the date for the completion of the whole work and its several parts.

The following rate of progress and proportionate value of work done form time to time and will he indicated by the Executive Officer certificate of the Value of work done. will be required. Date of commencement of this programme will be the date of which the site or promises is handed over to the Work

RATE OF PROGRESS

Period after the date percentage of Physical Of commencement Contract value.

I st Month

IInd Month

IIIrd Month

IVth Month

Vth Month

VIth Month

VIIth Month

VIIIth Month

IXth Month

AS SPECIFIED IN THE TENDER SCHEDULE "B"

- 13. No part of the contract shall be sublet without written permission of the Executive Officer not shall transfer be made by power of attorney authorizing others to receive payment on contractor's behalf.
- 14. A) If further necessary information is required, to the Executive Officer will furnish such information but is must be clearly understood that the tender must be received in order and according to instructions.
- (b) It is to be expressly understood that the measured work is to be taken net (not withstanding any practice or custom of the contrary) according to the drawings or as may be ordered from the time to time by the Fit Person and the cost calculated at the respective unit price without any additional changes for any necessary contingent works connected therewith.
- 15. Fit Person of the temple or other sanctioning authority reserves the right to reject any tender or all the tenders without assigning any reasons therefore as set forth in rule 23 of the rules under section 116(2), (XII).XVIII. XIX AND XXII of the madras HR&CE Act., 1959

Tenders who have not already resisted themselves as a contractor should furnish evidence of their records and capacity of the work.

The tenders submitting a quotation which the tender accepting authority considers excessive and of indicative of insufficient knowledge of current prices or definite attempt at profiteering will render himself liable to be debarred permanently from tendering or for such period as the tender accepting authority any decide. The tender rates should be based on the controlled price under the provision of clause of the hoarding and profiteering preventive ordinance 1943 assamended from time to time and similar principles in regard to labour and supervision in the constructions.

The tender of the contractor who agrees to enjoy the maximum number of Ex-servicemen, extoddy toppers and unemployed agriculture labourers. (Number to be notified in the tender) will receive preferential consideration. The tenderes are requested to report on this in their covering letter.

The contractors shall make their own arrangement for all tools and plan required for the execution of the work

Signature of Contractor No of Correction Executive officer
No of Overwriting

LEAD STATEMENT

S.NO	Name of Material	Source	Lead in KM
1	Cement	Local	
2	Steel	Local	
3	Sand for mortar	PWD Depot	170
4	Sand for filling	PWD Depot	170
5	Chamber Bricks of size 9" x4 ½ " x3"	Local	10
6	Country Bricks of size 8 3/4 "x4 1/4" x2 3/4"	Local	10
7	HGB 40mm ISS Metal	Adiammanamalai	40
8	HGB 25mm ISS metal	Adiammanamalai	40
9	HGB 20mm ISS metal	Adiammanamalai	40
10	HGB 10-12mm ISS metal	Adiammanamalai	40
11	HGB 6-10mm ISS metal	Adiammanamalai	40
12	Rough Stone	Adiammanamalai	40
13	Bond stone	Adiammanamalai	40
14	Cutstone fully dressed	Adiammanamalai	40
15	Brick Jelly 20mm	Local	10
16	Shell lime	Thirukoilur	15
17	Slacked Limes	Thirukoilur	15
18	Pressed tiles 20X20X2cm	Thirukoilur	15`
19	Unslacked pollachi lime	Pollachi	370

Name of Temple: - Arulmigu Arunachaleeswarar Thirukoil at Vilanthai, Thirukoilur TK, Kallakurichi DT.

Name of work :- Re-Construction of Thirumadhil wall East and South east corner And renovation of Entrance

SCHEDULED SPECIAL CONDITIONS STATEMENT

- 1. All materials including cement and steel shell be purchased by the contractor at his own cost
- 2. Cement and steel purchased the contractor must be in good condition conforming to IS specification and necessary Test should be conducted for all required materials at his own cost as directed by Deportment Engineers.
- 3. No extra for water will be paid for any of the items and rates should be inclusive of all and the Contractors should make his own arrangements for the supply of water for the work only the water fir to drink should be used.
- 4. Proper curing should be done for masonry work concrete and RCC works as per the instructions Contained in T.N.D.S.S for which name extra payment will be made. If the contractor fails to do curing or does not do curing properly, Payment for the mazdoors will be recovered from bill.
- 5. The Contractors should make his own arrangements for all tools and plants such as concrete mixer etc. required for the work.
- 6. The contractors shall arrange to store the material sufficiently in large quantities to ensure non stoppage of work. He shell be responsible for the proper storage and preservations of the materials in good condition
- 7. As soon as the contract is accepted the contractor should give a programs of work which proposed to adopt for exemption is conformity with the rate of progress specified
- 8. The contractor who has undertaken to employ the Technical Assistant should see that the technical assistant is always of the site of work during working hours personally checking all items of works and paying extra attention of such pf items which required special attention (viz) concrete and RCC works, as per norms fixed by the Government according to value of the contract.
- 9. The contractor should be liable to pay a penalty of n0t exceeding 1% of the estimate value of work for the employment of technical staff) The technical staff employment by the contractor for this works should be an Engineering graduate in Civil Engineering or a retired Assistant Divisional Engineer or a retired Executive Engineer according to norms. The Decision of Commissioner in fixing the quantum of penalty under this clause is final.
- 10. The contractor should return the furniture's if not double the marked cost of such materials will be recovered from the contractor No extra for fixing the furniture will be paid since rate for supply of doors and windows are inclusively of labour charges for fixing charges for fixing furniture in position.

TENDER SCHEDULE

NAME OF THE WORK: RE-CONSTRUCTION OF THIRUMADHIL WALL EAST AND SOUTH EAST CORNER AND RENOVATION OF ENTRANCE TO ARULMIGU ARUNACHALEESWARAR THIRUKOIL AT VILANTHAI, THIRUKOILUR TK, KALLAKURICHI DT.

Contract Value: Rs.13,41,557/- EMD Rs.13,500/- Date of Tender: 02.08.2022 Time for completion: 9 months

No	Qty		Description of work	TNBSS NO	UNIT	Rate in Figure	Rate in Words
1	11.00	Cum	Dismantling the existing damaged brick work in mud mortar away from site etc complete the std specification.,		Cum		
2	55.00	Cum	Earth work excavation for foundation in all soils and sub-soils and to full depth as may be directed except in rock requiring blasting inclusive of shoring shuttering, bailing out water wherever necessary and depositing the surplus earth within the compound in places shown by the departmental officers with an initial lead of 10 mts and initial lift of 2 mts. and clearing and leveling the site, etc., complete complying with standard specification.		Cum		
3	5.00	Cum	Supplying and filling in foundation, basement, etc with filling sand in layers of not more than 15 cm thick well watered, rammed and consolidated etc. complete complying with standard specification and as directed by the departmental officers.		Cum		

Signature of Contractor

No of Correction No of Overwriting Executive officer

			Cement Concrete 1:5:10 (One Cement, Five sand and			
			Ten hard broken stone jelly) using 40 mm gauge hard			
			broken granite stone jelly for foundation including			
4	10.00	Cum	dewatering wherever necessary and laid in layers of not	Cum		
			more than 15 cm thick well rammed, consolidated and			
			curing etc. complete complying with standard			
			specification			
			Random Rubble masonry work Lime mortar 1:2 (one of			
			lime and two of sand) mix using selected stones and			
5	20.00	Cum	rough stones in foundation and basement including	Cum		
			dewatering wherever necessary proper setting, curing,			
			etc.,			

6 3.00	Cum	Providing and laying in position, Standardized Concrete Mix M20 Grade in accordance with IS 456:2000 using 20mm and down graded hard broken granite stone jelly for all rcc works with minimum cement content 325Kg/m3 and maximum water cement ratio of 0.55, including admixture(plasticizer/super plasticizer) in recommended proportions as per IS 9103 to acclerate, retard setting of concrete, improve workability with out i paring strength and durability with about (5 cum) 7730 Kg of 20mm machine crushed stone jelly and with about (3.3 Cum) 5156 Kg of 10 12mm machine crushed stone jelly and with about (4.79cum) 7670 Kg of sand, but excluding cost of reinforcement grill and fabrication charges, centering and shuttering and also including laying, vibrating with mechanical vibrators, finishing, curing etc and providing fixtures like fan clamps in RCC floor/ roof slabs wherver necessary without claming extra complete complying std specification and also directed by departmental officers. The coarse and fine aggregates to be used should comply with requirements of IS standards		Cum				
--------	-----	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----	--	--	--	--

7	12.00	Sqm	Supplying and erecting steel centering including necessary supports for plane surfaces for Reinforced Cement Concrete works such as column footings, column pedestals, plinth beams, grade beams, staircase steps, etc. which require only nominal strutting using mild steel sheets of size 90cm x 60cm and 10 BG stiffened with welded mild steel angles of size 25mm x 25mm x 3 mm for boarding, laid over silver oak joists of size 10cm x 6.5cm spaced at about 75cm centre to centre or at suitable intervals etc. complete in all floors complying with standard specification. (Payment for centering shall be given after the concrete is laid)	S	Sqm
8	0.50	МТ	Supplying, fabricating and placing in position Mild Steel / Ribbed Tor Steel grills for all RCC works as per design given including cost of steel and G.I. binding wire in all floors etc. complete complying with standard specification. (Contractor has to make his own arrangements for the supply of steel and binding wire)	N	MT
9	20.00	Cum	Brick work in lime mortar 1:2 (one of lime and two od lime) mix using country bricks 83/4"x43/8"x23/4" size including curing, scaffolding etc. complete complying with std. specification (for super structure)	C	Cum
10	960.00	Sqm	Plastering with Lime Mortar 1:1.5 (One of lime and One and half of sand), 12mm thick in all floors including curing etc. complete complying with standard specification and as directed by the departmental officers.	S	Sqm

Signature of Contractor

Executive officer

11	960.00	Sqm	Painting two coats of newly plastered wall surface with ready mixed water based exterior emulsion paint of first class quality and of approved colour over a priming coat including thorough scrapping, clean removal of dirt, and including necessary plaster of paris putty, wherever required etc., complete complying with standard specification.	Sqm	
12	10.00	Nos	Providing new sudhai vigrahams in the vimanams and rajagopurams with copper rod Reinforcement of suitable dia with binding wires wherever necessary, shapping the core with broken bricks set is Lime mortor 1:1.5 added 20% cement finishing the same with Lime mortor 1:1.5 added 20% cement bringing to the correct shape (lakshana) in conformist with silpa sastra inclusive of specials ornaments, weapons, peedam etc., complete and providing Lime mortor 1:1.5 added 20% cement nayam theervai wherever necessary inclusive of cost and conveyance of all materials, such as cement broken bricks, and GI rods binding wire all labour for working in heights curing lifting of materials etc., complete including panchavrana painting 2 coats over a primary coat	E	
13	8.00	Sqm	Supplying and fixing teak wood temple type including all materials, labour charges for manufacturing and fixing I position including all furniture fittings etc complete with std specifications.	Sqm	

			Painting new wood work with good quality enamel paint		
14	40.00	Sqm	two coats including priming coat with cost conveyance and labour charges etc complete complying the specification.,	Sqm	