Item Rate BoQ

Tender Inviting Authority: Commissioner, Thoothukudi City Municipal Corporation

Name of Work: Construction of Storm Water Drain at Thiraviyarathina Nager North 3rd Street (138015R0959, Length = 250, Vent = 0.6), Thiraviyarathina Nager North 1st Street Extension (138015S0365, Length = 242, Vent = 0.6), Thiraviyarathina Nager North 4th Street (138015S0367, Length = 269, Vent = 0.6), Thiraviyarathina Nager South 6th Street (138015S0360, Length = 133, Vent = 0.6), Murukesh Nager 7th Street (138015S0344, Length = 56, Vent = 0.6), Murukesh Nager Main Road Extension (138015R0946, Length = 285, Vent = 0.6), Murukesh Nager South Main Road Extension (138015R0952, Length = 135, Vent = 0.6), Muthukrishna Nagar Main Road (138016R1024, Length = 247, Vent = 0.9), Kathirvel Nager Main Road E/W (138016R1032, Length = 615, Vent = 0.9), Bharathi Nager West Main Road (138016R1034, Length = 140, Vent = 0.6), Bharathi Nagar 5th 1st cross (138017R1100, Length = 105, Vent = 0.6), Bharathi Nagar 5th 2nd cross (138017R1101, Length = 105, Vent = 0.6), Annai therasa nagar1st street (138017R1071, Length = 200, Vent = 0.6), Nigilasan Nagar Main road (138018R1136, Length = 540, Vent = 0.6), Nigilasan Nagar 3rd street (138018R1146, Length = 315, Vent = 0.6), Swimming pool Main road (138018R1129, Length = 215, Vent = 0.6), BMC School Main Road East to West (138018R1153, Length = 470, Vent = 0.9), Green Veli Rajagopal Nagar 1st Street West (138033R1571, Length = 195, Vent = 0.6), Green Veli Rajagopal Nagar 2nd Cross Street - West (138033R1573, Length = 80, Vent = 0.45), Green Veli Rajagopal Nagar 3rd Cross Street - West (138033R1574, Length = 83, Vent = 0.45), Ashok Nagar 6th Street (138034R1637, Length = 160, Vent = 0.45), TMB Colony Burial Ground Road (138032R1527, Length = 502, Vent = 0.9).

File No: E1/1526/2022/(Package-5)

r/	
r/	

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER#	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	HGS SS.20.B. Earth work excavating and depositing on bank with initial lead of 10 m & initial lift of 2m in Hard stiff clay, stiff black cotton, hard red earth, shales, murram, gravel, stoney earth and earth mixed with small size boulders SS.20B		1M3 (One cubic metre)			0.00	INR Zero Only

	-					
3	Plain Cement Concrete 1:4:8 (one cement four fine aggregates and eight coarse aggregates) using 40mm size ISS HBG metal including cost and conveyance of all materials to site and including for the mixing, laying and labour charges and all incidential charges such as water providing etc., complete as per standard specification Centering for soffits of RCC slabs of plane surface like lintels, beams ,etc.,including strutting 3m high using mild steel sheets of size 90cm X 60cm X and B.G 10 stiffened with M.S angles of size 25mm X 25mm X 3mm laid over silver Oak (C.W) joists of size 10cm X 6.5cm (spaced at about 90cm c/c)and supported dy casurina props of 10cm to 13cm dia (spaced of 75cm C/C) complying with standard specification and directed - 10 m 2 (P & D)Data 38		1M3 (One cubic metre)		0.00	INR Zero Only
3.01	Wall Centering	21450.00	1M2 (One square metre)		0.00	INR Zero Only
3.02	Slab Centering	2021.00	1M2 (One square metre)		0.00	INR Zero Only
4	Suppling and fabricating and placing in position MS (or) R.T.S. bar for reinforcement to all RCC works as per the design given including cost of steel and binding wire also in all floors.		1Kg (One Kilogram)		0.00	INR Zero Only

5	Providing and laying in position Standardised	2670.00	1M3 (One		0.00	INR Zero Only
	Concrete Mix M-20 Grade in accordance with IS	20.0.00	cubic metre)		0.00	
	456 - 2000 using 20mm and down graded hard					
	broken granite stone jelly for all RCC items of					
	works with minimum cement contenet of 3250Kg/					
	10cum and maximum water cement ratio of 0.55					
	including admixture (Plasticiser / super					
	plasticiser) in recommended proportions as per IS					
	9103 to accelerate, related setting of concrete,					
	improve workability without imparing strength and					
	durability with about (5.0cum), 7730Kg of 20mm					
	machine crushed stone jelly and with about (3.3)					
	cum), 5156kg of 10 - 12mm machine crushed					
	,. 9					
	stone jelly and with about (4.79cum) 7670 kg of					
	sand, but excluding cost of reinforcement grill and					
	fabricating charges centering and shuttering but					
	including laying, vibrating with mechanical					
	vibrators, finishing, curing, etc and providing					
	fixtures like fan clamps in the RCC floor / roof					
	slabs wherever necessary without claiming extra					
	cost etc., complete complying with standard					
	specification and as directed by the departmental					
	officers - The Coarse and Fine aggregates to be					
	used should comply with the requiremnents of IS					
	staandards. (No separate payment will be made					
	by the Department for the excess usage of					
	materials)					
6	Providing and Fixing 63 mm dia (6Kg/SqCm)	221.00	1Rm (One		0.00	INR Zero Only
	P.V.C. Pipes in weep holes,the rate includes cost		Running			
	of pipe,labour for cutting, packing of concrete		Metre)			
	,transportation etc.,complete as per standard					
	specification					
7	Dewatering using 3HP to 7.5HP diesel engine	360.00	1Hrs (One		0.00	INR Zero Only
	pumpset including Hire charges, cost of Diesel,		Hours)			
	Engine oil, pump					
	operator, labour charges, conveyance of pumpset					
	and fuel to site and back, loading, unloading and					
	any other					
	incidental charges etc., complete.					
E						

8	Supplying and fixing in position 600mm dia FRC manhole cover to suit 600 mm clear opening manhole frame (Extra Heavy Duty) of best	162.00	1Nos (One Numbers)		0.00 INR Zero Only	
	approved quality and as per standard specifications etc.,Complete.					
9	Supplying and fixing in position 600mm dia FRC manhole frame to have clear opening of 600mm dia to suit 600mm dia FRC Cover (Extra Heavy Duty) of best approved quality and as per standard specifications etc., Complete.	162.00	1Nos (One Numbers)		0.00 INR Zero Only	
10	Plain Cement Concrete 1:2:4 (one cement, two fine aggregates and four coarse aggregates) using 20mm size ISS HBG metal including cost and conveyance of all materials to site and including for the mixing, laying and labour charges etc., complete as per standard	10.00	1M3 (One cubic metre)		0.00 INR Zero Only	
11	Supplying & Fabrication & Placing in position of RCC pre cast slab of 10cm (4") the including all cost and conveyance of all materials to site and including for the mixing, laying and labour charges etc., complete as per standard specification	45.00	1M2 (One Square metre)		0.00 INR Zero Only	
12	Refilling with excavated earth in layers of 30 cm watered well rammed and consolidatred conforming to standard specification including labour charges as directed by Engineer in Charge	1010.00	1M3 (One cubic metre)		0.00 INR Zero Only	
13	Removal of Excavated Excess Earth away from the site to 2 K.M including loading and transportation charges etc, complete as per standard specification. For 1M3	7330.00	1M3 (One cubic metre)		0.00 INR Zero Only	
Total in Fi	gures			0	.00 INR Zero Only	
Quoted Ra	ate in Words	INR Zero Only				